

MODULE SERVER

CONTENTS

This module has the following files:

- MODULE_SERVER.doc
- MODULE_SERVER_MEDIA.zip

INTRODUCTION

PO TRANS SEJAHTERA asks you to make a rent car system. Your task is to implement the backend with Laravel PHP Framework and interactive frontend with JavaScript to consume the backend API. The detailed description and tools that you can use will be described below.

DESCRIPTION OF PROJECT AND TASKS

API List:

Create dummy users on users table (password is hashed using bcrypt):

username	password
admin1	admin1
user1	user1

These are the list of web service endpoint that requested by the company:

1. Authentication

a. Login

URL: [domain/a1/auth/login

Description: For admin to generate and get login token using username and password. Username and password must be valid.

Method: POST

Request Parameter:

- Body:

- Username
- Password

Response:

- If login success:

Header: response status: 200

Body: { *token* } (authorization token generated by the system from logged in user id with bcrypt hashing method)

- If login failed (username or password do not match or empty):

Header: response status: 401

Body: { *message: invalid login* }

b. Logout

URL: [domain]/a1/auth/logout

Description: For server to make token invalid

Method: GET

Header: Authorization: Bearer {TOKEN}

Response:

- If logout success:
 - Header: response status: 200
 - Body: { message: logout success }
- If logout failed (token invalid):
 - Header: response status: 401
 - Body: { message: unauthorized user }

2. Register

a. Register (a1/register?token={AUTHORIZATION_TOKEN})

Description: Tenants register which can be done online

Request method: GET, POST, PUT, DELETE

Header: authorization Option

Request parameter:

- Body:

- ☐ ID
- ☐ No_KTP
- ☐ Name
- ☐ Date_of_birth
- ☐ Email
- ☐ Phone
- ☐ Description

Response:

- If success:
 - Header: response status: 200
 - Body: { message: create register success }
- If input validation failed:
 - Header: response status: 422
 - Body: { message: invalid field }
- If accessed without token:
 - Header: response status: 403
 - Body: { message: forbidden }

3. Rent

a. Rent (a1/rent?token={AUTHORIZATION_TOKEN})

Deskripsi: List of user car rentals

Request method: GET, POST, PUT, DELETE

Header: header authorization Option

Request Parameter:

Body:

- ☐ Id (PK),
- ☐ Tenant,
- ☐ No_Car,
- ☐ Date_borrow,
- ☐ Date_Return,
- ☐ Down_Payment,
- ☐ Discount,
- ☐ Total

Response:

- If success:
Header: response status: 200
Body: *{ message: create Rent success }*
- If input validation failed:
Header: response status: 422
Body: *{ message: invalid field }*
- If accessed without token:
Header: response status: 403
Body: *{ message: forbidden }*

4. Return

a. Return (a1/return?token={AUTHORIZATION_TOKEN})

Deskripsi: List of car returns

Request method: GET, POST, PUT, DELETE

Header: header authorization Option

Request Parameter:

Body:

- ☐ Id,
- ☐ Tenant
- ☐ No_Car
- ☐ Id_Pinalties
- ☐ Date_borrow,
- ☐ Date_Return,
- ☐ Discount
- ☐ Total

Response:

- If success:
Header: response status: 200
Body: *{ message: create Return success }*
- If input validation failed:
Header: response status: 422
Body: *{ message: invalid field }*
- If accessed without token:

Header: response status: 403

Body: { *message: forbidden* }

5. Penalties

a. Penalties (a1/penalties?token={AUTHORIZATION_TOKEN})

Deskripsi: List of penalties for rent car by tenant

Request method: GET, POST, PUT, DELETE

Header: header authorization Option

Request Parameter:

Body:

- ☐ Id,
- ☐ Penalties_Name,
- ☐ Description,
- ☐ No_Car,
- ☐ Penalties_Total

Response:

- If success:

Header: response status: 200

Body: { *message: create Penalties success* }
- If input validation failed:

Header: response status: 422

Body: { *message: invalid field* }
- If accessed without token:

Header: response status: 403

Body: { *message: forbidden* }

The complete PO TRANS SEJAHTERA system should cover the following requirement:

Login	☐ The system's role can be an Admin or a User ☐ The user (admin or user) can login (and logout) into the system on the start page of the application ☐ After login, admin have access to "Rent", "Return", "Penalties" and "Register" menu ☐ After login, user can view all menu transaction base on User ID ☐ Links to the authorised menu and logout link are always visible on the top part of the page while the user is logged in ☐ Make sure your system is preventing users to access unauthorised menu Note: the system is not providing register menu, all user data register
Rent	☐ On "Rent" menu, admin can add new Rent Car ☐ Admin can view,update and delete existing Rent Car ☐ All input form is must be filled
Return	☐ On "Return" menu, admin can add new Return ☐ Admin can view,update and delete existing Return

	☐ All input form is must be filled
Penalties	☐ On "Penalties" menu, admin can add new Penalties ☐ Admin can view, update and delete existing Penalties ☐ All input form is must be filled
Register	☐ On "Register" menu, admin can view Transaction ☐ Admin can view, update and delete existing Register ☐ All input form is must be filled

Note : Please create CRUD dashboard template for admin/user using bootstrap or other template

INSTRUCTIONS TO THE COMPETITOR

- Save your files in your root directory on the server called "**XX_MODULE_BACKEND**" where XX is your computer number.
- For this module, you must use frameworks provided. Applications developed without use of any of these frameworks will not be considered. You should take advantage of the framework as much as possible.

Design :

	Home Rent Return Penalties Register Login
Content Transactions	