

Skill name

Graphic Design Technology

Criteria

Mark

A	Creative process and final design	40.00
B	Computer usage and knowledge of the print process	60.00

Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
A1	Advertising design	J	Ideas and originality	0
				1
				2
				3
		J	Ideas and originality (poster)	0
				1
				2
				3
		J	Unity and relationship between all tasks	0
				1

		2
		3
J	Quality of the visual composition (aesthetic appeal and balance)	0
		1
		2
		3
J	Visual Impact & Communication effectiveness (poster)	0
		1
		2
		3
J	Quality of the typography (choice of type, legibility and formatting)	0
		1
		2
		3
J	Quality of the colours (choice, balance, harmony) (emblem)	0
		1
		2
		3
J	Quality of the colours (choice, balance, harmony) (poster)	0
		1
		2
		3
J	Quality of image manipulation (retouch, masking, cloning, blending)	0
		1
		2
		3
J	Effectiveness and creativity of Image Manipulation	0
		1
		2
		3
J	Quality of the mounted presentation or the 3D assembly	0

A2	Speed test	J	Ideas and originality	1
				2
				3
A3	Editorial design	J	Quality of the visual composition (aesthetic appeal and balance)	0
				1
				2
				3
		J	Ideas and originality (Cover)	0
				1
				2
		J	Ideas and originality (inside pages)	3
				0
				1
		J	Understanding the target market	2
				3
		J	Unity and relationship between all tasks	0
				1
				2
		J	Quality of the visual composition (aesthetic appeal and balance)	3
				0
				1
				2

J	Quality of the visual composition (aesthetic appeal and balance)	3 0 1 2 3
J	Effectiveness and creativity of Image Manipulation (4 images as	0 1 2 3
J	Quality of the typography (choice of type, legibility and formatting)	0 1 2 3
J	Quality of the typography (choice of type, legibility and formatting)	0 1 2 3
J	Quality of the colours (choice, balance, harmony) (cover)	0 1 2 3
J	Quality of the colours (choice, balance, harmony) (inside pages)	0 1 2 3
J	Creativity of the information design (infographic)	0 1 2 3
J	Quality of the mounted presentation or the 3D assembly	0 1

A4	Packaging design	J	Practicality of the information design (can be easily interpreted)	2
				3
				0
				1
				2
				3
		J	Respect of corporate guidelines	0
				1
				2
				3
				0
				1
				2
				3
		J	Visual Impact & Communication effectiveness (inside pages)	0
				1
				2
				3
				0
				1
				2
				3
		J	Quality of the typography (choice of type, legibility and formatting)	0
				1
				2
				3
		J	Functionality and usability of the package shape	0
				1
				2
				3
				0
				1
				2
				3
		J	Quality of the visual composition (aesthetic appeal and balance)	0
				1
				2
				3
		J	Creativity of the package shape	0
				1
				2
				3
		J	Quality of the 3D assembly (all tasks)	0
				1
				2
				3

A5	Corporate design			0
				1
				2
				3
		J	Ideas and originality (sticker & booklet)	0
				1
				2
				3
		J	Quality of the visual composition (aesthetic appeal and balance)	0
				1
				2
				3
		J	Quality of the typography (choice of type, legibility and formatting)	0
				1
				2
				3
		J	Creativity of vector objects and/or image manipulation (package)	0
				1
				2
				3
		J	Quality of the colours (choice, balance, harmony) (all tasks)	0
				1
				2
				3
		J	Unity and relationship between all tasks (including existing products)	0
				1
				2
				3
		J	Ideas and originality (logo)	0
				1
				2

J	Unity and relationship between all tasks	3
		0
		1
		2
		3
J	Quality of the visual composition (aesthetic appeal and balance)	0
		1
		2
		3
J	Communication effectiveness (leaflet and signage)	0
		1
		2
		3
J	Quality of the typography (choice of type, legibility and formatting)	0
		1
		2
		3
J	Quality of the typography (choice of type, legibility and formatting)	0
		1
		2
		3
J	Quality of the colours (choice, balance, harmony) (all tasks)	0
		1
		2
		3
J	Quality of the presentation for the specification sheet	0
		1
		2
		3
J	Creativity of the information design (leaflet)	0
		1

		J	Practicality of the information design (can be easily interpreted) (0	2 3 0 1 2 3
		J	Creativity of the information design (signage)	0 1 2 3
		J	Practicality of the information design (can be easily interpreted) (s	0 1 2 3
		J	Ideas and originality (leaflet and signage)	0 1 2 3
Sub Criteria ID	Sub Criteria Name or Description	Aspect Type O = Obj S = Sub J = Judg	Aspect - Description	Judg Score
B1	Advertising design	O O O O O O O O O	Mounting printouts on board for presentation Final production folder saved as required in the task Image or element dimensions as specified in the task Final dimensions of layout as specified in the task All required text is present in the task All required elements are present in the task (poster) Bleed value applied in layout file in PDF as specified in the task (e Trapping value applied in illustrator file as specified in the task (e Spot and CMYK colours used in layout in PDF file as specified in	

B2	Speed test	☐	All files saved in the correct format specified in the task
		☐	Supply of printouts only
		☐	Image or element dimensions as specified in the task
		☐	Final dimensions of layout as specified in the task
		☐	All required elements are present in the task
		☐	Spot and CMYK colours used in layout in PDF file as specified in
B3	Editorial design	☐	All files saved in the correct format specified in the task
		☐	Mounting printouts on board for presentation
		☐	Supply of printouts only
		☐	Assembling in 3D (Package design or Manual design)
		☐	Final production folder saved as required in the task
		☐	Image or element dimensions as specified in the task
		☐	Final dimensions of layout as specified in the task
		☐	All required text is present in the task (additional text can be added)
		☐	All required elements are present in the task (cover)
		☐	All required elements are present in the task (inside pages and w
		☐	trim and registration marks supplied as specified in the task
		☐	Resolution of linked images as specified in in the task
		☐	Colour mode of linked images as specified in in the task
		☐	Use of style sheets or master elements in layout as required in th
		☐	Spot and CMYK colours used in layout in PDF file as specified in
		☐	All files saved in the correct format specified in the task
		☐	Saving in a specified PDF format as required in the task (cover &
		☐	Saving in a specified PDF format as required in the task (catalog
B4	Packaging design	☐	Package assembled in 3D
		☐	Final production folder saved as required in the task (all tasks)
		☐	Supply of printouts only (package)
		☐	Resolution of linked, embedded or original images as specified in
		☐	Saving in a specified PDF format as required in the task (package
		☐	Final dimensions of layout as specified in the task (package)
		☐	All required text is present in the task (package)
		☐	All required elements are present in the task (logos, images) (pa
		☐	Package created as specified in the task (package)
		☐	Fold lines, trim and registration marks supplied as specified in the
		☐	Spot and CMYK colours used in layout in PDF file as specified in
		☐	Dieline supplied as specified in the task (package)

B5	Corporate design	☐ Bleed value applied in layout file in PDF as specified in the task (sticker & booklet) ☐ Trimmed Sticker and booklet ☐ Supply of printouts only (sticker & booklet) ☐ Final dimensions of layout as specified in the task (sticker & booklet) ☐ All required text is present in the task (sticker & booklet) ☐ All required elements are present in the task (logos, images) (sticker & booklet) ☐ Fold lines, trim and registration marks supplied as specified in the task (sticker & booklet) ☐ Resolution of linked, embedded or original images as specified in the task (sticker & booklet) ☐ Bleed value applied in layout file in PDF as specified in the task (sticker & booklet) ☐ Trapping value applied in illustrator file as specified in the task (sticker & booklet) ☐ Spot and CMYK colours used in layout in PDF file as specified in the task (sticker & booklet) ☐ Dieline supplied as specified in the task (sticker) ☐ Saving in a specified PDF format as required in the task (sticker & booklet) ☐ Printout (logo) and trimmed printouts (leaflet and signage) ☐ Spot and CMYK colours used in layout in PDF file as specified in the task (leaflet and signage) ☐ All files saved in the correct format specified in the task (all tasks) ☐ All colour & fonts breakdowns specified (logo) ☐ Final production folder saved as required in the task (logo) ☐ All required text is present in the task (all tasks) ☐ Final dimensions of layout as specified in the task (leaflet and signage) ☐ All required elements are present in the task (leaflet and signage) ☐ Marks supplied as specified in the task (leaflet and signage) ☐ Table and map created with all information included (leaflet) ☐ Pictograms created with all information included (signage) ☐ Bleed value applied in layout file in PDF as specified in the task (leaflet and signage) ☐ ICC profile applied in images, PDF or layout file as specified in the task (leaflet and signage) ☐ Saving in a specified PDF format as required in the task (leaflet and signage)
----	------------------	--

Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
not suitable, unoriginal, lacks creativity are suitable for the brief (minimal creativity) are creative and innovative are exceptional, creative and innovative (including use of a)		4	0.75
not suitable, unoriginal, lacks creativity are suitable for the brief (minimal creativity) are creative and innovative are exceptional, creative and innovative (including use of a)		4	0.75
complete mismatch some elements are unified		4	0.75

Criterion
A

Total
Mark 40.00

most elements are unified			
all elements are unified			
Poor visual composition, client would not be satisfied	4	0.50	
Minimal elements used appropriately			
Effective layout, aesthetics, typography, image usage			
Strong consideration of layout, aesthetics, balance, flow, in	2	1.00	
Poor visual impact and does not communicate effectively			
Sufficient visual impact and communication			
Effective visual impact and communication			
Strong visual impact and communication	4	0.50	
Not suitable			
Typeface choice, legibility, formatting			
Typeface choice, colour, unity, legibility, appropriateness,			
Typeface choice, colour, unity, legibility, appropriateness,	4	0.50	
Colours not appropriate			
Some consideration of colour harmony and balance			
Effective colour harmony and balance (images considered			
Very effective colour harmony and balance (including image	4	0.50	
Colours not appropriate			
Some consideration of colour harmony and balance			
Effective colour harmony and balance (images considered			
Very effective colour harmony and balance (including image	3	1.00	
Not acceptable standard			
basic and acceptable standard			
of a high quality			
high quality and complexity	3	1.50	
not effective			
basic			
suitable and effective			
creative, suitable, effective	1	0.50	
Not acceptable standard			

neat, straight, may have some marks, tape, glue			
neat, straight, aligned, minimal marks			
Free from marks, neat, straight, aligned			
	4	1.00	
not suitable, unoriginal, lacks creativity			
are suitable for the brief (minimal creativity)			
are creative and innovative			
are exceptional, creative and innovative (including use of a	4	1.00	
Poor visual composition, client would not be satisfied			
Minimal elements used appropriately			
Effective layout, aesthetics, typography, image usage			
Strong consideration of layout, aesthetics, balance, flow, in			
	4	1.00	
not suitable, unoriginal, lacks creativity			
are suitable for the brief (minimal creativity)			
are creative and innovative			
are exceptional, creative and innovative (including use of a	4	1.00	
not suitable, unoriginal, lacks creativity			
are suitable for the brief (minimal creativity)			
are creative and innovative			
are exceptional, creative and innovative (including use of a	2	0.50	
Not appropriate for the target market			
Colours, elements, typography are sufficient			
Colours, elements, typography have been considered and			
Colours, elements, typography are very well suited	4	0.50	
complete mismatch			
some elements are unified			
most elements are unified			
all elements are unified	4	0.50	
Poor visual composition, client would not be satisfied			
Minimal elements used appropriately			
Effective layout, aesthetics, typography, image usage			

Strong consideration of layout, aesthetics, balance, flow, in	4	0.75
Poor visual composition, client would not be satisfied		
Minimal elements used appropriately		
Effective layout, aesthetics, typography, image usage		
Strong consideration of layout, aesthetics, balance, flow, in	4	0.75
not effective		
basic		
suitable, quality and effectiveness		
creative, suitable, quality, effectiveness	4	0.25
Not suitable		
Typeface choice, legibility, formatting		
Typeface choice, colour, unity, legibility, appropriateness,		
Typeface choice, colour, unity, legibility, appropriateness,	4	0.75
Not suitable		
Typeface choice, legibility, formatting		
Typeface choice, colour, unity, legibility, appropriateness,		
Typeface choice, colour, unity, legibility, appropriateness,	4	0.50
Colours not appropriate		
Some consideration of colour harmony and balance		
Effective colour harmony and balance (images considered		
Very effective colour harmony and balance (including image	4	0.50
Colours not appropriate		
Some consideration of colour harmony and balance		
Effective colour harmony and balance (images considered		
Very effective colour harmony and balance (including image	3	0.75
not creative, client would not be satisfied		
minimal creativity		
is creativity and interesting		
is very creative and exceeds expectations	1	0.25
Not acceptable standard		
neat, straight, may have some marks, tape, glue		

neat, straight, aligned, minimal marks Free from marks, neat, straight, aligned	4	0.50
information cannot be interpreted/ with great difficulty can be interpreted, but some confusion with data clear data interpretation, with no confusion Very easy to understand, data very well considered	2	0.25
Is not consistent with guidelines General consistency with some questionable discrepancies Mostly consistent, with some minor discrepancies Consistent (looks like a branded product)	3	0.75
Poor visual impact and does not communicate effectively Sufficient visual impact and communication Effective visual impact and communication Strong visual impact and communication	4	0.75
Not suitable Typeface choice, legibility, formatting Typeface choice, colour, unity, legibility, appropriateness, Typeface choice, colour, unity, legibility, appropriateness,	3	1.00
Is not usable or functional Is partly usable and functional Is both usable and functional Is exceptionally usable and functional	4	1.25
Poor visual composition, client would not be satisfied Minimal elements used appropriately Effective layout, aesthetics, typography, image usage Strong consideration of layout, aesthetics, balance, flow, in	3	1.00
Is not creative and client would not be satisfied Is acceptable (minimal creativity) Is creative Is exceptionally creative and interesting	1	0.50

Not acceptable standard neat, straight, may have some marks, tape, glue neat, straight, aligned, minimal marks Free from marks, neat, straight, aligned	4	1.00
not suitable, unoriginal, lacks creativity are suitable for the brief (minimal creativity) are creative and innovative are exceptional, creative and innovative (including use of a	4	0.75
Poor visual composition, client would not be satisfied Minimal elements used appropriately Effective layout, aesthetics, typography, image usage Strong consideration of layout, aesthetics, balance, flow, in	4	1.25
Not suitable Typeface choice, legibility, formatting Typeface choice, colour, unity, legibility, appropriateness, Typeface choice, colour, unity, legibility, appropriateness,	3	0.50
not effective basic suitability, quality and effectiveness creativity, suitability, quality, effectiveness	4	0.75
Colours not appropriate Some consideration of colour harmony and balance Effective colour harmony and balance (images considered Very effective colour harmony and balance (including imag	4	0.75
complete mismatch some elements are unified most elements are unified all elements are unified	4	1.00
not suitable, unoriginal, lacks creativity are suitable for the brief (minimal creativity) are creative and innovative	4	1.00

are exceptional, creative and innovative (including use of a	4	0.50
complete mismatch		
some elements are unified		
most elements are unified		
all elements are unified	4	1.00
Poor visual composition, client would not be satisfied		
Minimal elements used appropriately		
Effective layout, aesthetics, typography, image usage		
Strong consideration of layout, aesthetics, balance, flow, i	3	0.50
Poor visual impact and does not communicate effectively		
Sufficient visual impact and communication		
Effective visual impact and communication		
Strong visual impact and communication	4	0.50
Not suitable		
Typeface choice, legibility, formatting		
Typeface choice, colour, unity, legibility, appropriateness,		
Typeface choice, colour, unity, legibility, appropriateness,	4	1.00
Not suitable		
Typeface choice, legibility, formatting		
Typeface choice, colour, unity, legibility, appropriateness,		
Typeface choice, colour, unity, legibility, appropriateness,	4	1.00
Colours not appropriate		
Some consideration of colour harmony and balance		
Effective colour harmony and balance (images considered		
Very effective colour harmony and balance (including image	4	1.00
Not an acceptable standard		
appropriate for client		
appropriate, with some additional design features		
is excellent and exceeds client expectations	3	1.25
not creative, client would not be satisfied		
minimal creativity		

is creativity and interesting is very creative and exceeds expectations		3	1.00
information cannot be interpreted/ with great difficulty can be interpreted, but some confusion with data clear data interpretation, with no confusion Very easy to understand, data very well considered		3	0.50
not creative, client would not be satisfied minimal creativity is creativity and interesting is very creative and exceeds expectations		3	0.50
information cannot be interpreted/ with great difficulty can be interpreted, but some confusion with data clear data interpretation, with no confusion Very easy to understand, data very well considered		4	1.00
not suitable, unoriginal, lacks creativity are suitable for the brief (minimal creativity) are creative and innovative are exceptional, creative and innovative (including use of a			
Extra Aspect Description (Obj or Subj) OR Judgement Score Description (Judg only)	Requirement or Nominal Size (Obj Only)	WSSS Section	Max Mark
1 mounted at 100% (emblem); 1 mounted trimmed (poster)	Yes or no	1	0.50
1 folder on Desktop called "YY_MODZ_X" with subfolder	Yes or no	1	0.75
	120 mm min. (emb)	5	0.75
A4 (Emblem); A3 (poster)	Yes or no	5	0.50
	Yes or no	5	0.50
5 logos; at least 2 masked images, emblem	Yes or no	2	2.00
	3 mm	5	0.75
	0.5 pt	5	2.00
2 spot (emblem); CMYK (poster)	Yes or no	5	1.50

Criterion B Total Mark 60.00

1 .ai file (emblem); 1 PDF (poster)	Yes or no	5	0.75
15 X 15 mm front; 50 X 20 mm back	1 A4 printout	1	0.50
	Yes or no	5	0.75
	70 mm circle	5	0.75
Clear spaces, text and emblem	Yes or no	2	0.75
	1 spot	5	0.75
1 .ai & 1 PDF	Yes or no	5	0.50
1 untrimmed mounted front and back cover (outer and inner)	Yes or no	1	0.75
1 final printout of the front and back cover as spread (only front)	Yes or no	1	0.50
A final dummy trimmed and folded to final size (printed on one side)	Yes or no	1	1.00
1 folder on Desktop called "YY_MODZ_X" with subfolder "YY_MODZ_X"	Yes or no	1	0.50
QR Code at 35 mm x 35 mm and must be 100% K	Yes or no	5	0.25
T1&T2: Max 190X260 mm (portrait)	Yes or no	5	0.25
Ensure all other text is present (including Front and Back Cover)	Yes or no	5	0.25
Cover: logo Visitei, min. 4 images in a collage/montage (refer to P3)	Yes or no	2	0.50
P3: Infographic & 1 Map; P4&P5: 12 logos studios same page	Yes or no	2	1.00
T1: registration marks, crop marks, fold mark, colour bars	Yes or no	2	1.00
All Logo: Vector Only; T1&T2: 220 and 250 ppi, 800 to 1200 ppi	Yes or no	5	1.25
T1 & T2: CMYK	Yes or no	5	1.00
Paragraphs: titles, body text, captions (T1 only); character set	Yes or no	5	1.75
Cover Outer: CMYK + varnish (Should be name "Varnish")	Yes or no	5	2.00
T1: 1 Indd + 1 PDF; T2: 1 Indd and 1 PDF; T3: 2 PDF (PDF/X1-2003)	Yes or no	5	1.50
T1: PDF/X1-2003 ; T2: PDF/X1-2003 (spreads)	Yes or no	5	1.00
T3: PDF web: PDF/X4 (pages); PDF imposed: PDF/X1-2003	Yes or no	5	1.50
1 3D mock-up at 100%	Yes or no	1	1.50
1 folder on Desktop called "YY_MODZ_X" with subfolder "YY_MODZ_X"	Yes or no	1	0.50
1 printout at 100% A3 with dieline	Yes or no	1	0.50
200-280; 600-900 ppi	Yes or no	5	1.00
PDF/X4: 2008	Yes or no	5	0.25
A3; A4 inlay	Yes or no	5	0.50
Own logo, Prija, FSC, REcycle; 2 images, background	Yes or no	5	0.50
	Yes or no	2	0.50
1 or 2 elements protruding or visible and must be appropriate	Yes or no	2	1.00
Bleed, colour bars, registration marks.	Yes or no	5	0.25
	CMYK	5	0.75
1 spot named dieline, overprinting, different appearance	Yes or no	5	0.75

	3 mm	5	1.25
Trimmed and mounted on A4 board (sticker)	Yes or no	1	0.75
1 printout 100% A4 dieline, colours bars, registration marks		1	0.50
Min 40 mm (sticker); A4 max double sided (booklet)	CMYK	2	0.50
	Yes or no	5	0.50
Logo	Yes or no	2	0.50
Bleed and dieline only (sticker);	Yes or no	5	0.50
Vector (sticker); 280-300; 800-1200 ppi (booklet)	Yes or no	5	0.50
3 mm (sticker), 5 mm (booklet)	Yes or no	5	0.75
	0.4 pt	5	1.00
2 PMS Coated (sticker); 2PMS Uncoated (booklet)	Yes or no	5	0.75
Dieline in spot named dieline (sticker); folds in Uncoated P	Yes or no	5	0.75
2 PDF/X4 : 2008	Yes or no	5	0.50
1 printout of guidelines A4; leaflet double-sided & trimmed	Yes or no	1	1.00
3 PMS + CMYK + BW (logo); CMYK (leaflet); 3 PMS (Signage)	Yes or no	5	1.75
3 X vector EN & BR (logo); 1 vector (spec sheet); 1 PDF & 1 PDF	Yes or no	5	1.75
not for bW version	Yes or no	5	1.00
YY_MOD4 - Task 1, 2, 3 - Original, Final	Yes or no	5	0.50
	Yes or no	5	1.00
210X148 landscape; 600X900 portrait	Yes or no	5	0.75
leaflet: map, timetable, logo, infographic; signage: logo (crop & registration marks, colour bar & info (in PDF)	Yes or no	5	0.50
	Yes or no	2	0.50
	Yes or no	5	1.00
	Yes or no	5	1.00
3 mm for both tasks	3 mm	5	0.75
Coated GRACOL 2006 (leaflet); Ryonet IC ProBrite (signage)	Yes or no	5	1.00
2 PDF/X1: 2001 (leaflet)	Yes or no	5	0.75

Competition Total Mark 100.00