

STORIFY

■■■■ ■■■■■ ■■■■■■■■ — ERD Document v1.1

■■■■■ ■■■■■■ ■■■ ■■■■■ ■■■■■■■■ — ■■■■■ 2026

■ Primary Key ■ Foreign Key UK = Unique Key 1→N = One to Many 1→1 = One to One

Master DB 3 ■■■■■	Auth & Users 4 ■■■■■	Products & Stock 6 ■■■■■	Sales 6 ■■■■■	Installme nts 3 ■■■■■	Custome rs 2 ■■■■■	Payme nts 3 ■■■■■ NEW	Supplier s 4 ■■■■■	Expense s 2 ■■■■■	System 2 ■■■■■
-------------------------	----------------------------	-----------------------------------	------------------	-----------------------------	--------------------------	--------------------------------	--------------------------	-------------------------	----------------------

Master Database

plans —

■ id	CUID	PK	
name	VARCHAR(100)	UK NOT NULL	Starter/Professional/Enterprise
slug	VARCHAR(50)	UK NOT NULL	starter/professional/enterprise
price_monthly	DECIMAL(10,2)	NOT NULL	
price_yearly	DECIMAL(10,2)	NOT NULL	
features	JSONB	DEFAULT []	
is_active	BOOLEAN	DEFAULT true	
created_at	TIMESTAMPTZ	DEFAULT NOW()	

tenants —

■ id	CUID	PK	
name	VARCHAR(200)	NOT NULL	
slug	VARCHAR(100)	UK NOT NULL	subdomain
email	VARCHAR(255)	UK NOT NULL	
db_name	VARCHAR(100)	NULL	schema: tenant_ahmed_store
status	ENUM	DEFAULT ACTIVE	ACTIVE/SUSPENDED/CANCELLED/PROVISIONING
created_at	TIMESTAMPTZ	DEFAULT NOW()	

subscriptions —

■ id	CUID	PK	
■ tenant_id	CUID	FK→tenants	tenant
■ plan_id	CUID	FK→plans	
billing_cycle	ENUM	NOT NULL	MONTHLY/YEARLY
status	ENUM	DEFAULT ACTIVE	ACTIVE/PAST_DUE/CANCELLED/TRIALING
current_period_end	TIMESTAMPTZ	NOT NULL	
trial_ends_at	TIMESTAMPTZ	NULL	
price_at_subscription	DECIMAL(10,2)	NOT NULL	

Auth & Users

Tenant Schema

branches —

id	UUID	PK	
name	VARCHAR(200)	NOT NULL	
address	TEXT	NULL	
is_active	BOOLEAN	DEFAULT true	

roles —

id	UUID	PK	
name	VARCHAR(100)	NOT NULL	Super Admin/Cashier/...
slug	VARCHAR(50)	UK NOT NULL	super_admin/cashier/...
permissions	JSONB	DEFAULT {}	{invoices: [create, read, ...]}
is_system	BOOLEAN	DEFAULT false	

users —

id	UUID	PK	
branch_id	UUID	FK→branches	
role_id	UUID	FK→roles	
full_name	VARCHAR(200)	NOT NULL	
email	VARCHAR(255)	UK NOT NULL	(login)
password_hash	TEXT	NOT NULL	SHA256+salt
is_active	BOOLEAN	DEFAULT true	
last_login	TIMESTAMPTZ	NULL	

Products & Stock

Products & Stock

products —

id	UUID	PK	
category_id	UUID	FK→categories	
tax_rate_id	UUID	FK→tax_rates	
name	VARCHAR(300)	NOT NULL	
barcode	VARCHAR(100)	NULL	
cost_price	DECIMAL(15,4)	NOT NULL	
sell_price	DECIMAL(15,4)	NOT NULL	
is_active	BOOLEAN	DEFAULT true	

stock —

id	UUID	PK	
product_id	UUID	FK→products	
branch_id	UUID	FK→branches	
quantity	INTEGER	DEFAULT 0	
min_quantity	INTEGER	DEFAULT 0	

UNIQUE(product_id, branch_id)

stock_movements —

id	UUID	PK	
product_id	UUID	FK→products	
branch_id	UUID	FK→branches	
user_id	UUID	FK→users	
type	VARCHAR(50)	NOT NULL	in/out/transfer/adjustment/return
quantity	INTEGER	NOT NULL	
reference	TEXT	NULL	PO
created_at	TIMESTAMPTZ	DEFAULT NOW()	

[illegible]

id	UUID	PK	
name	VARCHAR(100)	NOT NULL	card / wallet / bnpl / cash / bank_transfer
type	VARCHAR(50)	NOT NULL	card wallet bnpl cash bank_transfer
fee_type	VARCHAR(20)	DEFAULT none	none percentage fixed both
fee_percentage	DECIMAL(5,2)	DEFAULT 0	percentage: 1.75 = 1.75%
fee_fixed	DECIMAL(10,2)	DEFAULT 0	fixed: 2.00
fee_bearer	VARCHAR(20)	DEFAULT merchant	customer merchant negotiable
is_active	BOOLEAN	DEFAULT true	is_active: true
notes	TEXT	NULL	notes: 12345
created_at	TIMESTAMP	DEFAULT NOW()	created_at: 2023-10-27 10:30:00

invoices — ()

Column Name	Column Type	Column Constraints	Column Description
id	UUID	PK	Primary Key
branch_id	UUID	FK→branches	Branch ID
customer_id	UUID	FK→customers NULL	Customer ID
cashier_id	UUID	FK→users	Cashier ID
payment_method_id	UUID	FK→payment_methods	Payment Method ID
currency_id	UUID	FK→currencies	Currency ID
coupon_id	UUID	FK→coupons NULL	Coupon ID
exchange_rate	DECIMAL(15,6)	DEFAULT 1	Exchange Rate
subtotal	DECIMAL(15,4)	NOT NULL	Subtotal
discount_amount	DECIMAL(15,4)	DEFAULT 0	Discount Amount
tax_total	DECIMAL(15,4)	DEFAULT 0	Tax Total
fee_percentage	DECIMAL(5,2)	DEFAULT 0	Fee Percentage
fee_fixed	DECIMAL(10,2)	DEFAULT 0	Fee Fixed
fee_amount	DECIMAL(15,4)	DEFAULT 0	Fee Amount
fee_bearer	VARCHAR(20)	DEFAULT merchant	Fee Bearer
fee_added_to_total	BOOLEAN	DEFAULT false	Fee Added To Total
total_amount	DECIMAL(15,4)	NOT NULL	Total Amount
status	VARCHAR(50)	DEFAULT completed	Status

payment_fee_expenses — Primary Key: id			
Column Name	Column Type	Column Constraints	Column Description
id	UUID	PK	Primary Key
invoice_id	UUID	FK→invoices	Invoice ID
payment_method_id	UUID	FK→payment_methods	Payment Method ID
fee_amount	DECIMAL(15,4)	NOT NULL	Fee Amount
branch_id	UUID	FK→branches	Branch ID
created_at	TIMESTAMPZ	DEFAULT NOW()	Created At

payment_fee_expenses table is used to store the fee expenses for each payment. The fee_bearer field is set to merchant. The fee_amount field is set to the fee amount. The fee_bearer field is set to merchant. The fee_amount field is set to the fee amount.

Customers & Sales

Customers & Sales

customers —

id	UUID	PK	
full_name	VARCHAR(200)	NOT NULL	
phone	VARCHAR(50)	NULL	
national_id	VARCHAR(50)	NULL	
credit_balance	DECIMAL(15,4)	DEFAULT 0	

invoice_items —

id	UUID	PK	
invoice_id	UUID	FK→invoices	
product_id	UUID	FK→products	
quantity	INTEGER	NOT NULL	
unit_price	DECIMAL(15,4)	NOT NULL	
discount_amount	DECIMAL(15,4)	DEFAULT 0	
tax_amount	DECIMAL(15,4)	DEFAULT 0	
subtotal	DECIMAL(15,4)	NOT NULL	

Installments

installment_contracts —

id	UUID	PK	
invoice_id	UUID	FK→invoices	
customer_id	UUID	FK→customers	
approved_by	UUID	FK→users NULL	
currency_id	UUID	FK→currencies	
exchange_rate_at_contract	DECIMAL(15,6)	DEFAULT 1	
down_payment	DECIMAL(15,4)	NOT NULL	
installments_count	INTEGER	NOT NULL	
monthly_amount	DECIMAL(15,4)	NOT NULL	
total_amount	DECIMAL(15,4)	NOT NULL	
first_due_date	DATE	NOT NULL	
status	VARCHAR(50)	DEFAULT pending_approval	pending_approval/active/completed/cancelled
signature_url	TEXT	NULL	R2

Suppliers & Expenses

suppliers —

id	UUID	PK	
name	VARCHAR(200)	NOT NULL	
balance	DECIMAL(15,4)	DEFAULT 0	
is_active	BOOLEAN	DEFAULT true	

expenses —

id	UUID	PK	
branch_id	UUID	FK→branches	
category_id	UUID	FK→expense_categories	
approved_by	UUID	FK→users NULL	
amount	DECIMAL(15,4)	NOT NULL	
receipt_url	TEXT	NULL	
status	VARCHAR(50)	DEFAULT pending	pending/approved/rejected

□ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □

11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Schema

Storify ERD Document v1.1 — ■■■■ ■■■■■■ ■■■■■■ © 2026