

SURFACE WATER MANHOLE SCHEDULE											
MANHOLE NAME	EASTING (m)	NORTHING (m)	COVER LEVEL (m)	SUMP LEVEL (m)	DEPTH (m)	INLET PIPE (mm2)	INLET PIPE INVERT LEVEL (m)	OUTLET PIPE (mm2)	OUTLET PIPE INVERT LEVEL (m)	MANHOLE SIZE (mm)	NOTES
SW131	83712.060	331841.764	309.348	307.288	2.060	300 150	307.288 307.438	300	307.288	1200	Inspection Chamber
SW132	83697.106	331936.653	309.085	307.725	1.360	300	307.725	300	307.725	1200	
SW133	83683.805	331995.394	309.087	307.799	1.288	300	307.799	300	307.799	1200	
SW134	83672.432	332045.616	309.129	308.194	0.934	150	308.194	150	308.194	600	
SW135	83729.267	331765.774	308.971	306.172	2.799	900 300	306.172 306.751	900	306.172	1800	
SW136	83692.965	331786.947	309.027	307.904	1.123	100 100 100	308.053 308.053 308.053	250	307.904	1200	
SW137	83688.237	331807.825	309.026	307.883	1.144	100 100 100 100	307.883 307.883 307.883 307.883	250	307.883	1200	
SW138	83640.961	332016.603	309.073	307.316	1.756	100 100 100 100	307.783 307.883 307.783 307.883	250	307.316	1200	
SW139	83645.689	331995.725	309.029	307.316	1.712	100 100 100 100	307.783 307.883 307.883 307.783	250	307.316	1200	
SW140	83650.416	331974.848	309.028	307.316	1.712	100 100 100 100	307.783 307.883 307.883 307.783	250	307.316	1200	
SW141	83659.871	331933.092	309.028	307.488	1.540	100 100 100 100	307.737 307.967 307.967 307.737	250	307.488	1200	
SW142	83655.144	331953.970	309.028	307.316	1.712	100 100 100 100	307.783 307.883 307.883 307.783	250	307.316	1200	
SW144	83664.599	331912.214	309.028	307.492	1.535	100 308.000 308.000 307.691	307.691 308.000 308.000 307.691	250	307.492	1200	
SW145	83669.327	331891.336	309.027	307.784	1.244	100 100 100 100	307.783 307.883 307.883 307.783	250	307.841	1200	
SW146	83674.054	331870.458	309.027	307.884	1.144	100 100 100 100	307.883 307.883 307.883 307.883	250	307.884	1200	
SW147	83678.782	331849.581	309.027	307.883	1.144	100 100 100 100	307.883 307.883 307.883 307.883	250	307.883	1200	
SW148	83683.509	331828.703	309.027	307.757	1.270	100 100 100 100	307.883 307.883 307.883 307.883	250	307.757	1200	
SW149	83495.514	331937.918	308.936	307.393	1.544	300 150	307.393 307.543	300	307.393	1200	
SW150	83503.672	331901.893	308.937	307.566	1.370	300 150	307.566 307.716	300	307.566	1200	
SW151	83513.543	331858.299	308.937	307.801	1.136	300	307.801	300	307.801	1200	
SW152	83522.014	331820.890	308.937	307.993	0.944	300 150	307.993 308.143	300	307.993	1200	
SW153	83691.918	332012.235	309.024	307.668	1.355	250 250	307.833 308.008	250	307.668	600	Inspection Chamber
SW154	83703.539	331960.912	309.024	307.610	1.413	250 250	308.008 307.955	250	307.610	600	Inspection Chamber
SW155	83486.669	331976.978	308.936	307.193	1.744	300 150	307.193 307.343	300	307.193	1200	
SW156 Manual Shut Off Valve	83710.129	331761.440	308.654	306.760	1.894	150	306.760	200	306.760	1200	Manual Shut Off Valve
SW157	83516.964	332056.132	308.990	307.881	1.109	150	307.881	150	307.881	1200	

SURFACE WATER MANHOLE SCHEDULE											
MANHOLE NAME	EASTING (m)	NORTHING (m)	COVER LEVEL (m)	SUMP LEVEL (m)	DEPTH (m)	INLET PIPE (mm∅)	INLET PIPE INVERT LEVEL (m)	OUTLET PIPE (mm∅)	OUTLET PIPE INVERT LEVEL (m)	MANHOLE SIZE (mm)	NOTES
SW158	83514.292	332067.933	308.978	307.952	1.026	150	307.952	150	307.952	1200	
SW159	83510.283	332054.619	309.102	307.840	1.262	150 150	307.897 307.840	150	307.840	1200	
SW160	83463.625	332059.381	308.980	306.863	2.117	150 150 150	307.013 307.013 307.013	300	306.863	1200	
SW161	83444.853	332055.131	309.173	305.316	3.857	1500 300	305.566 306.766	1500	305.566	2400	250mm Catchpit
SW162	83441.465	332365.285	308.585	306.433	2.152	300 450	306.433 306.433	450	306.433	1350	
SW163	83401.275	332247.583	309.173	305.378	3.796	525 300	305.453 305.753	600	305.378	1500	
SW164	83464.901	332261.991	308.443	305.806	2.637	300	307.008	300	306.079	1200	
SW165	83615.516	331680.479	309.089	307.639	1.450	100	307.706	300	307.650	1200	
SW166	83750.868	331811.330	308.953	306.726	2.227	600	306.726 307.176	600	306.726	1500	
SW167	83401.622	331916.158	309.166	307.330	1.856	300	307.330	300	307.330	1200	
SW168	83666.653	332042.404	309.348	308.315	1.034	150	308.465	300	308.315	1200	
SW169	83684.284	331964.486	309.348	307.995	1.353	300	307.995	300	307.995	1200	
SW171 - VSeptor	83753.582	331737.847	308.960	306.311	2.649	600	306.311	600	306.311	2400	V Septor - Hydronic Separator
SW172 - VSeptor	83734.622	331733.553	308.865	306.314	2.551	600	306.314	600	306.314	2400	V Septor - Hydronic Separator
SW173	83694.915	331680.708	308.880	307.131	1.750					1500	300mm Catchpit
SW174	83716.388	331963.545	308.954	307.323	1.631	450 250	307.323 307.523	450	307.323	1350	
SW175	83704.809	332014.683	308.954	307.531	1.423	300 250	307.531 307.561	300	307.531	1350	
SW176	83530.450	331783.638	308.937	308.181	0.756	150 150	308.334 308.334	300	308.184	1200	
SW177	83551.839	331798.869	308.852	307.491	1.360	150	307.653	300	307.503	1200	
SW178	83714.829	331970.430	308.954	307.351	1.603	450 300	307.351 307.428	450	307.351	1350	
SW179	83431.411	332189.387	308.815	304.511	4.304	225	304.813	225	304.813	1200	
SW180	83766.940	331727.261	309.040	305.330	3.710	225	305.583	225	305.582	1200	
SW181	83744.859	331725.772	308.738	305.729	3.009	1200	305.729	1200 225	305.729 305.731	3000	
SW182	83417.822	332218.768	308.812	305.027	3.785	1800	305.027	1800 225	305.027 305.028	3000	
SW183	83354.330	331989.262	309.133	306.845	2.288	600	306.845	600	306.845	1500	
SW184	83347.937	331987.814	309.117	306.867	2.250			600	306.867	1500	
SW185	83399.766	332254.249	308.365	305.412	2.953			600	305.412	1500	Require Lockable Lids
SWCT1	83780.784	331730.462	305.955	304.455	1.500	222	305.568				Contamination Tank
SWCT2	83433.872	332178.491	305.178	303.678	1.500	225	304.789				Contamination Tank
SWIC1	83669.248	331741.154	309.132	307.716	1.416	250	307.734	250	307.716	600	Inspection Chamber
SWIC2	83435.430	331915.693	309.748	308.024	1.724			150	308.024	600	Inspection Chamber
SWIC3	83729.871	331822.882	309.160	307.407	1.753	102	307.457	250	307.407	600	Inspection Chamber
SWIC4	83733.383	331807.372	309.188	307.334	1.854	100	307.333	150	307.355	600	Inspection Chamber
SWIC5	83676.905	331743.208	309.130	307.793	1.337	250	307.793	250	307.795	600	Inspection Chamber
SWIC6	83456.627	331923.853	309.267	308.484	0.783	100	308.533	150	308.484	600	Inspection Chamber
SWIC7	83453.698	331936.786	309.125	308.395	0.730	150	308.395	150	308.395	600	Inspection Chamber
SWIC8	83447.789	331935.924	309.132	308.245	0.887	150 150	308.345 308.355	250	308.245	600	Inspection Chamber
SWIC9	83430.394	331966.670	309.315	307.639	1.676	100 100	307.688 307.688	150	307.639	600	Inspection Chamber
SWIC12	83687.299	331688.275	308.800	307.438	1.361	100	307.488	150	307.438	600	Inspection Chamber
SWIC13	83683.081	332051.260	309.059	308.100	0.959			250	308.100	600	Inspection Chamber
SWIC14	83697.729	331986.573	309.024	308.140	0.884			250 250	308.140 308.140	600	Inspection Chamber
SWIC15	83712.373	331921.900	309.024	308.155	0.869			250	308.155	600	Inspection Chamber
SWIC16	83466.489	332152.403	308.995	308.019	0.976			250	308.019	600	Inspection Chamber
SWIC17	83435.686	332145.428	309.028	307.811	1.217	250	307.861	300	307.811	600	Inspection Chamber
SWIC18	83454.417	332062.676	309.028	307.858	1.170	250	307.908	300	307.858	600	Inspection Chamber
SWIC19	83461.677	332064.323	308.980	307.945	1.035			250	307.945	600	Inspection Chamber
SWIC20	83446.522	332097.556	309.028	307.679	1.349	300	307.679	300	307.679	600	Inspection Chamber
SWIC21	83490.732	332157.908	308.874	307.812	1.163	250	307.812			600	Inspection Chamber
SWIC22	83502.901	332160.670	308.991	307.749	1.242	250	307.749	250 250	307.749 307.749	600	Inspection Chamber
SWIC23	83512.282	332075.809	308.979	308.127	0.852			250	308.127	600	Inspection Chamber
SWIC24	83521.642	332077.933	308.974	308.088	0.885	250	308.088	250	308.088	600	Inspection Chamber
SWIC26	83438.627	332132.436	309.028	306.633	2.394	300 300	307.500 307.744	250	306.633	600	Inspection Chamber
SWIC27	83511.885	332121.010	308.981	307.912	1.070	250	307.912	250	307.912	600	Inspection Chamber
SWIC28	83741.588	331825.533	309.052	307.287	1.765	150 102 102	307.287 307.336 307.336	150	307.287	600	Inspection Chamber
SWST1	83692.713	331690.437	307.600	305.100	2.500						Soakaway Tank

SURFACE WATER HEADWALL SCHEDULE								
MANHOLE NAME	EASTING (m)	NORTHING (m)	COVER LEVEL (m)	INLET PIPE (mmØ)	INLET PIPE INVERT LEVEL (m)	OUTLET PIPE (mmØ)	OUTLET PIPE INVERT LEVEL (m)	NOTES
HW1	83429.170	332221.338	307.054	1800	304.924			Headwall
HW2	83746.757	331717.386	307.178	1200	305.708			Headwall

OIL INTERCEPTOR SCHEDULE										
MANHOLE NAME	EASTING (m)	NORTHING (m)	COVER LEVEL (m)	SUMP LEVEL (m)	DEPTH (m)	INLET PIPE (mm∅)	INLET PIPE INVERT LEVEL (m)	OUTLET PIPE (mm∅)	OUTLET PIPE INVERT LEVEL (m)	NOTES
OIL INTERCEPTOR 1	83445.573	331955.527	308.997	306.935	2.062	450	307.171	450	306.967	Oil Interceptor
OIL INTERCEPTOR 2	83662.440	331728.463	309.064	307.004	1.860	300	307.204	300	307.204	Oil Interceptor



ARCHITECTURE:
ARC:MC
140-142 St. John Street,
London, EC1V 4UB
United Kingdom
t: +44 (0) 203 411 2571
e: info@arcmc.co.uk

INFRASTRUCTURE / CIVILS:
SWECO
Eldon House
2-3 Eldon Street
London
EC2M 7LS
+44 (0) 20 3002 1210
e: www.sweco.co.uk

MEP:

Black & White Engineering
69 Wilson Street,
London, EC2A 2BB
United Kingdom
t: +44 (0) 207 683 7166
e: londonenq@bw-engineering.com

STB1A - PUF - IFC FINAL ISSUE
(ISSUE FOR CONTRACT)
2026-02-13



REVISIONS		
NO.	DATE	DESCRIPTION
1.0	11/04/2025	IFC FINAL ISSUE
1.1	30/05/2025	POST IFC DRAFT ISSUE
2.0	04/07/2025	POST IFC FINAL ISSUE
2.1	05/08/2025	POST IFC DRAFT ISSUE
2.2	24/10/2025	POST IFC DRAFT ISSUE
3.0	07/11/2025	POST IFC FINAL ISSUE
4.0	09/01/2026	POST IFC DRAFT ISSUE
5.0	23/01/2026	POST IFC FINAL ISSUE
6.0	30/01/2026	POST IFC DRAFT ISSUE
7.0	13/02/2026	POST IFC FINAL ISSUE

Drawn By:	MRP
Approved By:	CM
Design Team:	BW

STB1A

BUCKINGHAM

Project Number: 65212899

Surface Water Chamber Schedules
Sheet 2

Discipline: Civil

Scale: N.T.S

Sheet Size: A0

Sheet Number:

STB1A-1.0-C-6411-SDT

Current Rev: 7.0

Phase: IFC

Drawing Name: STB1A-1.0-C-6411-SDT.dwg

Native File Format: Civil 3D V.2024