CERTIFICATE OF CALIBRATION

Antikernel Labs PO Box 4665 10355 NE Valley Rd Rollingbay, WA 98061-0665 https://www.antikernel.net/ sales@antikernel.net

This document certifies that the instrument described has been verified to comply with all published datasheet specifications using traceably calibrated equipment.

Instrument Description 2 GHz Transmission Line Probe

Model AKL-PT1 Serial Number 0008

Calibration Performed By A. Zonenberg Date 2020-08-05 23:09 Test Conditions 21°C, 42% RH Cal Due 2021-08-05

Calibration Standards

Type	Manufacturer	Model	Serial	Cal due date
Multimeter	Rohde & Schwarz	HMC8012	36174847	2021-04-15
Vector Network Analyzer	Pico Technology	PicoVNA 106	09335	2021-04-17
SOLT Standard	Pico Technology	TA345	SF:296	2021-04-17
Oscilloscope	Teledyne LeCroy	WaveRunner 8404M-MS	LCRY4254N20447	2021-07-16
Pulse Generator*	Leo Bodnar	SMA Pulse Generator	P00718	2021-08-01

^{*} Used as signal source only, not as measurement standard


Test Results

Unless otherwise specified measurements are of probe body only, with cable and fixture de-embedded.

Test	Minimum	Measured	Maximum	Unit	Result
DC resistance	449.75	450.37	450.75	Ω	PASS
S ₂₁ (1 MHz)	-20.48	-20.45	-20.42	dB	PASS
S ₂₁ (500 MHz)	-20.85	-20.61	-20.35	dB	PASS
S ₂₁ (1.0 GHz)	-21.10	-20.89	-20.35	dB	PASS
S ₂₁ (1.5 GHz)	-21.45	-21.38	-20.75	dB	PASS
S ₂₁ (2.0 GHz)	-21.60	-22.26	-22.45	dB	PASS
Bandwidth (-23.5 dB)	2.25	2.44	2.60	GHz	PASS
Rise time (20-80%) w/ cable	118	122	129	ps	PASS

Typical Waveform

Nominal 40 ps risetime pulse including the provided cable if applicable




S-Parameter Data

Machine readable S2P files for de-embedding may be downloaded at: https://www.antikernel.net/downloads/AKL-PT1/caldata/0008


Insertion Loss (tip ground, across 50Ω termination)

tipground.s2p S_{21}




Insertion Loss (leaf ground, across 50Ω termination)

leafground.s2p S_{21}



Insertion Loss (Z-ground, across 50Ω termination)

zground.s2p S_{21}



Insertion Loss (flex ground, across 50Ω termination)

flexground.s2p S_{21}

