


DURCHGEFÜHRTE AUFGABEN

Computernetzwerk-Installation

Konfiguration der Router

Installation von Videoprojektoren

Zurücksetzen der Computer

Installation wesentlicher Software wie Microsoft Office...



Computernetzwerk-Installation:

Standortanalyse:





Netzwerkkonzeption







Anschluss der Geräte und Kabel:



Konfiguration der Geräte :




Test des Netzwerks :







Programmierung der Router:


Konfiguration des D-Link Routers









ADSL Router
Non sécurisé
192.168.1.1/index.htm
Product Page: DSL-124
Firmware Version: ME_1.00
D-Link
DSL-124
SETUP
ADVANCED
MAINTENANCE
STATUS
HELP
Wizard
Local Network
Internet Setup
Wireless Setup
Time and Date
SETTING UP YOUR INTERNET
There are two ways to set up your Internet connection. You can use the Web-based Internet Connection Setup Wizard or you can manually configure the connection.
Please make sure you have your ISP's connection settings first if you choose manual setup.
INTERNET CONNECTION WIZARD
You can use this wizard for assistance and quick connection of your new D-Link Router to the Internet. You will be presented with step-by-step instructions in order to get your Internet connection up and running. Click the button below to begin.
Setup Wizard
Note: Before launching the wizard, please ensure you have correctly followed the steps outlined in the Quick Installation Guide included with the router.
Helpful Hints...
First time users are recommended to run the Setup Wizard. Click the button and you will be guided step by step through the process of setting up your ADSL connection.
If you consider yourself an advanced user or have configured a router before, click Setup > Internet Setup to input all the settings manually.
More...


ADSL Router
Non sécurisé
192.168.1.1/index.htm
Product Page: DSL-124
Firmware Version: ME_1.00
D-Link
1 → STEP 2: CHANGE DEVICE LOGIN PASSWORD → 3 → 4 → 5 → 6
To help secure your network, D-Link recommends that you should choose a new password. If you do not wish to choose a new password now, just click "Skip" to continue. Click "Next" to proceed to next step.
Current Password :
New Password :
Confirm Password :
Back
Next
Skip
Cancel


ADSL Router
Non sécurisé
192.168.1.1/index.htm
Product Page: DSL-124
Firmware Version: ME_1.00
D-Link
1 → 2 → STEP 3: SET TIME AND DATE → 4 → 5 → 6
The Time Configuration option allows you to configure, update, and maintain the correct time on the internal system clock. From this section you can set the time zone that you are in and set the NTP (Network Time Protocol) Server. Daylight Saving can also be configured to automatically adjust the time when needed.
SYSTEM TIME
System time: Sun Jan 1 0:5:5 2012
Time Zone: (GMT-00:00) Casablanca, Monrovia
DayLight: LocalTIME
Mode: Copy Computer time
Back
Next
Cancel


ADSL Router
Non sécurisé
192.168.1.1/index.htm
Product Page: DSL-124
Firmware Version: ME_1.00
D-Link
1 → 2 → 3 → STEP 4: SETUP INTERNET CONNECTION → 5 → 6
Please select your Country and ISP (Internet Service Provider) from the list below. If your Country or ISP is not in the list, please select "Others".
Country : Moroco
Internet Service Provider : MAROC Telecom(IAM)
Protocol : PPPoE
Connection Type : LLC
VPI : 8 (0-255)
VCI : 35 (32-65535)
PPPoE
Please enter your Username and Password as provided by your ISP (Internet Service Provider). Please enter the information exactly as shown taking note of upper and lower cases. Click "Next" to continue.
Username : cai0013
Password : ••••••••
Confirm Password : ••••••••
Back
Next
Cancel



ADSL Router
Non sécurisé
192.168.1.1/index.htm
1 → 2 → 3 → 4 → STEP 5: CONFIGURE WIRELESS NETWORK → 6
Your wireless network is enabled by default. You can simply uncheck it to disable it and click "Next" to skip configuration of wireless network.
Enable Your Wireless Network
Your wireless network needs a name so it can be easily recognized by wireless clients. For security purposes, it is highly recommended to change the pre-configured network name.
Wireless Network Name (SSID) :
el azali
(1~32 characters)
Select "Visible" to publish your wireless network and SSID can be found by wireless clients, or select "Invisible" to hide your wireless network so that users need to manually enter SSID in order to connect to your wireless network.
Visibility Status :
Visible
Invisible
In order to protect your network from hackers and unauthorized users, it is highly recommended you choose one of the following wireless network security settings.
Security Level :
None
WEP
WPA-PSK
WPA2-PSK
Security Mode: WPA-PSK
Select this option if your wireless adapters support WPA-PSK.
Now, please enter your wireless security key.
WPA2 Pre-Shared Key :
(8-63 characters, such as a~z, A~Z, or 0~9, i.e. '%Fortress123&')
Note: You will need to enter the same key here into your wireless clients in order to enable proper wireless connection.
Back
Next
Cancel



ADSL Router
Non sécurisé
192.168.1.1/index.htm
1 → 2 → 3 → 4 → 5 → STEP 6: COMPLETED AND APPLY
Setup complete. Click "Back" to review or modify settings. Click "Apply" to apply current settings.
If your Internet connection does not work after apply, you can try the Setup Wizard again with alternative settings or use Manual Setup instead if you have your Internet connection details as provided by your ISP.
SETUP SUMMARY
Below is a detailed summary of your settings. Please print this page out, or write the information on a piece of paper, so you can configure the correct settings on your wireless client adapters.
Modem Password : 12345
Time Settings : Copy from Computer
VPI / VCI : 8/35
Protocol : PPPoE
Connection Type : LLC
Username : cai0013
Password : 12345
Wireless Network : Enabled
Wireless Network Name (SSID) : el azali
Visibility Status : Visible
Encryption : WPA2-PSK/AES (also known as WPA2 Personal)
Pre-Shared Key : 20232024
Back
Apply
Cancel
BROADBAND
Copyright © 2005-2012 D-Link Systems, Inc.


Einen Repeater konfigurieren :






Nouvel onglet
192.168.0.254
Google Chrome n'est pas votre navigateur par défaut
Définir par défaut


login
Non sécurisé
192.168.0.254
tp-link | TL-WA850RE
Créer un mot de passe de connexion
nouveau mot de passe:
Veuillez entrer 1-15 caractères en utilisant une combinaison de chiffres et de symboles.
Confirmez le mot de passe:
S'IDENTIFIER



TL-WA850RE
Non sécurisé
192.168.0.254
tp-link | TL-WA850RE
Français
Changer de mode
Définir le nom de réseau étendu (SSID)
SSID étendu à 2,4 GHz:
A. SYSTEMS EXT _EXT
Mot de passe étendu à 2,4 GHz:
admin1234
(Identique au mot de passe de votre réseau hôte)
RETOUR
SUIVANT

Die Installation von Videoprojektoren:




Anschluss der Kabel :






NARSA

Starten des Computers vom USB-Stick:



Processus de Formatage et de Réinstallation:

