

GRACE: A Narrative-Centered Socio-Technical Ecosystem for Elder Wellbeing

David Folio[✉], *Member, IEEE* and John Doe

Abstract—Population aging is increasing demand for digital systems that support older adults’ wellbeing. Most existing systems emphasize safety, monitoring, and service coordination, but underrepresent identity, meaning, contribution, and relationship quality. This paper proposes GRACE (Growing, Resourceful, Active, and Enriched Life), a narrative-centered socio-technical ecosystem for elder wellbeing. GRACE is designed as an intelligent multiagent community computing framework that supports older adults in maintaining relationships with the spiritual self, family and friends, working colleagues, communities, and the wider world, including markets and public services. The paper makes four contributions. First, it introduces a narrative-centered theory of elder wellbeing grounded in relationship quality and contribution exchange. Second, it proposes the GRACE Index, a daily measure of whether a person remains “in the zone” of narrative selfhood during ordinary and difficult periods. Third, it extends the framework with three innovations: daily hero’s-journey story creation, an AI-based fast state predictor, and a smart stimulus agent for anticipatory support. Fourth, it presents an agent-based simulation design to evaluate these innovations. We argue that elder-oriented AI should move beyond deficit-oriented monitoring toward socio-technical ecosystems that preserve dignity, agency, reciprocity, and life authorship.

Index Terms—aging, wellbeing, narrative identity, multiagent systems, human-centered AI, socio-technical systems, community computing, eldercare technology

I. INTRODUCTION

Population aging is reshaping healthcare, labor, family structures, and public services [1]. In response, digital systems for older adults have expanded across telehealth, wearable and in-home monitoring, support for activities of daily living, and care coordination [2]. These systems are valuable, but ageing-related HCI has often framed later life through health and care needs, declining abilities, and problems to be managed technologically [3].

That framing is socially and technically limiting. Older adults are not only patients or service users. They are also storytellers, mentors, workers, caregivers, citizens, spiritual beings, and bearers of memory and legacy. Evidence links strong social relationships with wellbeing and survival, while research on generativity identifies care for and contribution to succeeding generations as an important adult concern [4], [5]. Narrative-identity research further shows how an internalized,

evolving life story integrates reconstructed experience and imagined futures to provide unity and purpose [6]. Together, these findings indicate that elder wellbeing involves not only safety and functional support, but also identity continuity, meaningful relationships, opportunities to contribute, and coherent interpretation of life events.

This paper proposes GRACE—Growing, Resourceful, Active, and Enriched Life—as a socio-technical ecosystem for elder wellbeing. GRACE is an intelligent community computing framework organized around five relational domains: 1) spiritual self, 2) family and friends, 3) working colleagues, 4) communities, and 5) the wider world, including markets and public services. GRACE is grounded in evidence that social integration and relationship quality are consequential for health and wellbeing [4], and extends this relational premise to the exchange of care, recognition, participation, and contribution.

The central design claim of GRACE is that narrative identity should be treated as a core systems concept. Narrative identity is not a static attribute but an evolving synthesis of past experience and anticipated future [6]. Accordingly, older adults should not be modeled merely through static profiles, health states, or risk scores, but as persons living through unfolding stories. GRACE therefore acts as a live autobiographical ecosystem, helping elders remain connected to selfhood across daily life, transitions, and adversity. A high-level overview is shown in Fig. 1, with the multiagent architecture shown in Fig. 5 and the dynamic closed-loop logic in Fig. 4.

To operationalize this vision, the paper introduces the GRACE Index, a daily measure of whether a person remains “in the zone” of narrative selfhood. The paper further adds three innovations: 1) a Daily Story Creation Engine that frames lived experience through the hero’s journey, 2) an AI-based Fast State Predictor that forecasts near-future wellbeing state, and 3) a Smart Stimulus Agent that initiates timely, personalized prompts to preserve wellbeing and authorship. Finally, the paper proposes an agent-based simulation design to demonstrate these innovations.

A. Contributions

1. A socio-technical framework for elder wellbeing centered on narrative identity, relationship quality, and contribution exchange.
2. The GRACE Index, a daily metric of narrative selfhood and adaptive continuity.
3. Three AI-enabled innovations—daily story creation, fast state prediction, and smart stimuli—for anticipatory wellbeing support.
4. An agent-based simulation design for evaluating these mechanisms before real-world deployment.

The quarto-ieee template is freely available under the MIT license on github: <https://github.com/dfolio/quarto-ieee>.

David Folio is with Laboratoire Prisme, INSA Centre Val de Loire, Bourges, 18800 France Corresponding author: david.folio@insa-cvl.fr

Unknown affiliation

John Doe is with Anonymous University

Template created June 23, 2023; revised r
format(Sys.Date(), format='%B %d, %Y').

II. II. RELATED WORK

A. A. Aging Technologies and Deficit-Oriented Design

Technologies for older adults have often focused on safety, surveillance, and functional support [7]–[9]. While these systems can improve independence and care delivery, they may also reproduce deficit-oriented assumptions about aging. HCI scholarship has argued that such framings narrow the design space and underplay agency, participation, and dignity [3].

B. B. Social Connectedness and Wellbeing

Social relationships are strongly associated with wellbeing, resilience, and mortality outcomes [4]. Social isolation and perceived loneliness can negatively affect cognition and health [10]. In later life, relationship quality matters as much as contact frequency, including dimensions such as reciprocity, belonging, and social integration [11], [12].

C. C. Narrative Identity and Later Life

Narrative identity theory suggests that individuals construct a sense of self through evolving life stories [13]–[15]. This narrative layer complements relatively stable traits and more contextual goals, values, and beliefs by integrating significant memories, present struggles, and anticipated futures into an evolving answer to the question of who one is [16]. Narrative identity therefore provides coherence across time without assuming that the self is fixed.

The practical framework developed by Langi distinguishes several narrative patterns that are especially relevant to wellbeing [16]. Redemptive sequences interpret adversity as a source of learning or growth, whereas contamination sequences allow a negative outcome to spoil the meaning of an otherwise positive experience. Agency positions the person as capable of choosing and acting rather than merely receiving events, while communion locates the life story within relationships, belonging, and purposes larger than the individual. For elder-oriented systems, these patterns offer a richer vocabulary than sentiment alone: two people may report similar difficult events while constructing very different meanings concerning resilience, authorship, and connection.

Autobiographical reasoning connects events by explaining how experiences shaped the person or expressed an enduring identity [16]. Stories of change support growth and adaptation; stories of stability reinforce continuity in values and character. A mature narrative can use both, enabling an older adult to acknowledge disruption without losing a coherent sense of self. In later life, autobiographical continuity and life review become especially important for meaning-making, legacy, and coping with transition [17], [18]. Yet most digital systems do not operationalize these narrative processes as core computational constructs.

D. D. Generativity and Productive Aging

Older adults continue to contribute through mentoring, caregiving, volunteering, advising, and cultural transmission. Generativity is a major source of meaning and self-worth

[5], [19]. Productive aging research likewise emphasizes the value of creating roles and systems that support continued contribution [20].

E. E. Community Computing, Multiagent Systems, and Human-Centered AI

Community informatics has shown how digital infrastructures can support participation, local engagement, and social inclusion [21]. Multiagent systems offer a framework for distributed intelligence, coordination, and adaptive decision-making [22], [23]. Human-centered AI emphasizes reliability, safety, and alignment with human values [24]. GRACE integrates these strands into a single socio-technical architecture.

F. F. Research Gap

Existing work rarely integrates all of the following in one coherent framework: narrative identity, relationship quality, contribution exchange, community participation, institutional and market access, predictive wellbeing support. GRACE addresses this gap by proposing a narrative-centered, socially grounded AI ecosystem for elder wellbeing.

III. III. GRACE AS A SOCIO-TECHNICAL ECOSYSTEM

The overall socio-technical structure of GRACE is illustrated in Fig. 1. The five relational domains, their functions, and example system supports are summarized in Table I.



Fig. 1: Placeholder for the GRACE socio-technical ecosystem overview.

A. A. Core Premise

GRACE is based on a simple claim: elder wellbeing emerges from the interaction of identity, relationships, contribution, and access. A person flourishes when they remain connected to who they are, to people who matter, to ways of contributing, and to the broader systems that structure everyday life.

B. B. Five Relational Domains

GRACE supports the elder's relationship with: 1. Spiritual self 2. Family and friends 3. Working colleagues 4. Communities 5. Wider world, including markets and public services. As shown in Table I, each domain supports different functions that contribute to wellbeing. The system provides tailored supports to help maintain these relationships and their associated benefits.

Table I: GRACE relational domains and example system supports.

Domain	Description	Relational Domains	Example System Supports
Spiritual Self	Inner life, values, faith, reflection, orientational orientation	Inner, meaning, hope, acceptance, social continuity	Reflection prompts, prayer/meditation support, ritual reminders, grief-sensitive dialogue
Family and Friends	Intimate and enduring personal relationships	Belonging, affection, care, intimacy, emotional security, shared memory	Family constellations, memory prompts, virtual sharing, role playing
Working Colleagues	Occupying of legacy (vocational and professional life)	Role continuity, usefulness, recognition, meaning, professional identity	Meaningful matching, advisory opportunities, skill-sharing, career work groups
Community	Local groups, associations, faith communities, neighborhoods, civic groups	Participation, recognition, shared self, collective belonging	Care advocacy, volunteering prompts, group participation support, community resources
Wider World	Markets, institutions, services, transport, civic systems, public services	Inclusion, access, autonomy, service reach, economic and civic participation	Service navigation, benefits support, transport coordination, marketplace access

C. C. Narrative Identity as System Core

Rather than using a conventional user profile, GRACE maintains a Living Autobiography Model. Its principal constructs are summarized in Table II, which shows how life chapters, relationships, roles, values, places, rituals, memories, concerns, and hopes become computational resources for narrative continuity.

Table II: Core constructs in the GRACE Living Autobiography Model.

Construct	Description	Examples	Function
Life Chapters	Major periods or phases of life	childhood, career phase, retirement, comingling years	supports contextual interpretation of current events
Major Transitions	Turning points and disruptions	bereavement, migration, illness onset, retirement	supports sensitivity to recurring vulnerabilities and resilience patterns
Key Relationships	Important persons and social ties	spouse, children, friends, mentor, colleague	infers relational prompts and support priorities
Roles and Identities	Inhabiting self-definitions	parent, teacher, engineer, volunteer, believer	supports role continuity and contribution opportunities
Values and Beliefs	Moral, spiritual, and existential commitments	faith, service, independence, compassion	aligns prompts and interventions with personal meaning
Capabilities and Skills	Strengths and resources	mentoring, storytelling, teaching, organizing	supports contribution matching
Meaningful Places	Places of emotional or narrative significance	family home, workplace, temple, neighborhood park	supports memory prompts and place-based engagement
Rituals and Traditions	Recurrent meaningful practices	weekly worship, family dinners, anniversaries	supports temporal and spiritual grounding
Significant Memories	Events with autobiographical weight	marriage, awards, losses, milestones	supports story creation and identity continuity
Present Concerns	Current needs and stresses	loneliness, mobility limits, family conflict	supports adaptive intervention
Future Hopes	Forward-looking aims	legacy project, reconnecting with family, community service	supports future-oriented narrative continuity

D. D. Theater-of-Life Perspective

GRACE may be understood as a theater of life: the elder is the lead performer and author, life settings are stages, daily events are scenes, human and AI participants form the cast, and narrative identity is the script in progress. This metaphor is not decorative; it is a design principle. It emphasizes authorship, visibility, and continuity.

IV. IV. THE GRACE INDEX

The GRACE Index model is summarized visually in Fig. 2, with dimensions and data sources in Table III and scoring interpretation in Table V.




Fig. 2: Placeholder for the GRACE Index model.

A. A. Purpose

The GRACE Index is a daily composite indicator designed to assess whether a person remains “in the zone” of narrative selfhood. This means the person still experiences life as meaningfully their own, even when facing difficulty, grief, illness, or uncertainty. The index is intended to measure narrative integrity, not merely mood or symptom burden.

B. B. Dimensions

The GRACE Index is a daily composite indicator designed to assess whether a person remains “in the zone” of narrative selfhood. This means the person still experiences life as meaningfully their own, even when facing difficulty, grief, illness, or uncertainty. The index is intended to measure narrative integrity, not merely mood or symptom burden. The six dimensions, their indicators, and example data sources are summarized in Table III.

Table III: GRACE Index dimensions, indicators, and example data sources.

Dimension	Description	Indicators	Example Data Sources
Narrative Continuity	Sense of remaining connected to one's life story and selfhood	felt like self, could make sense of the day, role continuity, future orientation	self-report, voice reflections, story engine outputs
Spiritual Grounding	Depth of inner peace, reflection, faith, or value alignment	purposefulness, gratitude, acceptance, values-based action	self-report, ritual logs, spiritual prompts
Relational Vitality	Quality of meaningful connection and belonging	meaningful contact, warmth of interaction, reciprocity, felt belonging	interaction logs, visit records, self-report
Contribution and Usefulness	Sense of helping, guiding, teaching, or being needed	mentoring, helping, advice-giving, feeling useful	contribution logs, task records, self-report
Community and World Engagement	Participation beyond the immediate self or household	event attendance, service access, neighborhood interaction, civic participation	activity logs, appointments, community records
Adaptive Resilience	Capacity to remain centered and recover during stress	coping, help-seeking, recovery after setbacks, staying grounded	self-report, predictor features, behavior trends

C. C. Scoring Model

Let N = Narrative Continuity; S = Spiritual Grounding; R = Relational Vitality; C = Contribution and Usefulness; E = Community and World Engagement; A = Adaptive Resilience.

$$G_t = 0.22N_t + 0.14S_t + 0.20R_t + 0.16C_t + 0.13E_t + 0.15A_t$$

with scores normalized to 0–100. The component weights in Table IV reflect the relative importance of each dimension to narrative selfhood.

Table IV: Weights used to calculate the GRACE Index.

Component	Weight
Narrative Continuity N	0.22
Spiritual Grounding S	0.14
Relational Vitality R	0.20
Contribution and Usefulness C	0.16
Community and World Engagement E	0.13
Adaptive Resilience A	0.15

Table V: GRACE Index score zones and interpretations.

Zone	Range	Interpretation
Flourishing Zone	85–100	strong continuity, connection, contribution, and resilience; reinforce growth and legacy opportunities
Stable Narrative Zone	70–84	stable selfhood and functioning despite ordinary challenges; maintain routines and meaningful engagement
Vulnerability Zone	50–69	early signs of drift, withdrawal, or reduced engagement; initiate gentle, targeted support
Disruption Zone	30–49	significant weakening of narrative continuity or relational vitality; escalate coordinated intervention
Fragmentation Risk Zone	0–29	severe disconnection, overwhelm, or loss of self-authorship; urgent, high-touch support with human oversight

D. D. Zone Interpretation

A person may remain in a stable narrative zone even during distress if selfhood, belonging, and meaning remain intact. As shown in Table V, the zones distinguish flourishing and stable narrative continuity from vulnerability, disruption, and fragmentation risk.

V. V. THREE AI-ENABLED INNOVATIONS

These innovations are summarized in Table VI. The hero's-journey structure is shown in Fig. 3, while the predictive-intervention loop is shown in Fig. 4.

Table VI: Three AI-enabled innovations in GRACE.

Innovation	Inputs	Mechanism	Outputs	Beneficial Effects
Daily Story Creation Engine	Daily events, contextual signals, interactions, reflections	Contextual daily life into hero's journey narrative structure	Daily story, hero's journey narrative, narrative tags	Integrated meaning-making and narrative continuity
Fast State Predictor	GRACE Index history, trends, inter-domain story features	Intersensory state-history well-being state and risk	Predictions, confidence, uncertainty, support	Anticipatory intervention or guidance
Smart Stimulus Agent	predicted state, preferences, context info, interaction history	Contextual personalized prompt or support action	Personalized prompts, support actions, practical advice	Reduced time in vulnerable or distressed states

A. A. Daily Story Creation Through the Hero's Journey

GRACE includes a Daily Story Creation Engine that interprets everyday life through the hero's journey. Instead of storing events as isolated entries, it reframes them through elements such as ordinary world, call to adventure, trial, guide, courage, insight, and return.




Fig. 3: Placeholder for the daily hero's-journey story structure.

$$H_t = \alpha_1 T_t + \alpha_2 G d_t + \alpha_3 C o_t + \alpha_4 I n_t$$

This mechanism is intended to buffer narrative fragmentation by preserving meaning under adversity.

B. B. AI-Based Fast State Predictor

GRACE includes a Fast State Predictor that forecasts near-future wellbeing state using recent GRACE Index trajectories, event patterns, and story features.




Fig. 4: Placeholder for the predictive-intervention loop.

$$\hat{G}_{t+\tau} = P(G_{t-\ell:t}, X_{t-\ell:t}, H_{t-\ell:t}, U_{t-\ell:t})$$

This predictor enables the system to shift from reactive monitoring to anticipatory support.

C. C. Smart Stimulus Agent

GRACE also includes a Smart Stimulus Agent that selects a personalized prompt or support action based on predicted state.

$$a_t \in A = \{a^{nar}, a^{rel}, a^{spi}, a^{con}, a^{com}, a^{prac}, a^{none}\}$$

$$a_t = \pi(\hat{Z}_{t+1}, X_t, p)$$

The aim is not behavior control, but supportive intervention that helps preserve dignity, continuity, and agency.

VI. VI. MULTIAGENT ARCHITECTURE AND GOVERNANCE

The architecture is shown in Fig. 5. Agent responsibilities are summarized in Table VII. Governance risks and safeguards are summarized in Table VIII and visually in Fig. 6.




Fig. 5: Placeholder for the GRACE multiagent architecture.

Table VII: Agent responsibilities in the GRACE ecosystem.

Agent	Role	Inputs	Outputs	Domains
Narrative Agent	maintain autobiographical continuity	reflections, memories, daily events	stories, narrative summaries, continuity signals	all domains
Relationship Agent	track and strengthen social ties	interactions logs, visit patterns	state-of-strength estimates, reconnection suggestions	family, colleagues, communities
Wellbeing Agent	synthesize cross-domain wellbeing	GRACE dimensions, trends, events	state summaries, risk signals	all domains
Spiritual Companion Agent	support reflection and spiritual grounding	rituals, reflections, values	spiritual prompts, grounding support	spiritual self
Family Coordination Agent	coordinate communication and care continuity	family contacts, calendars, events	visit plans, updates, reminders	family and friends
Work and Contribution Agent	identify contribution opportunities	skills, roles, requests	mentoring matches, contribution prompts	colleagues, communities
Community Connector Agent	support participation and local belonging	local events, memberships, opportunities	engagement recommendations	communities
Service Access Agent	connect to services and institutions	appointments, transport, benefits needs	service guidance, access support	wider world
Memory and Legacy Agent	preserve long-term story and artifacts	stories, photos, mementos	archives, legacy packages	family, communities
Ethics and Safety Agent	enforce safeguards and accountability	consent rules, system actions, risk states	approvals, constraints, audit records	all domains

Table VIII: Governance risks and safeguards for GRACE.

Risk	Concern	Safeguard
Paternalism	system over-directs behavior; erosion of autonomy	adjustable autonomy, opt-out controls, human override
Narrative Imposition	system interprets life story too forcefully; distortion of selfhood	user-editable stories, narrative sovereignty, transparency
Privacy Breach	sensitive autobiographical data exposed; loss of trust, harm to dignity	access controls, encryption, consent-based sharing
Over-Intervention	too many prompts or alerts; fatigue, frustration, disengagement	rate limits, preference learning, intervention thresholds
Family Misuse	relatives use system to pressure elder; coercion or conflict	granular permissions, elder-first governance
Prediction Opacity	unclear reason for risk prediction; mistrust, confusion	explainable prediction summaries
Bias in Prediction	model underperforms for some groups; inequitable support	fairness auditing, subgroup validation
Emotional Harm	prompts surface painful memories badly; distress or retraumatization	sensitivity rules, contextual timing, human escalation
Dependency on System	overreliance on AI mediation; reduced direct human engagement	human-in-the-loop design, connection-first policies




Fig. 6: Placeholder for governance risks and safeguards.

Because GRACE handles intimate autobiographical and relational data, governance is central. The risks and safeguards in Table VIII address paternalism, narrative imposition, privacy breaches, over-intervention, family misuse, prediction opacity, bias, emotional harm, and dependency. The system should include consent-based data access, explainable interventions, adjustable autonomy, human override, privacy protection, and safeguards against manipulative prompting.

VII. VII. AGENT-BASED SIMULATION DESIGN

The simulation structure is shown in Fig. 7, with conditions in Table IX, hypotheses in Table X, variables in Table XI, and outcome metrics in Table XII.

A. A. Objective

Before real-world deployment, the three innovations should be evaluated in simulation.




Fig. 7: Placeholder for the agent-based simulation structure.

B. B. Agents

Elder Agent; Narrative Agent; Predictor Agent; Stimulus Agent; Social Tie Agents; Environment Agent.

C. C. State Representation

$$X_{i,t} = [N_{i,t}, S_{i,t}, R_{i,t}, C_{i,t}, E_{i,t}, A_{i,t}]$$

$$G_{i,t} = 0.22N_{i,t} + 0.14S_{i,t} + 0.20R_{i,t} + 0.16C_{i,t} + 0.13E_{i,t} + 0.15A_{i,t}$$

$$X_{i,t+1} = f(X_{i,t}, U_{i,t}, H_{i,t}, A_{i,t}^{stim}, \varepsilon_{i,t})$$

Table IX: Simulation conditions for evaluating GRACE innovations.

Condition	Story	Prediction	Stimulus	Expectation
Baseline	No	No	No	monitoring only
Story Only	Yes	No	No	improved narrative continuity
Story + Prediction	Yes	Yes	No	improved early risk detection
Full GRACE	Yes	Yes	Yes	highest stability and fastest recovery

Table X: Simulation hypotheses for GRACE.

Hypothesis	Expectation
H1	Story creation increases Narrative Continuity relative to baseline
H2	Fast prediction improves early detection of decline
H3	Smart stimuli reduce time spent in low GRACE zones
H4	Full GRACE yields highest average GRACE Index
H5	Full GRACE reduces recovery time after adverse shocks

Table XI: State and derived variables tracked in the simulation.

Variable	Name	Type	Function
N	Narrative Continuity	state variable	tracks self-story coherence
S	Spiritual Grounding	state variable	tracks inner steadiness
R	Relational Vitality	state variable	tracks connection quality
C	Contribution and Usefulness	state variable	tracks perceived usefulness
E	Community and World Engagement	state variable	tracks external participation
A	Adaptive Resilience	state variable	tracks coping and recovery
G	GRACE Index	composite metric	primary wellbeing outcome
H	Heroic Integration Score	derived metric	measures successful narrative reframing

Table XII: Outcome metrics used to evaluate the simulation.

Variable	Type	Function
Stable-Zone Days	outcome metric	proportion of days with $G \geq 70$; assesses sustained wellbeing
Vulnerable/Disrupted Days	outcome metric	proportion of days with $G < 70$; assesses instability
Recovery Time	outcome metric	days to return to stable zone after shock; assesses resilience
Reframing Success	outcome metric	proportion of adverse days with high H; assesses story engine effect
Intervention Efficiency	outcome metric	gain in G per stimulus action; assesses stimulus value

VIII. VIII. TECHNOLOGY AND SOCIETY IMPLICATIONS

A. A. From Monitoring to Meaning

Many existing systems for older adults are designed around surveillance, compliance, and risk reduction. Although these functions are often necessary, they can narrow the social meaning of technology to observation and behavioral management. GRACE suggests a different orientation: intelligent systems should also support meaning-making, narrative continuity, and relationship quality. This matters because technologies do not merely assist users; they also shape how users are socially perceived. A system that frames older adults mainly as vulnerable subjects of monitoring may reinforce dependency narratives. By contrast, a system that recognizes them as authors, contributors, and relational beings may support dignity and public visibility.

B. B. The Social Construction of Aging Through Technology

Technologies embody assumptions about the populations they serve. In aging contexts, these assumptions often center decline, burden, and incapacity. Such framings can indirectly reproduce ageism by embedding deficit-oriented views of later life into interfaces, workflows, and service logics. GRACE instead frames later life as a stage of ongoing identity development, contribution, and relational growth. This shift has implications beyond design. It suggests that socio-technical systems should not merely adapt to older adults as they are socially classified, but should also challenge reductive classifications that limit participation and agency.

C. C. Narrative Data as a New Category of Sensitive Data

GRACE relies on autobiographical, relational, and interpretive data in addition to behavioral and service data. This class of information is especially sensitive because it concerns identity, memory, grief, values, and social bonds. Conventional privacy models may be insufficient for such data because the issue is not only exposure, but interpretation and authorship. Questions arise regarding who owns a life story representation, who may correct or extend it, and how conflicting interpretations should be handled when family members or institutions are involved. The use of narrative data therefore requires governance structures that protect not only privacy, but also identity integrity.

D. D. Prediction, Intervention, and the Risk of Paternalism

The Fast State Predictor and Smart Stimulus Agent introduce anticipatory action into elder-oriented systems. While this can improve support, it also creates the risk of paternalism. Predictions may be used to steer behavior in ways that are insufficiently transparent or insufficiently aligned with the elder's own intentions. In contexts where older adults are already socially positioned as dependent, such interventions may amplify rather than reduce power asymmetries. GRACE therefore implies that predictive systems should be explainable, consent-aware, adjustable in intensity, and always open to refusal or override. The goal is not to optimize the person, but to support the person's own authorship.

E. E. Human-Centered AI in Socially Embedded Contexts

GRACE contributes to human-centered AI by expanding what counts as success in intelligent systems. Reliability, safety, and performance remain necessary, but they are not sufficient in socially embedded domains such as aging. Systems should also be evaluated according to whether they preserve agency, dignity, self-interpretation, reciprocity, and belonging. In this sense, GRACE argues for a broader evaluative framework for AI in society: one that includes effects on identity and relational life alongside traditional technical metrics.

F. F. Social Infrastructure and Inclusion

Older adult wellbeing depends not only on internal state or family support, but also on access to social infrastructure, including transportation, public services, community groups, and marketplaces. GRACE highlights that intelligent support systems should therefore function not merely as private assistants, but as bridges to institutional and civic participation. This has policy implications. Public-interest technologies for aging should be designed to support inclusion, not just care; participation, not just monitoring; and contribution, not just dependency management.

G. G. Implications for Technology Governance

From a technology-and-society perspective, GRACE suggests five governance principles for elder-oriented AI. First, narrative sovereignty: the elder retains primary authority over their life story representation. Second, consentful prediction: predictive analytics must be understandable, optional, and bounded in use. Third, non-manipulative intervention: prompts and actions should support rather than coerce. Fourth, relational accountability: system actions should be evaluated for their effects on family, community, and institutional relationships. Fifth, dignity-centered evaluation: success should include preservation of selfhood, not only efficiency or compliance.

H. H. Broader Relevance

Although GRACE is developed for older adults, its implications extend to other domains in which wellbeing depends on identity continuity and social participation, including disability support, chronic illness, rehabilitation, and mental health

recovery. More broadly, the framework suggests that intelligent socio-technical systems should be designed not only to predict and intervene, but also to help persons remain present in their own lives.

IX. IX. DISCUSSION

Taken together, Fig. 1, Fig. 5, Fig. 4, Fig. 3, Fig. 2, Fig. 7, Fig. 6, and Tables I–IX show that GRACE is not merely a collection of tools, but an integrated socio-technical ecosystem.

GRACE reframes elder-oriented AI away from narrow models of surveillance and deficit management. Its central contribution is to treat older adults as ongoing authors of life rather than passive subjects of care. This reframing changes the role of intelligent systems. Instead of merely detecting problems or enforcing routines, such systems can support meaning, relationship quality, contribution, and continuity of self.

The GRACE Index is important in this regard because it shifts measurement away from symptom burden alone and toward narrative integrity. A person may be grieving, ill, or facing uncertainty while still remaining deeply connected to selfhood, belonging, and purpose. Conventional metrics may not capture this distinction. By contrast, the GRACE Index is intended to identify whether the person remains “in the zone” of narrative selfhood, thereby enabling support that is more humane and context-sensitive.

The three added innovations extend this contribution. The Daily Story Creation Engine offers a computational mechanism for narrative reframing. The Fast State Predictor moves the system from reactive to anticipatory operation. The Smart Stimulus Agent transforms prediction into practical support. In combination, these mechanisms suggest a new class of elder-oriented intelligent systems: systems that are reflective, predictive, and supportive, while remaining grounded in dignity and agency.

For IEEE audiences, the broader implication is that intelligent systems in socially sensitive settings should be evaluated not only by technical performance, but also by their effects on identity, autonomy, and social life. GRACE therefore contributes to ongoing conversations about human-centered AI, algorithmic governance, and the social responsibilities of digital infrastructure.

The proposed agent-based simulation design provides a useful intermediate step before real-world deployment. It allows key questions to be examined under controlled conditions: whether narrative reframing buffers decline, whether predictive models can identify vulnerability early, and whether stimulus policies improve recovery without becoming intrusive. It also enables examination of governance concerns such as intervention thresholds, uncertainty handling, and the trade-off between support and paternalism.

At the same time, GRACE should be understood as a framework rather than a finished system. Its value lies in offering a coherent socio-technical direction for future work at the intersection of aging, AI, and community computing.

X. X. LIMITATIONS AND FUTURE WORK

This paper is conceptual and simulation-oriented. Several limitations should therefore be acknowledged.

First, the GRACE Index is proposed as a theoretically grounded composite measure, but its weighting scheme and dimensional structure have not yet been empirically validated. The model should be treated as provisional until psychometric testing, longitudinal analysis, and user-centered validation are conducted.

Second, the Daily Story Creation Engine, Fast State Predictor, and Smart Stimulus Agent are presented as design innovations, not as fully implemented and tested modules. Their actual effectiveness will depend on interface quality, data quality, personalization logic, and the degree to which users perceive them as supportive rather than intrusive.

Third, the proposed simulation is an abstraction of real life. Although simulation can help evaluate mechanisms and explore policy behavior, it cannot fully represent the emotional, cultural, and relational complexity of lived aging. Real-world evaluation with older adults, families, and community organizations remains essential.

Fourth, the framework may require substantial cultural adaptation. Narrative identity, spirituality, family expectations, contribution norms, and attitudes toward AI vary across settings. A system designed around autobiographical continuity and relational support must therefore be locally interpretable and culturally responsive.

Fifth, governance challenges remain significant. The use of autobiographical and predictive data introduces risks related to privacy, bias, paternalism, narrative imposition, and over-intervention. Future work should address these issues through fairness testing, explainability design, participatory governance, and careful consent models.

Future research should proceed along at least six directions: 1. participatory co-design with older adults, caregivers, and community stakeholders; 2. prototype implementation of the GRACE ecosystem and GRACE Index interfaces; 3. simulation execution and reporting to evaluate the three innovations under controlled scenarios; 4. psychometric validation of the GRACE Index across diverse elder populations; 5. pilot deployment studies to assess usability, acceptability, and perceived dignity impact; and 6. governance and fairness analysis focused on predictive intervention, consent, and relational accountability.

These steps are necessary to move GRACE from a conceptual socio-technical framework toward a validated and ethically robust intelligent ecosystem.

XI. XI. CONCLUSION

GRACE proposes a narrative-centered socio-technical ecosystem for elder wellbeing. By integrating relationship quality, autobiographical continuity, predictive modeling, and anticipatory intervention, it offers an alternative to deficit-oriented aging technologies. Rather than viewing older adults primarily through decline, risk, and service dependency, GRACE understands them as persons who continue to live, interpret, and contribute within unfolding life stories.

The framework contributes four main ideas: a relational and narrative model of elder wellbeing; the GRACE Index as a daily measure of narrative selfhood; three AI-enabled mechanisms for story creation, prediction, and supportive intervention; and an agent-based simulation design for structured evaluation. Together, these elements suggest that intelligent systems for older adults should be designed not only to manage risk, but also to sustain dignity, reciprocity, participation, and the ongoing authorship of life.

More broadly, GRACE argues that the future of elder-oriented AI should be socio-technical rather than merely technical, and human-centered in a deep sense: not simply usable, but respectful of identity, meaning, and relationship. If developed responsibly, systems like GRACE may help ensure that digital innovation in aging supports not only longer life, but more connected, authored, and enriched life.

REFERENCES

- [1] United Nations Department of Economic and Social Affairs, Population Division, "World population prospects 2024: Summary of results," United Nations, New York, 2024 [Online]. Available: https://population.un.org/wpp/assets/Files/WPP2024_Summary-of-Results.pdf
- [2] M. M. Baig, S. Afifi, H. Gholamhosseini, and F. Mirza, "A systematic review of wearable sensors and IoT-based monitoring applications for older adults: A focus on ageing population and independent living," *Journal of Medical Systems*, vol. 43, no. 8, p. 233, 2019.
- [3] J. Vines, G. Pritchard, P. Wright, P. Olivier, and K. Brittain, "An age-old problem: Examining the discourses of ageing in HCI and strategies for future research," *ACM Transactions on Computer-Human Interaction*, vol. 22, no. 1, pp. 2:1–2:27, 2015.
- [4] J. Holt-Lunstad, T. B. Smith, and J. B. Layton, "Social relationships and mortality risk: A meta-analytic review," *PLOS Medicine*, vol. 7, no. 7, p. e1000316, 2010.
- [5] D. P. McAdams and E. de St. Aubin, "A theory of generativity and its assessment through self-report, behavioral acts, and narrative themes in autobiography," *Journal of Personality and Social Psychology*, vol. 62, no. 6, pp. 1003–1015, 1992.
- [6] D. P. McAdams and K. C. McLean, "Narrative identity," *Current Directions in Psychological Science*, vol. 22, no. 3, pp. 233–238, 2013.
- [7] A. Sixsmith and G. Gutman, Eds., *Technologies for active aging*. New York: Springer, 2013.
- [8] S. J. Czaja et al., "Factors predicting the use of technology: Findings from the center for research and education on aging and technology enhancement," *Psychology and Aging*, vol. 21, no. 2, pp. 333–352, 2006.
- [9] T. L. Mitzner et al., "Older adults talk technology: Technology usage and attitudes," *Computers in Human Behavior*, vol. 26, no. 6, pp. 1710–1721, 2010.
- [10] J. T. Cacioppo and L. C. Hawkey, "Perceived social isolation and cognition," *Trends in Cognitive Sciences*, vol. 13, no. 10, pp. 447–454, 2009.
- [11] E. Y. Cornwell and L. J. Waite, "Social disconnectedness, perceived isolation, and health among older adults," *Journal of Health and Social Behavior*, vol. 50, no. 1, pp. 31–48, 2009.
- [12] L. F. Berkman, T. Glass, I. Brissette, and T. E. Seeman, "From social integration to health: Durkheim in the new millennium," *Social Science & Medicine*, vol. 51, no. 6, pp. 843–857, 2000.
- [13] D. P. McAdams, "The psychology of life stories," *Review of General Psychology*, vol. 5, no. 2, pp. 100–122, 2001.
- [14] T. Habermas and S. Bluck, "Getting a life: The emergence of the life story in adolescence," *Psychological Bulletin*, vol. 126, no. 5, pp. 748–769, 2000.
- [15] J. A. Singer, "Narrative identity and meaning making across the adult lifespan: An introduction," *Journal of Personality*, vol. 72, no. 3, pp. 437–460, 2004.
- [16] A. Z. R. Langi, *The author of yourself: A practical guide to writing the story of your life*. 2025.
- [17] R. N. Butler, "The life review: An interpretation of reminiscence in the aged," *Psychiatry*, vol. 26, no. 1, pp. 65–76, 1963.

- [18] E. Bohlmeijer, M. Roemer, P. Cuijpers, and F. Smit, “[The effects of reminiscence on psychological well-being in older adults: A meta-analysis](#),” *Aging & Mental Health*, vol. 11, no. 3, pp. 291–300, 2007.
- [19] E. H. Erikson, *The life cycle completed*. New York: W. W. Norton, 1982.
- [20] N. Morrow-Howell, E. Gonzales, R. Harootyan, Y. Lee, and B. Lindberg, “[Approaches, policies, and practices to support the productive engagement of older adults](#),” *Journal of Gerontological Social Work*, vol. 60, no. 3, pp. 193–200, 2017.
- [21] M. Gurstein, *What is community informatics (and why does it matter)?* Milan: Polimetria, 2007.
- [22] N. R. Jennings, K. Sycara, and M. Wooldridge, “[A roadmap of agent research and development](#),” *Autonomous Agents and Multi-Agent Systems*, vol. 1, no. 1, pp. 7–38, 1998.
- [23] M. Wooldridge, *An introduction to MultiAgent systems*, 2nd ed. Chichester: Wiley, 2009.
- [24] B. Shneiderman, “[Human-centered artificial intelligence: Reliable, safe & trustworthy](#),” *International Journal of Human–Computer Interaction*, vol. 36, no. 6, pp. 495–504, 2020.



David Folio Use `IEEEbiography` with figure as option and the author name as the argument followed by the biography text.

John Doe Use `IEEEbiographynophoto` and the author name as the argument followed by the biography text.