

Nama : Latiful Zaki Mubarak

NIM : 242410101068

Kelas : A

AKTIVITAS MANDIRI 5

Di aktivitas ini saya sesuaikan dengan proyek saya, saya membuat CRUD nya untuk mengelola product dari proyek saya

1. Buat Resource Controller: `php artisan make:controller MahasiswaController --resource --model=Mahasiswa`

```
D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> php artisan make:controller ProductController --resource --model=Product
INFO Model [D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL\app\Models\Product.php] created successfully.
INFO Migration [D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL\database\Migrations\2026_05_12_142144_create_product
```


Hasil: File `app/Http/Controllers/DiamondController.php` akan terbentuk dengan method `index`, `create`, `store`, `show`, `edit`, `update`, `destroy`

2. Daftarkan di `routes/web.php`: `Route::resource('mahasiswa', MahasiswaController::class)`

```
routes > web.php
1  <?php
2
3  use App\Http\Controllers\ProductController;
4  use Illuminate\Support\Facades\Route;
5
6  Route::get('/', function () {
7      return view('dashboard');
8  });
9
10 // route untuk test flash message
11 Route::get('/dashboard', function () {
12     return redirect('/')->with('success', 'Top up berhasil!');
13 });
14
15 Route::resource('products', ProductController::class);
```

Route telah saya daftarkan

3. Buat semua view: `mahasiswa/index.blade.php` (tabel + pagination), `create.blade.php` (form), `edit.blade.php` (form pre-filled), `show.blade.php` (detail)



**DiamondStore**
Top Up Mobile Legends

 Beranda

 Top Up

 Riwayat

 Promo

 Kelola Stok

Masuk

Paket diamond berhasil diupdate!

 **Kelola Stok Diamond**

Tambah Paket

Tambah, edit, hapus, dan kelola stok paket diamond Anda.

ID	Nama Paket	Jumlah Diamond	Harga	Status	Foto	Aksi
1	11 Diamond - Paket Pemula	11 	Rp 3.000	 Tersedia		Detail Edit Hapus
2	86 Diamond - Paket Standar	86 	Rp 20.000	 Tersedia	Tidak ada	Detail Edit Hapus
3	172 Diamond - Paket Populer	172 	Rp 40.000	 Tersedia	Tidak ada	Detail Edit Hapus
4	257 Diamond - Paket Hemat	257 	Rp 60.000	 Tersedia	Tidak ada	Detail Edit Hapus
5	514 Diamond - Paket Pro	514 	Rp 115.000	 Tersedia	Tidak ada	Detail Edit Hapus
6	706 Diamond - Paket Expert	706 	Rp 150.000	 Tersedia	Tidak ada	Detail Edit Hapus
7	1069 Diamond - Paket Master	1,069 	Rp 225.000	 Tersedia	Tidak ada	Detail Edit Hapus
8	1412 Diamond - Paket Sultan	1,412 	Rp 300.000	 Tersedia	Tidak ada	Detail Edit Hapus
9	Weekly Diamond Pass	220 	Rp 28.000	 Tersedia	Tidak ada	Detail Edit Hapus
10	Twilight Pass	0 	Rp 140.000	 Habis	Tidak ada	Detail Edit Hapus

Showing 1 to 10 of 11 results

© 2026 DiamondStore - Jualan Diamond Mobile Legends

 **Tambah Paket Diamond Baru**

Nama Paket *

Contoh: Weekly Diamond Pass

Jumlah Diamond *

Contoh: 220

Harga (Rp) *

Contoh: 30000

Status *

Tersedia

Foto Paket (Opsional)

Choose File

No file chosen

 Format: JPG/PNG, maksimal 2MB

 Simpan

 Batal

Edit Paket Diamond

Nama Paket *

11 Diamond - Paket Pemula

Jumlah Diamond *

11

Harga (Rp) *

3000

Status *

Tersedia

Foto Saat Ini



Kosongkan input foto di bawah jika tidak ingin mengganti

Ganti Foto (Opsional)

Choose File

No file chosen

Format: JPG/PNG, maksimal 2MB

Update

Batal

Detail Paket Diamond

ID Paket

#1

Nama Paket

11 Diamond - Paket Pemula

Jumlah Diamond

11

Harga

Rp 3.000

Status

Tersedia

Foto



Dibuat pada

13 May 2026, 02:43 WIB

Terakhir update

13 May 2026, 14:48 WIB

Kembali

Edit Paket

Semua view yang dibutuhkan telah saya buat

4. Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view

```
15     public function index()
16     {
17         $products = Product::paginate(10);
18         return view('products.index', compact('products'));
19     }
```

Sudah saya terapkan paginate(10) di view index

5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI, TI, MI)

```
public function create()
{
    return view('products.create');
}

public function store(Request $request)
{
    $request->validate([
        'nama_paket' => 'required|min:3|unique:products,nama_paket',
        'jumlah_diamond' => 'required|integer|min:1',
        'harga' => 'required|integer|min:1000',
        'status' => 'required|in:tersedia,habis',
        'foto' => 'nullable|image|mimes:jpg,png|max:2048'
    ]);

    $data = $request->all();

    if ($request->hasFile('foto')) {
        $data['foto'] = $request->file('foto')->store('products', 'public');
    }

    Product::create($data);

    return redirect()->route('products.index')
        ->with('success', 'Paket diamond berhasil ditambahkan!');
}
```

Sudah saya terapkan menggunakan \$request->validate() sebelum data disimpan ke database.

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```

public function edit(Product $product)
{
    return view('products.edit', compact('product'));
}

public function update(Request $request, Product $product)
{
    $request->validate([
        'nama_paket' => 'required|min:3|unique:products,nama_paket,' . $product->id,
        'jumlah_diamond' => 'required|integer|min:1',
        'harga' => 'required|integer|min:1000',
        'status' => 'required|in:tersedia,habis',
        'foto' => 'nullable|image|mimes:jpg,png|max:2048'
    ]);

    $data = $request->all();

    if ($request->hasFile('foto')) {
        // Hapus foto lama
        if ($product->foto) {
            Storage::disk('public')->delete($product->foto);
        }
        $data['foto'] = $request->file('foto')->store('products', 'public');
    }

    $product->update($data);

    return redirect()->route('products.index')
        ->with('success', 'Paket diamond berhasil diupdate!');
}

```

Sudah saya terapkan dengan:

- edit() menggunakan compact('product') untuk mengirim data ke form edit.
- update() menggunakan validasi: unique:products,nama_paket,' . \$product->id agar data yang sedang diedit tidak dianggap duplikat.
- Jika user mengupload foto baru, maka foto lama akan dihapus menggunakan Storage::delete(), lalu diganti dengan foto baru.
- Setelah berhasil diupdate, data disimpan kembali ke database dan diarahkan ke halaman index dengan pesan sukses.

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```

public function destroy(Product $product)
{
    // Hapus file foto jika ada
    if ($product->foto) {
        Storage::disk('public')->delete($product->foto);
    }

    $product->delete();

    return redirect()->route('products.index')
        ->with('success', 'Paket diamond berhasil dihapus!');
}

```

```



```


Sudah saya terapkan dengan:

- `destroy()` menggunakan `$product->delete()` untuk menghapus data dari database.
- Jika produk memiliki foto, maka file foto akan dihapus dari storage menggunakan `Storage::disk('public')->delete()`.
- Sebelum data dihapus, terdapat konfirmasi JavaScript (`confirm()`) agar user memastikan terlebih dahulu tindakan penghapusan.
- Setelah berhasil dihapus, user diarahkan kembali ke halaman index dengan pesan sukses.

8. Tambahkan flash message di layout dan tampilkan `session('success')` / `session('error')`

```
{{-- FLASH MESSAGE --}}
<div class="container mx-auto px-4 mt-4">
    @if(session('success'))
        <div class="bg-green-100 border border-green-400 text-green-700 px-4 py-3 rounded relative mb-4" role="alert">
            <span class="block sm:inline">{{ session('success') }}</span>
            <button type="button" class="absolute top-0 bottom-0 right-0 px-4 py-3" onclick="this.parentElement.style.display='none'">
                <svg class="fill-current h-6 w-6 text-green-500" role="button" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 12 12">
                    <!-- Success icon -->
                </svg>
            </button>
        </div>
    @endif

    @if(session('error'))
        <div class="bg-red-100 border border-red-400 text-red-700 px-4 py-3 rounded relative mb-4" role="alert">
            <span class="block sm:inline">{{ session('error') }}</span>
            <button type="button" class="absolute top-0 bottom-0 right-0 px-4 py-3" onclick="this.parentElement.style.display='none'">
                <svg class="fill-current h-6 w-6 text-red-500" role="button" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 12 12">
                    <!-- Error icon -->
                </svg>
            </button>
        </div>
    @endif
</div>
```



Flash message sudah muncul

9. BONUS: Tambahkan fitur upload foto profil dengan validasi `image|mimes:jpg,png|max:2048`

```

<div class="p-5 border-2 border-gray-200 rounded-xl focus-within:border-blue-500 transition-colors">
  <label class="block text-sm font-bold text-gray-700 mb-2">Foto Paket (Opsional)</label>
  <input type="file" name="foto" accept="image/jpeg,image/png"
    class="w-full border-[1.5px] border-gray-300 rounded-lg px-4 py-2.5 text-sm file:mr-4 file:py-2 file:px-4 file:
  <p class="text-gray-500 text-xs font-medium mt-2">⚡ Format: JPG/PNG, maksimal 2MB</p>
  @error('foto')
    <p class="text-red-500 text-xs font-semibold mt-1.5">{{ $message }}</p>
  @enderror
</div>

```

```

public function store(Request $request)
{
    $request->validate([
        'nama_paket' => 'required|min:3|unique:products,nama_paket',
        'jumlah_diamond' => 'required|integer|min:1',
        'harga' => 'required|integer|min:1000',
        'status' => 'required|in:tersedia,habis',
        'foto' => 'nullable|image|mimes:jpg,png|max:2048'
    ]);
}

```

Nama Paket *

11 Diamond - Paket Pemula

Jumlah Diamond *

11

Harga (Rp) *

3000

Status *

Tersedia

Foto Saat Ini



Kosongkan input foto di bawah jika tidak ingin mengganti

Ganti Foto (Opsional)

Choose File No file chosen

Format: JPG/PNG, maksimal 2MB

Update X Batal

Upload foto product sudah bisa dijalankan dengan validasi sesuai soal

AKTIVITAS MANDIRI 6

1. Instal Laravel Breeze: composer require laravel/breeze --dev, kemudian php artisan breeze:install blade

```
PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

 INFO  Discovering packages.

laravel/breeze ..... DONE
laravel/pail ..... DONE
laravel/tinker ..... DONE
nesbot/carbon ..... DONE
nunomaduro/collision ..... DONE
nunomaduro/termwind ..... DONE
pestphp/pest-plugin-laravel ..... DONE

85 packages you are using are looking for funding.
Use the 'composer fund' command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

 INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^2.4 for laravel/breeze

PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> php artisan breeze:install blade

 INFO  Breeze scaffolding installed successfully.
```

2. Jalankan php artisan migrate untuk membuat tabel users

```
PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> php artisan migrate

 INFO  Nothing to migrate.

PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> php artisan migrate:status

Migration name ..... Batch / Status
0001_01_01_000000_create_users_table ..... [1] Ran
0001_01_01_000001_create_cache_table ..... [1] Ran
0001_01_01_000002_create_jobs_table ..... [1] Ran
2026_05_12_144312_create_products_table ..... [2] Ran
```

Saat saya coba migrate ternyata tidak terjadi apa apa karena saya sudah punya table users

3. Jalankan npm install && npm run dev untuk build assets


```
PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> npm run dev

> dev
> vite

23.56.39 [vite] (client) Re-optimizing dependencies because lockfile has changed

VITE v8.0.10 ready in 632 ms

→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

LARAVEL v13.6.0 plugin v3.0.1

→ APP_URL: http://localhost:8000
```

Saya sudah install npm jadi tinggal npm run dev saja

4. Coba register dan login di <http://127.0.0.1:8000/register>

The image shows a web application interface. At the top, there is a logo consisting of three stacked cubes. Below the logo is a registration form with the following fields: Name (filled with 'zaki'), Email (filled with 'zaki@gmail.com'), Password (filled with '.....'), and Confirm Password (filled with '.....'). Below the form, there is a link 'Already registered?' and a 'REGISTER' button. Below the form, there is a horizontal line. Below the line, there is a 'Dashboard' link with a cube icon, and a user name 'zaki' with a dropdown arrow. Below the 'Dashboard' link, there is a 'Dashboard' heading. Below the 'Dashboard' heading, there is a message 'You're logged in!' in a light blue box.

Saya coba register dan berhasil kemudian langsung masuk ke menu dashboard


5. Amankan semua route mahasiswa dengan middleware auth:

Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

```
20 Route::middleware(['auth'])->group(function () {
21     | Route::resource('products', ProductController::class);
22     | });
```

Karna saya sebelumnya memakai products jadi disini saya tetap pakai products

6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login



The screenshot shows a login form on a light purple background. At the top center is a logo consisting of three stacked cubes. Below the logo is a white card with rounded corners containing the login fields. The 'Email' field is a text input with a blue border. The 'Password' field is a text input with a light gray border. Below the password field is a checkbox labeled 'Remember me'. At the bottom of the card, there is a link 'Forgot your password?' and a dark blue button labeled 'LOG IN'.

Saat saya akses /products sudah benar di arahkan ke halaman login

7. Tambahkan nama user di navbar: {{ auth()->user()->name }}

```
<!-- Settings Dropdown -->
<div class="hidden sm:flex sm:items-center sm:ms-6">
  <x-dropdown align="right" width="48">
    <x-slot name="trigger">
      <button class="inline-flex items-center px-3 py-2 border border-transparent text-sm leading-4 font-medium rounded-md" type="button">
        <div>{{ Auth::user()->name }}</div>
        <div class="ms-1">
          <svg class="fill-current h-4 w-4" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 20 20">
            <path fill-rule="evenodd" d="M5.293 7.293a1 1 0 010 1.414l10 10a1 1 0 01-1.414 1.414l-10-10a1 1 0 010-1.414z" clip-rule="evenodd"/>
          </svg>
        </div>
      </button>
    </x-slot>
  </x-dropdown>
</div>
```

Follow link (ctrl + click)

Dashboard zaki

{{ auth()->user()->name }} sudah tersedia otomatis saat menginstal breeze

8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

```
PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> php artisan make:middleware CekAdmin

INFO Middleware [D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL\app\Http\Middleware\CekAdmin.php] created successfully.
```

Pertama buat middlewaranya

```
PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> php artisan make:migration add_role_to_users_table

INFO Migration [D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL\database\Migrations\2026_05_13_171457_add_role_to_u
ers_table.php] created successfully.
```

Buat migration tambah kolom role

Kemudian jalankan php artisan migrate

```
PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`

> $user = App\Models\User::find(1);

= App\Models\User {#8577
  id: 1,
  name: "zaki",
  email: "zaki@gmail.com",
  role: "user",
  email_verified_at: null,
  #password: "$2y$12$Tny4Go88oeLY6qOjtnGK7ukOnAoeTkqhAKf7d.n8daM4G5JAIXPPy",
  #remember_token: null,
  created_at: "2026-05-13 17:01:50",
  updated_at: "2026-05-13 17:01:50",
}

> $user->role = 'admin';

= "admin"

> $user->save();


= true

> exit;
```

Buat User Admin via Tinker

```
33 Route::middleware(['auth', 'admin'])->group(function () {
34     // Dashboard admin (opsional)
35     Route::get('/admin/dashboard', function () {
36         return view('admin.dashboard');
37     }->name('admin.dashboard');
```

Gunakan Middleware di Routes



403 | Unauthorized - Hanya admin yang bisa mengakses

Disini saya coba buat akun baru yg bukan admin dan coba mengakses /admin/dashboard dan muncul seperti ini maka middleware cekadmin sudah berhasil

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

Karena ini sangat berbeda dengan proyek saya jadi saya akan sedikit maksa dengan menambahkan user id di tabel product

```
PS D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL> php artisan make:migration add_user_id_to_products_table
INFO Migration [D:\BELAJAR PWEB\KULIAH\242410101068_PWEB-main(1)\TUGAS TM PWEB\LARAVEL\database\migrations\2026_05_13_181226_add_user_id_to_products_table.php] created successfully.
```

Buat Migration tambah kolom user_id ke tabel products

```
return new class extends Migration
{
    public function up()
    {
        Schema::table('products', function (Blueprint $table) {
            $table->foreignId('user_id')->after('id')->nullable()->constrained('users')->onDelete('set null');
        });
    }

    public function down()
    {
        Schema::table('products', function (Blueprint $table) {
            $table->dropForeign(['user_id']);
            $table->dropColumn('user_id');
        });
    }
};
```

Isi migration

Jalankan php artisan migrate

```
class Product extends Model
{
    use HasFactory;

    protected $fillable = [
        'nama_paket',
        'jumlah_diamond',
        'harga',
        'status',
        'foto',
        'user_id' // ← Tambahan
    ];

    // Relasi ke User
    public function user()
    {
        return $this->belongsTo(User::class);
    }
}
```

Edit bagian model product dengan menambahkan user_id dan relasinya

```
18 // Relasi ke Products (tambah ini)
19 public function products()
20 {
21     return $this->hasMany(Product::class);
22 }
23
```

Di model users juga di tambahkan relasi

```
class ProductController extends Controller
{
    public function index()
    {
        $products = Product::where('user_id', auth()->id()->paginate(10);

        return view('products.index', compact('products'));
    }
}
```

Edit Product controller juga pada bagian method index

```
public function store(Request $request)
{
    $data = [
        'nama_paket' => $request->nama_paket,
        'jumlah_diamond' => $request->jumlah_diamond,
        'harga' => $request->harga,
        'status' => $request->status,
        'user_id' => auth()->id(), // ← Tambahkan ini
        'foto' => $request->hasFile('foto') ? $request->file('foto')->store('products', 'public') : null
    ];
}
```

Di method store juga ditambahkan user_id

```
public function update(Request $request, Product $product)
{
    // Pastikan user hanya bisa update produk miliknya sendiri
    if ($product->user_id !== auth()->id()) {
        abort(403, 'Anda tidak bisa mengedit produk milik user lain');
    }
}
```

```
public function destroy(Product $product)
{
    // Pastikan user hanya bisa hapus produk miliknya sendiri
    if ($product->user_id !== auth()->id()) {
        abort(403, 'Anda tidak bisa menghapus produk milik user lain');
    }
}
```

Method update dan destroy juga di beri kondisi agar hanya bisa update atau hapus produk miliknya sendiri

 Dashboard
 pelanggan ▾

❤️ Kelola Stok Diamond
 + Tambah Paket

Tambah, edit, hapus, dan kelola stok paket diamond Anda.

ID	Nama Paket	Jumlah Diamond	Harga	Status	Foto	Aksi
12	Diamond user A	28 	Rp 1.000	✓ Tersedia	Tidak ada	Detail Edit Hapus

Saya coba buat produk baru dengan akun pelanggan yg user_id nya adalah 2

			id	user_id	nama_paket	jumlah_diamond	harga	foto		status	created_at	updated_at
☐				3	NULL	172 Diamond - Paket Populer	172	40000	NULL	tersedia	2026-05-13 02:43:53	2026-05-13 02:43:53
☐				4	NULL	257 Diamond - Paket Hemat	257	60000	NULL	tersedia	2026-05-13 02:43:53	2026-05-13 02:43:53
☐				5	NULL	514 Diamond - Paket Pro	514	115000	NULL	tersedia	2026-05-13 02:43:53	2026-05-13 02:43:53
☐				6	NULL	706 Diamond - Paket Expert	706	150000	NULL	tersedia	2026-05-13 02:43:53	2026-05-13 02:43:53
☐				7	NULL	1069 Diamond - Paket Master	1069	225000	NULL	tersedia	2026-05-13 02:43:53	2026-05-13 02:43:53
☐				8	NULL	1412 Diamond - Paket Sultan	1412	300000	NULL	tersedia	2026-05-13 02:43:53	2026-05-13 02:43:53
☐				9	NULL	Weekly Diamond Pass	220	28000	NULL	tersedia	2026-05-13 02:43:53	2026-05-13 02:43:53
☐				10	NULL	Twilight Pass	0	140000	NULL	habis	2026-05-13 02:43:53	2026-05-13 02:43:53
☐				11	NULL	1 Diamond	10	3000	NULL	tersedia	2026-05-13 14:46:26	2026-05-13 14:46:26
☐				12	2	Diamond user A	28	1000	NULL	tersedia	2026-05-13 18:24:59	2026-05-13 18:24:59

Kemudian tersimpan dengan user_id nya 2 sesuai dengan id akun pelanggan tadi

Dashboard
 zaki

Kelola Stok Diamond

+ Tambah Paket

Tambah, edit, hapus, dan kelola stok paket diamond Anda.

ID	Nama Paket	Jumlah Diamond	Harga	Status	Foto	Aksi
Belum Ada Paket Diamond Tambahkan paket diamond pertama melalui tombol di atas.						

Lalu saya coba cek dengan akun lainnya seluruh diamond tidak muncul karna bukan akun ini yg menambahkan diamond nya