
# Clustering Toronto boroughs and neighborhoods by restaurants' cuisines


Coursera capstone project by Eve Belyaeva





#### The goal of the project

- The goal of the project is to combine information about restaurant count in neighborhoods containing different cuisines
- It is important if the customers wish to find a place with kitchen they prefer and also to have a number of these places



# Gather dataset Toronto boroughs and neighborhoods


```
df = pd.read_html('https://en.wikipedia.org/wiki/List_of_postal_codes_of_Canada:_M')[0]
df.drop(df[df['Borough']=='Not assigned'].index,inplace=True)
df=df.groupby(['Postcode','Borough'])['Neighbourhood'].apply(','.join).reset_index()
df['Neighbourhood']=df['Neighbourhood'].replace('Not assigned',df['Borough'])
url='http://cocl.us/Geospatial_data'
gd=pd.read_csv(url)
gd.rename(columns={'Postal Code':'Postcode'}, inplace=True)
df.set_index('Postcode', inplace=True)
gd.set_index('Postcode', inplace=True)
mergedDf = df.merge(gd, left_index=True, right_index=True)
mergedDf=mergedDf.reset_index()
mergedDf.head()
```

	Postcode	Borough	Neighbourhood	Latitude	Longitude
0	M1B	Scarborough	Rouge,Malvern	43.806686	-79.194353
1	M1C	Scarborough	Highland Creek,Rouge Hill,Port Union	43.784535	-79.160497
2	M1E	Scarborough	Guildwood,Morningside,West Hill	43.763573	-79.188711
3	M1G	Scarborough	Woburn	43.770992	-79.216917
4	M1H	Scarborough	Cedarbrae	43.773136	-79.239476

#### Code snippet for the map

```
latitude=43.653226
longitude=-79.383184
#'OpenStreetMap', 'cartodbpositron', 'cartodbdark matter'
toronto all=mergedDf.copy()
print(toronto_all.shape)
map dots = folium.Map(location=[latitude, longitude], zoom start=12,tiles='cartodbdark matter')
# add markers to map
for lat, lng, borough, neighborhood, fsa in zip(toronto_all['Latitude'],
                                                toronto all['Longitude'], toronto all['Borough'],
                                                toronto_all['Neighbourhood'], toronto_all['Postcode']):
    label = '{}, {}'.format(borough, fsa)
    label = folium.Popup(label, parse html=True)
    folium.CircleMarker(
        [lat, lng],
        radius=5,
        popup=label,
        color='#01ffff',
       fill=True,
       fill_color='#3d3c42',
       fill_opacity=0.7,
       line opacity=0.2,
        parse_html=False).add_to(map_dots)
map_dots
```

### Toronto boroughs on map



# Gathering restaurants data from FourSquare and preparing the data for choropleth map

FS	A Borough	Neighbourhood	Neighbourhood Latitude	Neighbourhood Longitude	Venue	Venue Latitude	Venue Longitude	Venue Category
2 M1	H Scarborough	Cedarbrae	43.773136	-79.239476	Federick Restaurant	43.774697	-79.241142	Hakka
3 M1	H Scarborough	Cedarbrae	43.773136	-79.239476	Terry's Restaurant & Bar	43.774780	-79.241043	Restaurant
4 M1	H Scarborough	Cedarbrae	43.773136	-79.239476	terry's restaurant	43.774969	-79.240872	Italian
5 M1	H Scarborough	Cedarbrae	43.773136	-79.239476	Thai One On	43.774468	-79.241268	Thai
6 M1	P Scarborough	Dorset Park, Scarborough Town Centre, Wexford He	43.757410	-79.273304	Karaikudi Chettinad South Indian Restaurant	43.756042	-79.276276	Indian


FSA	Count
M1H	3
M1P	2
M1R	1
M1S	2
M1T	3
	M1H M1P M1R M1S

	Postcode	Borough	Latitude	Longitude
0	M1B	Scarborough	43.806686	-79.194353
1	M1C	Scarborough	43.784535	-79.160497
2	M1E	Scarborough	43.763573	-79.188711
3	M1G	Scarborough	43.770992	-79.216917
4	M1H	Scarborough	43.773136	-79.239476

#### Code snippet for the map

```
latitude=43.653226
longitude=-79.383184
#'OpenStreetMap', 'cartodbpositron', 'cartodbdark matter'
toronto_map = folium.Map(location=[latitude, longitude], zoom_start=10,tiles='cartodbpositron')
toronto map.choropleth(geo data=t js,
   data = bn grouped,
   columns=['FSA','Count'],
   key on='feature.properties.CFSAUID',
   fill color='PuRd',
   fill opacity=0.7,
   line opacity=0.2,
   legend name='Restaurants by FSA')
# instantiate a mark cluster object for the incidents in the dataframe
rests = plugins.MarkerCluster().add to(toronto map)
# loop through the dataframe and add each data point to the mark cluster
for lat, lng, label, in zip(fsa geo['Latitude'], fsa geo['Longitude'], fsa geo['Postcode']):
   folium.Marker(
       location=[lat, lng],
       icon=folium.Icon(color='lightgray', icon color='white',icon='foursquare',prefix='fa'),
       popup=label,
   ).add to(rests)
toronto map
```

# Choropleth map based on restaurants count in Toronto boroughs



# Preparing the data to search for different cuisines distribution in boroughs

```
topvenues=bn_restaurants.copy()
topvenues=topvenues.groupby(['Venue Category']).count().reset_index()

topvenues=topvenues.loc[:,['Venue Category','FSA']]
topvenues.rename(columns={'FSA':'Count'},inplace=True)

topvenues.sort_values(by='Count', ascending=True, inplace=True)
topvenues=topvenues[topvenues['Venue Category'].isin(cuisines)]
topvenues.set_index('Venue Category', inplace=True)
cu_top10 = topvenues['Count'].tail(10)
cu_top10.head()
```

```
Venue Category
New American 10
Vietnamese 10
Thai 10
Caribbean 12
Indian 19
Name: Count, dtype: int64
```


```
topboroughs=bn_restaurants.copy()
#delete Restaurants without Cuisine
topboroughs=topboroughs[topboroughs['Venue Category'].isin(cuisines)]
topboroughs=topboroughs.groupby(['Borough']).count().reset_index()
topboroughs=topboroughs.loc[:,['Borough','FSA']]
topboroughs.rename(columns={'FSA':'Count'},inplace=True)
topboroughs.sort_values(by='Count', ascending=True, inplace=True)
topboroughs.set_index('Borough', inplace=True)
topboroughs = topboroughs['Count'].tail(10)
topboroughs.head()
```

```
Borough
Etobicoke 1
Mississauga 1
York 2
East York 5
Central Toronto 7
Name: Count, dtype: int64
```


#### Code snippet for the barh plots

```
plt.style.use('fivethirtyeight')
colors1=['#ffb3ba','#ffdfba']
colors2=['#baffc9','#bae1ff']
colors=['#ffb3ba','#ffdfba','#ffffba','#baffc9','#bae1ff']
fig = plt.figure() # create figure
ax0 = fig.add subplot(1, 2, 1) # add subplot 1 (1 row, 2 columns, first plot)
ax1 = fig.add subplot(1, 2, 2) # add subplot 2 (1 row, 2 columns, second plot). See tip below**
# Subplot 1: Box plot
cu top10.plot(kind='barh', figsize=(25,8), color=colors1, ax=ax0) # add to subplot 1
for a in ax0.patches:
    #print(a,' ',str(a.get_y()))
    ax0.annotate(str(a.get width()),(a.get width()+0.2,a.get y()+0.1), color='black',fontsize=16)
ax0.set xlabel('Count Restaurants')
ax0.set ylabel('Cuisines')
ax0.set title('Top-10 Cuisines in Toronto')
# Subplot 2: Line plot
topboroughs.plot(kind='barh', figsize=(25,8), color=colors2, ax=ax1) # add to subplot 2
for a in ax1.patches:
    #print(a, ' ', str(a.get_y()))
    ax1.annotate(str(a.get_width()),(a.get_width()+0.9,a.get_y()+0.1), color='black',fontsize=16)
ax1.set xlabel('Cuisine Count')
ax1.set vlabel('Borough')
ax1.set_title('Boroughs w Cuisine Restaurants in Toronto')
#ax1.legend([])
#ax1.get legend().remove()
plt.show()
```

#### Visualization of the top cuisine data



#### Visualization of the all cuisine data




# Cuisines in Downtown Toronto borough: neighborhoods

Neighbo	urhood	African	American	Asian	Cantonese	Caribbean	Chinese	Deli / Bodega	Ethiopian	French	Greek	Indian	Italian	Japanese	Korean	Middle Eastern	Modern European	Mongolian	New American	Spanish	Szechuan	Thai	Vietnamese
0 Cabbagetown,St. Jam	es Town	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1 Cabbagetown,St. Jam	es Town	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
2 Cabbagetown,St. Jam	es Town	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
3 Church and V	ellesley/	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
4 Church and V	/ellesley	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Venue Category	African	American	Asian	Cantonese	Caribbean	Chinese	Deli / Bodega	Ethiopian	French	Greek	Indian	Italian	Japanese	Korean	Middle Eastern	Modern European	Mongolian	New American	Spanish	Szechuan	Thai	Vietnamese	I
Neighbourhood																							
Adelaide,King,Richmond	0	2	2	0	2	4	0	0	0	1	3	2	3	0	1	0	0	1	0	0	0	1	Ī
Berczy Park	0	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	ł
Cabbagetown, St. James Town	0	0	0	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
Central Bay Street	. 0	3	1	0	1	10	0	0	1	0	1	2	2	0	2	1	0	0	0	2	1	1	
Chinatown,Grange Park,Kensington Market		0	3	1	1	19	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	5	

	Chinese	Japanese	Italian	Asian	American	Indian	n Caribbean	New American	Thai	i Vietnamese	Mongolian	Gre	eek	Middle Eastern	Korean	Spanis	Mode Europe	ern an Sz	zechuan	French	Ethiopian	Deli / Bodega	Cantonese	African
Neighbourhood																								
Commerce Court, Victoria Hotel	0	4	3	1	2	. 2	1	1	1	0	1		0	0	0		1	0	0	0	0	0	0	0
Adelaide,King,Richmond	4	3	2	. 2	. 2	. 3	, 2	1	0	1	0		1	1	0		)	0	0	0	0	0	0	0
Ryerson,Garden District	4	2	3	4	3	1	1	1	3	0	0		0	1	0		)	1	0	0	0	0	0	0
Central Bay Street	10	2	2	. 1	3	1	1	0	1	1	0		0	2	0		)	1	2	1	0	0	0	0
Chinatown, Grange Park, Kensington Market	19	0	0	3	0	0	1	0	0	5	0		0	0	3		)	0	0	0	0	0	1	0

#### Cuisines in Downtown Toronto in barh plot



### Preparing data for clusterization

African

Korean

East York

Etobicoke

	Borough	African	American	Asian	Cantonese Ca	Caribbean C	Chinese C	Cuban Bo	Deli / Eas	astern opean Ethio	opian Fr	rench	Greek	Hakka Ind	ıdian It	alian Jap	anese K	Corean	Lati America	in Leban	ese Mediter	erranean	Mexican	Middle Eastern	e Modern n European	n Mongolian	n Nev America	w Persian	ı Port
0	Scarborough	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0		0	0	0	0	0	) 0		0 0		
2	Scarborough	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	٢	J r	) 0	,
3	Scarborough	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0 0	0 0	/
4	Scarborough	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	) (	J 0	j
	Borough	African	American	n Asian	an Cantonese	e Caribbean	n Chinese	se Cubar	an Deli Bodega	li/ Eastern ga European		pian	French	h Greek	k Hakka	ı India/	ın İtali	ian Jap	ipanese	Korean	Latin American	Lebanese	e Medite	erranean	Mexican	Middle Eastern E	Modern European	Mongolian	n Am
0	Central Toronto	0.000000	0.000000	0 0.142857	57 0.000000	0.000000	0 0.142857	0.00000	00 0.000000	00 0.142857	57 0.0000	0000	0.000000	0.000000	0.0000	0 0.142857	57 0.2857	714 0.0	.000000	0.000000	0.000000	0.0	.0	0.0	0.000000	0.000000	0.000000	0.000000	0.0
1	Downtown Toronto	0.004926	0.088670	0.093596	96 0.004926	6 0.044335	0.206897	7 0.00000	00 0.004926	26 0.000000	00 0.0049	4926	0.004926	6 0.019704	4 0.0000	0 0.064039	39 0.1133(	300 0.1	.128079	0.014778	0.000000	0.0	.0	0.0	0.000000	0.019704	0.009852	0.029557	7 0.0
2	East Toronto	0.000000	0.000000	0.100000	0.000000	0.100000	0.000000	0.00000	0.000000	0.000000	0.0000	J000 (	0.000000	0.300000	0.0000	0.10000/	00 0.10000	J00 0.0	.000000	0.000000	0.000000	0.1	.1	0.1	0.000000	0.000000	0.000000	0.000000	0.0
3	East York	0.200000	0.200000	0.000000	0.000000	0 0.200000	0.000000	J 0.00000	00 0.000000	00 0.000000	0.0000	J000 C	0.000000	0.000000	0.0000	0.20000/	00 0.0000	J00 0.0	.000000	0.000000	0.000000	0.0	.0	0.0	0.000000	0.200000	0.000000	0.000000	/ 0.0
4	Etobicoke	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00000	0.000000	0.000000	0.0000	J000 (	0.000000	0.000000	0.0000	0.000000	00 0.00000	0.0	.000000	1.000000	0.000000	0.0	0	0.0	0.000000	0.000000	0.000000	0.000000	0.0
5	Mississauga	0.000000	0.000000	0.000000	0.000000	0.000000	0 1.000000	0.00000	0.000000	00 0.000000	0.0000	J000 (	0.000000	0.000000	0.0000	0.000000	00 0.00000	J00 0.0	.000000	0.000000	0.000000	0.0	.0	0.0	0.000000		0.000000	0.000000	
6	North York	0.000000	0.000000	0 0.166667	0.000000	0.000000	0.083333	33 0.000000	0.000000	00 0.083333	33 0.0000	J000 (	0.000000	0.000000	0.0000	0 0.083333	33 0.16666	67 0.2	.250000	0.000000	0.000000	0.0	0	0.0	0.000000	0.083333	0.000000	0.000000	0.0
7 5	Scarborough	0.000000	0.000000	0.000000	0.000000	0.000000	0 0.562500	J 0.00000	0.000000	0.000000	00 0.0000	J000 (	0.000000	0.000000	0.0625	5 0.125000	00 0.06250	J00 0.0	.000000	0.062500	0.000000	0.0	0	0.0	0.000000	0.062500	0.000000	0.000000	/ O.C
8	West Toronto	0.000000	0.066667	(	Р	Borough 1	1st Mos	st Comm	non Veni	ue 2nd N	Most Co	omm	on Ver	nue 3rd	Most	Commo	on Venu	e 4th	h Most	t Comme	on Venue	a 5th N	Aost Co	mmon		0.000000	0.000000	0.000000	0.0
9	York	0.000000	0.000000				750 11150	10011111			7001 01.	1111111			Alou.								031 00			0.000000	0.000000	0.000000	0.0
4 📗				0	Central 1	Toronto			Italia	'n			Asia	an			Chinese	a	F	Eastern F	European				Indian				-
				1	Downtown 1	Toronto			Chinese	}e		<i>\( \frac{1}{2} \)</i>	Japanes	;se			Italian	U			Asian	1		Am	merican				
				2	East	Toronto			Gree	k			India	an		Medite	terranean	n			Italian				Asian				
																													,

American

Vietnamese

Caribbean

Italian


Middle Eastern


American

Indian

Asian

### Choosing k-value based on squared error value





### Showing the clusters on a map


map\_clusters

Po	stcode	Borough	Neighbourhood	Latitude	Longitude	Cluster Labels	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most C
0	M1B	Scarborough	Rouge,Malvern	43.806686	-79.194353	0	Chinese	Indian	Italian	Thai	
1	M1C	Scarborough	Highland Creek,Rouge Hill,Port Union	43.784535	-79.160497	0	Chinese	Indian	Italian	Thai	
2	M1E	Scarborough	Guildwood,Morningside,West Hill	43.763573	-79.188711	0	Chinese	Indian	Italian	Thai	
3	M1G	Scarborough	#'OpenStreetMap	, 'cart	odbpositr	ron', 'carto	odbdark matter		** **	Thai	
4	M1H	Scarborough	# create map	,	,	,				Thai	
			<pre># set color sch x = np.arange(k ys = [i + x + ( colors_array = rainbow = [colo # add markers t markers_colors for lat, lon, p  label = fol folium.Circ [lat, l radius= popup=l color=r fill=Tr fill_co</pre>	eme for clusters i*x)**2 cm.Set3( rs.rgb2h o the ma = [] oi, clus ium.Popu leMarker on], 7, abel, ainbow[c ue, lor=rain	the clust ) for i in np.linspa ex(i) for p ter in zi p(str(poi (  luster-1]	range(kclus range(kclus ace(0, 1, le i in color ip(topneighs topneighs i) + ' Clust	sters)] en(ys))) es_array] s_merged['Latitude' s_merged['Neighbour er ' + str(cluster	], topneighs_merged	merged['Cluster Labe		

Common Venue

Korean Korean Korean Korean


### Three Toronto boroughs clusters



#### Cluster0 cuisines



#### Cluster1 cuisines




### Cluster2 cuisines

	Neighbourhood	Cluster Labels	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue
88	Humber Bay Shores, Mimico South, New Toronto	2	Korean	Vietnamese	Italian	American	Asian
89	Alderwood, Long Branch	2	Korean	Vietnamese	Italian	American	Asian
90	The Kingsway, Montgomery Road, Old Mill North	2	1/	\ <i>P</i> :=1======	Chuston	۸	A -:
91	Humber Bay, King's Mill Park, Kingsway Park Sout	2			Cluste	Z	
92	${\it Kingsway\ Park\ South\ West,} \\ {\it Mimico\ NW,} \\ {\it The\ Queensw}$	2	1st Most Comm	non Venue, CL2			
94	Cloverdale, Islington, Martin Grove, Princess Gar	2					
95	Bloordale Gardens, Eringate, Markland Wood, Old B	2					
99	Westmount	2	2nd Most Comm	non Venue, CL2			
100	Kingsview Village, Martin Grove Gardens, Richvie	2					American
101	$Albion\ Gardens, Beaumond\ Heights, Humbergate, Jam$	2	Ď.				Asian
102	Northwest	2	<del>=</del>	non Venue, CL2			— Italian
			<u>r</u>				Korean
			4th Most Comm	non Venue, CL2			Vietnames
			5th Most Comm	non Venue, CL2			

#### All clusters common venues



## Combined map of restaurant count and cuisine clusters



### Thank you for your attention