

Data Visualization Analysis

Daven

2024-01-01

Table of contents

1	Introduction	1
2	Preparation	2
3	Bar chart	2
4	Bar chart with color	4
5	Line chart	4
6	Histogram	4
7	Correlation chart	4
8	Correlation chart: Color by group	4
9	Multigroup histogram	4
10	Density chart	4
11	Histogram and Density chart	4
12	Box plot	4

1 Introduction

This tutorial is designed to help you learn data visualization analysis by providing simple and useful information in a way that is easy to follow and understand.

2 Preparation

In order to draw a chart, we need to include the required packages for visualization and dataset. For example, `ggplot2` package is for drawing charts and `gcookbook` is for using `pg_mean` dataset.

```
library(ggplot2)
library(gcookbook)
```

3 Bar chart

In this section, we will draw a bar chart using `pg_mean` dataset. The dataset has two columns: `group`, `weight`.


```
pg_mean
```

	group	weight
1	ctrl	5.032
2	trt1	4.661
3	trt2	5.526

This dataset compares the weight across three groups:

- `ctrl`: Control group (baseline, weight = 5.032).
- `trt1`: Treatment 1 group (weight = 4.661).
- `trt2`: Treatment 2 group (weight = 5.526).

```
ggplot(pg_mean, aes(x = group, y = weight)) +
  geom_col()
```



It initializes a ggplot with the dataset `pg_mean`.

`aes(x = group, y = weight)` specifies the aesthetics:

- `x = group`: Assign the `group` variable to the x-axis (categorical data, such as `ctrl`, `trt1`, `trt2`).
- `y = weight`: Assign the `weight` variable to the y-axis (numerical data).

`geom_col()`:

- Adds a column geometry to the plot.
- `geom_col()` creates bars where the height of each bar corresponds to the value of `weight` for each group.

- 4 Bar chart with color**
- 5 Line chart**
- 6 Histogram**
- 7 Correlation chart**
- 8 Correlation chart: Color by group**
- 9 Multigroup histogram**
- 10 Density chart**
- 11 Histogram and Density chart**
- 12 Box plot**