

Environment Setup Instructions

The Error You're Seeing

`TURSO_DATABASE_URL` must be set: NotPresent

This means the backend can't find your Turso database credentials.

Quick Fix (5 minutes)

Step 1: Create a Turso Database

```
# Install Turso CLI (if not already installed)
curl -sSfL https://get.turso.so/install.sh | bash
```

```
# Authenticate with Turso
turso auth login
```

```
# Create a new database
turso db create my-blog
```

```
# Get your database URL
turso db show my-blog --url
```

```
# Create an authentication token
turso db tokens create my-blog
```

Save these two values: - Database URL (looks like: `libsql://my-blog-xxx.turso.io`)
- Auth Token (looks like: `eyJhbGciOiJIJFZERTQSIzInR5cCI6IkpXVCJ9...`)

Step 2: Create `.env` File

In the `backend/` directory, create a file named `.env`:

```
cd backend
```

Create the `.env` file with your credentials:

```
cat > .env << 'ENVFILE'
TURSO_DATABASE_URL=libsql://your-database.turso.io
TURSO_AUTH_TOKEN=your-token-here
PORT=3000
ENVFILE
```

Replace with your actual values: - Replace `libsql://your-database.turso.io` with your database URL - Replace `your-token-here` with your auth token

Step 3: Run the Backend

```
cargo run
```

You should see:

Server running on `http://0.0.0.0:3000`

Alternative: Using Environment Variables Directly

Instead of a `.env` file, you can set environment variables directly:

```
export TURSO_DATABASE_URL="libsql://your-database.turso.io"
export TURSO_AUTH_TOKEN="your-token-here"
cargo run
```

Verifying Your Setup

Test the API:

```
# Health check
curl http://localhost:3000/health

# List posts (should return empty array initially)
curl http://localhost:3000/api/posts
```

Common Issues

“turso: command not found”

Install Turso CLI:

```
curl -sSfL https://get.tur.so/install.sh | bash
```

“Not authenticated”

Run:

```
turso auth login
```

“.env file exists but still getting error”

Make sure: 1. The `.env` file is in the `backend/` directory (same level as `Cargo.toml`) 2. There are no spaces around the `=` sign 3. No quotes around the values (unless they contain spaces)

“Connection refused” or “Failed to connect”

Check your: 1. Database URL is correct 2. Auth token is valid 3. Internet connection is working

Complete .env Example

```
# Turso Database Configuration
TURSO_DATABASE_URL=libsql://my-blog-abc123.turso.io
TURSO_AUTH_TOKEN=eyJhbGciOiJIJFZERTQSIzInR5cCI6IkpXVCJ9.eyJhIjoicnciLCJpYXQiOjE3MDY...

# Application Configuration
PORT=3000

# JWT Configuration (optional for now)
JWT_SECRET=your-secret-key-here
JWT_EXPIRES_IN=7d
```

Next Steps

Once the backend is running:

1. Start the Frontend

```
cd ../frontend
npm install
cp .env.local.example .env.local
# Edit .env.local to set NEXT_PUBLIC_API_URL=http://localhost:3000
npm run dev
```

2. Create Your First Post

```
curl -X POST http://localhost:3000/api/posts \
-H "Content-Type: application/json" \
-d '{
  "title": "Hello World",
  "slug": "hello-world",
  "content": "# Welcome\n\nMy first post!",
  "excerpt": "A warm welcome",
  "status": "published"
}'
```

3. Visit Your Blog Open <http://localhost:3001> in your browser

Need Help?

- Check `README.md` for detailed documentation
- See `QUICKSTART.md` for the full setup guide
- Verify your Turso database exists: `turso db list`