

## PORTOFOLIO

NAMA : AZZIADATI

SKEMA : FULL STACK WEB DEVELOPMENT

Deskripsi :


Tugas akhir saya adalah membuat sebuah website e-commerce untuk bisnis aksesoris hanphone yang bernama Zii Accessories. Saya menggunakan framework Laravel dalam pembuatan website ini untuk memastikan kehandalan, keamanan, dan skalabilitas yang diperlukan dalam proyek ini. Selain itu, saya juga memanfaatkan aplikasi Navicat sebagai alat untuk mengelola database dan memilih 000webhost sebagai layanan hosting untuk website Zii Accessories.


### 1. Link Aplikasi

<https://ziiaccessories.000webhostapp.com/public/>

### 2. Tampilan Front End


#### a. Tampilan Awal/Landing





Tampilan awal atau landing page dari website Zii Accessories menampilkan slider yang menarik, tombol login dan keranjang belanja, serta menampilkan produk-produk dari Zii Accessories. Pada tampilan awal ini, juga terdapat fitur pencarian, kategori, dan rentang harga yang memungkinkan pengguna untuk melakukan filtrasi sesuai dengan kebutuhan mereka.

## b. Halaman Login




Halaman login Zii Accessories memiliki kolom untuk mengisi alamat email dan kata sandi. Selain itu, halaman login juga dilengkapi dengan fitur "Remember Password" yang memungkinkan pengguna untuk tetap masuk ke akun mereka setiap kali mengunjungi website. Terdapat pula opsi registrasi bagi pengguna yang belum memiliki akun untuk mendaftar dan mengakses fitur-fitur lainnya.

## 3. Tampilan Back End

## a. Halaman Admin

- Dashboard



Ini adalah halaman dashboard yang memiliki menu-dashboard, slider, brand, kategori, produk, role, dan user. Semua menu ini dapat diakses oleh admin. Halaman dashboard juga dilengkapi dengan fitur pencarian, pengaturan, log aktivitas, dan keluar (log out). Selain itu, terdapat juga fitur untuk kembali ke halaman awal atau landing page dengan mengklik kata "Zii Accessories".

- Slider

Slider						
Create New						
Show 10 entries <input type="button" value="Search"/> Search:						
#	Title	Caption	Image	Status	Action	
1	Slider 1	Zii Accessories		Approved	<input type="button" value="Reject"/>	
2	Slider 2	Zii Accessories		Approved	<input type="button" value="Reject"/>	
3	Slider 3	Zii Accessories		Approved	<input type="button" value="Reject"/>	

Showing 1 to 3 of 3 entries

Logged in as:  
Azziadati (Admin)

Zii Accessories

[Privacy Policy](#) · [Terms & Conditions](#)  
Powered by  000webhost

Type here to search



25°C Berawan 21:01 14/06/2023

Zii Accessories



CORE

CONTENT

MANAGEMENT

## Create Slider

Title

Caption

Slider Image

Tidak ada file yang dipilih

Logged in as:  
Azziadati (Admin)

Zii Accessories

[Privacy Policy](#) · [Terms & Conditions](#)  
Powered by  000webhost

Type here to search



25°C Berawan 21:03 14/06/2023

Ini adalah tampilan dari slider yang dilengkapi dengan fitur "Create New" dan "Search". Halaman slider ini menampilkan no, title, caption, image, status, dan aksi (approve/reject) untuk menampilkan slider. Fitur "Create New" digunakan untuk menambahkan slider baru, dan terdiri dari kolom title, caption, pengunggahan image, serta tombol submit dan cancel.

- Brand

Zii Accessories		
Brand		
<a href="#">Create New</a>		
Show 10 entries	Search:	
#	Nama	Aksi
1	Samsung	<a href="#">Edit</a> <a href="#">Delete</a>
2	Vivo	<a href="#">Edit</a> <a href="#">Delete</a>
3	Oppo	<a href="#">Edit</a> <a href="#">Delete</a>
4	Iphone	<a href="#">Edit</a> <a href="#">Delete</a>
5	Realme	<a href="#">Edit</a> <a href="#">Delete</a>
6	Xiaomi	<a href="#">Edit</a> <a href="#">Delete</a>
7	Apple	<a href="#">Edit</a> <a href="#">Delete</a>
8	Redmi	<a href="#">Edit</a> <a href="#">Delete</a>

Zii Accessories	
Create Brand	
Name	<input type="text"/>
	<a href="#">Submit</a> <a href="#">Cancel</a>

Zii Accessories

## Edit Brand

Name

Submit Cancel

CORE

CONTENT

MANAGEMENT

Product User

Logged in as: Azziadati (Admin)

Zii Accessories

Privacy Policy · Terms & Conditions  
Powered by 000webhost

25°C Berawan 21:18 ENG 14/06/2023

Ini adalah tampilan halaman brand yang dapat diakses oleh admin. Halaman brand ini dilengkapi dengan fitur create, search, edit, delete, serta menampilkan data nomor, nama, dan aksi. Pada fitur create new dan edit, terdapat kolom untuk menginput atau mengedit nama brand. Admin dapat menggunakan fitur search untuk mencari brand berdasarkan kriteria tertentu. Fitur delete memungkinkan admin untuk menghapus brand yang tidak diperlukan.

- **Kategori**

Zii Accessories

## Category

Create New

#	Nama	Aksi
1	Case HP	Edit Delete
2	Handset	Edit Delete
3	Power Bank	Edit Delete
4	Tongsis	Edit Delete
5	tempered glass	Edit Delete
6	Cas HP	Edit Delete

Show 10 entries Search:

Showing 1 to 6 of 6 entries

Previous 1 Next

Powered by 000webhost

25°C Berawan 21:20 ENG 14/06/2023

The screenshot displays two consecutive pages from a web application interface:

- Create Category Page:** Shows a form with a single input field labeled "Name" and two buttons: "Submit" and "Cancel".
- Edit Category Page:** Shows a similar form with the "Name" field pre-filled with "Case HP" and the same "Submit" and "Cancel" buttons.

The application has a dark-themed sidebar with the following navigation items:

- CORE: [Dashboard](#)
- CONTENT: [Slider](#)
- MANAGEMENT:
  - [Product](#)
  - [User](#)

At the bottom of the sidebar, it says "Logged in as: Azziadati (Admin)".

The top right corner of the browser window shows "Privacy Policy · Terms & Conditions" and "Powered by 000webhost". The system status bar at the bottom indicates "25°C Berawan" and the date "14/06/2023".

Ini adalah tampilan halaman kategori yang dapat diakses oleh admin. Halaman kategori ini dilengkapi dengan fitur create, search, edit, delete, serta menampilkan data nomor, nama, dan aksi. Pada fitur create new dan edit, terdapat kolom untuk menginput atau mengedit nama kategori. Admin dapat menggunakan fitur search untuk mencari kategori berdasarkan kriteria tertentu. Fitur delete memungkinkan admin untuk menghapus kategori yang tidak diperlukan.

- **Produk**

The screenshot displays two windows from a web application titled "Zii Accessories".

**Top Window: Product**

- Left Sidebar:** CORE, Dashboard, CONTENT, Slider, MANAGEMENT (Product, User).
- Header:** Search for... (with magnifying glass icon), user profile.
- Title:** Product
- Buttons:** Create New (blue button).
- Table:** Shows 10 entries of products. Headers: #, Category, Name, Price, Sale Price, Image, Status, Action. Data rows include:
 

#	Category	Name	Price	Sale Price	Image	Status	Action
1	Case HP	Case Kartun Samsung A2 CORE	Rp. 30,000	Rp. 25,000		Approved	Reject
2	Case HP	Case Boba Samsung A01 CORE	Rp. 30,000	Rp. 25,000		Approved	Reject
3	Case HP	Case HP Samsung A10	Rp. 30,000	Rp. 25,000		Approved	Reject
4	Case HP	Case Samsung Polos	Rp. 25,000	Rp. 20,000		Approved	Reject
5	Case HP	Case Samsung Boneka Lucu	Rp. 30,000	Rp. 25,000		Approved	Reject
6	Case HP	Case Vivo Kartun	Rp. 30,000	Rp. 25,000		Approved	Reject
- Bottom Bar:** Powered by 000webhost, weather (25°C Berawan), date (14/06/2023), time (21:22).

**Bottom Window: Create Product**

- Left Sidebar:** CORE, Dashboard, CONTENT, Slider, MANAGEMENT (Product, User).
- Header:** Search for... (with magnifying glass icon), user profile.
- Title:** Create Product
- Form Fields:**
  - Category: - Choose Category -
  - Name:
  - Price:
  - Sale Price:
  - Brand: - Choose Brand -
  - Product Image:  Tidak ada file yang dipilih
- Bottom Bar:** Powered by 000webhost, weather (25°C Berawan), date (14/06/2023), time (21:25).

Ini adalah halaman produk yang diakses oleh admin. Halaman ini dilengkapi dengan fitur "Create New", "Search", dan aksi untuk menyetujui atau tidak menyetujui produk. Halaman produk ini juga menampilkan data no, kategori, nama, price, sale price, image, status, dan aksi (approve/disapprove).

Pada fitur "Create New", terdapat kolom untuk memilih kategori, mengisi nama produk, price, sale price, memilih brand, mengunggah gambar, serta terdapat tombol submit dan cancel untuk menambahkan produk baru.

Admin dapat menggunakan fitur "Search" untuk mencari produk berdasarkan kriteria tertentu. Aksi yang ditampilkan memungkinkan admin untuk menyetujui atau tidak menyetujui produk, memberikan aksesibilitas yang lebih baik dalam mengelola produk.

- **Role**

The screenshot displays two windows of the Zii Accessories application. The top window shows the 'Role' management page with a table listing three roles: Admin, Staff, and User. Each row has 'Edit' and 'Delete' buttons. The bottom window shows the 'Create Role' form with a 'Name' input field and 'Submit' and 'Cancel' buttons. Both windows have a dark sidebar on the left with navigation links like Dashboard, Product, User, Role, and User. The status bar at the bottom indicates the user is logged in as 'Azziadati (Admin)'.

#	Name	Action
1	Admin	Edit Delete
2	Staff	Edit Delete
3	User	Edit Delete

Ini adalah tampilan halaman role yang dapat diakses oleh admin. Halaman role ini dilengkapi dengan fitur create, search, edit, delete, serta menampilkan data nomor, nama, dan aksi. Pada fitur create new dan edit, terdapat kolom untuk menginput atau mengedit nama

role. Admin dapat menggunakan fitur search untuk mencari role berdasarkan kriteria tertentu. Fitur delete memungkinkan admin untuk menghapus role yang tidak diperlukan.

- **User**

The screenshot displays two browser windows for the Zii Accessories application, both titled "User".

**Top Window (User List):**

- Header:** Shows "User" and a "Create User" button.
- Table:** Displays a list of 4 users with columns: #, Avatar, Nama, Email, Phone, Role, and Aksi (Actions).


#	Avatar	Nama	Email	Phone	Role	Aksi
1	50 x 50	Azziadati	azziadati26@gmail.com	081883429166	Admin	<button>Edit</button> <button>Delete</button>
2	50 x 50	Azziadati	azziaadmin@gmail.com	081883429166	Admin	<button>Edit</button> <button>Delete</button>
3	50 x 50	azziastaff@gmail.com	azziastaff@gmail.com	081883429166	Staff	<button>Edit</button> <button>Delete</button>
4	50 x 50	Azziadati	azziaseuser@gmail.com	081883429166	User	<button>Edit</button> <button>Delete</button>
- Footer:** Shows "Showing 1 to 4 of 4 entries" and navigation buttons for "Previous", "1", and "Next".

**Bottom Window (Create User Form):**

- Header:** Shows "Create User".
- Form Fields:** Name, Email, Phone, and Role (a dropdown menu with "- Choose Role -").
- Buttons:** "Submit" and "Cancel".

**Common UI Elements:**

- Sidebar:** Includes "CORE", "CONTENT", and "MANAGEMENT" sections with "Dashboard", "Slider", "Product", "User", and "Role" items.
- Header:** Shows "Logged in as: Azziadati (Admin)".
- Footer:** Shows "Powered by 000webhost".
- Taskbar:** Shows various application icons and system status.



Ini adalah halaman user yang dapat diakses oleh admin. Halaman user ini dilengkapi dengan fitur create new dan search. Admin juga dapat melakukan edit dan delete data pada halaman ini. Data yang ditampilkan meliputi no, avatar, nama, email, nomor telepon, role, dan aksi untuk edit dan delete.

Pada fitur create new dan edit, terdapat kolom untuk menginput nama, email, nomor telepon, dan role pengguna. Admin dapat menggunakan fitur search untuk mencari pengguna berdasarkan kriteria tertentu. Fitur edit memungkinkan admin untuk mengubah informasi pengguna seperti nama, email, nomor telepon, dan role. Fitur delete digunakan untuk menghapus pengguna yang tidak diperlukan.

## b. Halaman Staff

- **Dashboard**

The screenshot shows the Zii Accessories dashboard. On the left, there's a dark sidebar with a navigation menu. The 'CONTENT' section contains a 'Slider' item. The 'MANAGEMENT' section contains 'Product', 'Brand', 'Category', and 'Product' again. A message at the bottom of the sidebar says 'Logged in as: azziastaff@gmail.com (Staff)'. The main content area has four cards: 'Brand' (blue background), 'Category' (yellow background), 'Product' (yellow background), and 'Role' (green background). Each card has a 'Detail' link. At the bottom of the page, there's a search bar, a toolbar with various icons, and a status bar showing weather, time, and battery information.

Ini adalah halaman dashboard yang memiliki menu-dashboard, slider, brand, kategori, produk, role, dan user. Semua menu ini dapat diakses oleh admin. Halaman dashboard juga dilengkapi dengan fitur pencarian, pengaturan, log aktivitas, dan keluar (log out). Selain itu, terdapat juga fitur untuk kembali ke halaman awal atau landing page dengan mengklik kata "Zii Accessories".

- **Slider**

The screenshot shows the 'Slider' management page. The sidebar includes 'Slider' under the 'CONTENT' category. The main area features a table titled 'Create New' with columns: '#', 'Title', 'Caption', 'Image', 'Status', and 'Action'. There are three entries: 'Slider 1' (Approved), 'Slider 2' (Approved), and 'Slider 3' (Approved). Each entry has 'Edit' and 'Delete' buttons. Below the table, it says 'Showing 1 to 3 of 3 entries'. The bottom of the page has a footer with links for 'Privacy Policy - Terms & Conditions', a search bar, a toolbar, and a status bar.

The screenshot displays two consecutive pages from a web application, both titled "Zii Accessories".

**Create Slider Page:**

- Left Sidebar:** Shows navigation links: CORE, Dashboard, CONTENT, Slider, MANAGEMENT, and Product.
- Right Content Area:** A form titled "Create Slider" with fields for "Title" (empty), "Caption" (empty), and "Slider Image" (button labeled "Pilih File" and "Tidak ada file yang dipilih").
- Bottom Status Bar:** Shows "Logged in as: azziastaff@gmail.com (Staff)", the URL "ziiaccessories.000webhostapp.com/public/slider/create", and system status icons.

**Edit Slider Page:**

- Left Sidebar:** Same as the Create page.
- Right Content Area:** A form titled "Edit Slider" with fields for "Title" (filled with "Slider 1"), "Caption" (filled with "Zii Accessories"), and "Slider Image (optional)" (button labeled "Pilih File" and "Tidak ada file yang dipilih").
- Bottom Status Bar:** Shows "Logged in as: azziastaff@gmail.com (Staff)", the URL "ziiaccessories.000webhostapp.com/public/slider/edit/2", and system status icons.

Halaman ini adalah tampilan halaman slider yang dapat diakses oleh staff. Halaman ini dilengkapi dengan fitur create new dan search. Halaman ini juga menampilkan data nomor, judul (title), keterangan (caption), gambar, status, dan aksi untuk edit dan delete.

Pada fitur create new, terdapat kolom untuk mengisi judul, keterangan, serta memilih dan mengunggah gambar. Terdapat juga tombol submit dan cancel untuk menambahkan slider baru. Fitur delete digunakan untuk menghapus slider yang tidak diperlukan.

Staff dapat menggunakan fitur search untuk mencari slider berdasarkan kriteria tertentu. Aksi edit memungkinkan staf untuk mengubah informasi slider seperti title, caption, dan image.

- **Brand**

The screenshot displays two windows of a web-based administration interface for 'Zii Accessories'.  
The top window shows the 'Brand' management page. The sidebar on the left includes 'CORE' (Dashboard), 'CONTENT' (Slider), and 'MANAGEMENT' (Product). The main area is titled 'Brand' and contains a table with the following data:

#	Nama	Aksi
1	Samsung	Edit Delete
2	Vivo	Edit Delete
3	Oppo	Edit Delete
4	Iphone	Edit Delete
5	Realme	Edit Delete
6	Xiaomi	Edit Delete
7	Apple	Edit Delete
8	Redmi	Edit Delete

The bottom window shows the 'Create Brand' form. It has a 'Name' input field and two buttons: 'Submit' and 'Cancel'. The sidebar on the left is identical to the top window.

Logged in as: azziastaff@gmail.com (Staff)

Zii Accessories

Privacy Policy · Terms & Conditions  
Powered by 000webhost

25°C Berawan 21:55 14/06/2023

Ini adalah tampilan halaman brand yang dapat diakses oleh staf. Halaman brand ini dilengkapi dengan fitur create, search, edit, delete, serta menampilkan data nomor, nama, dan aksi. Pada fitur create new dan edit, terdapat kolom untuk menginput atau mengedit nama brand. Staf dapat menggunakan fitur search untuk mencari brand berdasarkan kriteria tertentu. Fitur delete memungkinkan staf untuk menghapus brand yang tidak diperlukan.

- **Kategori**

Logged in as: azziastaff@gmail.com (Staff)

Zii Accessories

Search for...

Create New

#	Nama	Aksi
1	Case HP	Edit Delete
2	Handset	Edit Delete
3	Power Bank	Edit Delete
4	Tongsis	Edit Delete
5	tempered glass	Edit Delete
6	Cas HP	Edit Delete

Showing 1 to 6 of 6 entries

Previous 1 Next

Powered by 000webhost

25°C Berawan 21:57 14/06/2023

The screenshot displays two consecutive pages from a web application interface:

- Create Category Page:** Shows a form with a single input field labeled "Name" and two buttons: "Submit" and "Cancel".
- Edit Category Page:** Shows a form with a single input field containing the value "Case HP", and two buttons: "Submit" and "Cancel".

The application has a dark-themed sidebar with the following navigation items:

- CORE
- CONTENT
- MANAGEMENT
  - Product

The top header includes a search bar, a user profile icon, and a "Search for..." field. The bottom header shows the URL, a "Privacy Policy - Terms & Conditions" link, and the "Powered by 000webhost" logo. The taskbar at the bottom of the browser window shows various pinned icons.

Ini adalah tampilan halaman kategori yang dapat diakses oleh staf. Halaman kategori ini dilengkapi dengan fitur create, search, edit, delete, serta menampilkan data nomor, nama, dan aksi. Pada fitur create new dan edit, terdapat kolom untuk menginput atau mengedit nama kategori. Staf dapat menggunakan fitur search untuk mencari kategori berdasarkan kriteria tertentu. Fitur delete memungkinkan staf untuk menghapus kategori yang tidak diperlukan.

- **Produk**

Product							
<a href="#">Create New</a>							
Show 10 entries <input type="button" value="Search:"/>							
#	Category	Nama	Price	Sale Price	Image	Status	Action
1	Case HP	Case Kartun Samsung A2 CORE	Rp. 30,000	Rp. 25,000		Approved	<a href="#">Edit</a> <a href="#">Delete</a>
2	Case HP	Case Boba Samsung A01 CORE	Rp. 30,000	Rp. 25,000		Approved	<a href="#">Edit</a> <a href="#">Delete</a>
3	Case HP	Case HP Samsung A10	Rp. 30,000	Rp. 25,000		Approved	<a href="#">Edit</a> <a href="#">Delete</a>
4	Case HP	Case Samsung Polos	Rp. 25,000	Rp. 20,000		Approved	<a href="#">Edit</a> <a href="#">Delete</a>
5	Case HP	Case Samsung Boneka Lucu	Rp. 30,000	Rp. 25,000		Approved	<a href="#">Edit</a> <a href="#">Delete</a>
6	Case HP	Case Vivo Kartun	Rp. 30,000	Rp. 25,000		Approved	<a href="#">Edit</a> <a href="#">Delete</a>

Logged in as: azziastaff@gmail.com (Staff)

Type here to search

Powered by 000webhost

25°C Berawan 21:59 14/06/2023

Dashboard [+ ziiaccessories.000webhostapp.com/public/product/create](#)

Zii Accessories

CORE

CONTENT

MANAGEMENT

Product

Logged in as: azziastaff@gmail.com (Staff)

Type here to search

Powered by 000webhost

25°C Berawan 22:00 14/06/2023

## Create Product

Category

- Choose Category -

Name

Price


Sale Price

Brand

- Choose Brand -

Product Image

Pilih File Tidak ada file yang dipilih




Ini adalah halaman produk yang diakses oleh staf. Halaman ini dilengkapi dengan fitur "Create New", "Search", dan aksi untuk mengedit dan menghapus produk. Halaman produk ini juga menampilkan data no, kategori, nama, price, sale price,image, status, dan aksi (edit/delete).

Pada fitur "Create New", terdapat kolom untuk memilih kategori, mengisi category, nama produk, price, sale price , memilih brand, mengunggah gambar, serta terdapat tombol submit dan cancel untuk menambahkan produk baru.

Staf dapat menggunakan fitur "Search" untuk mencari produk berdasarkan kriteria tertentu. Aksi yang ditampilkan memungkinkan staf untuk mengedit dan menghapus produk yang sudah ada, memberikan fleksibilitas dalam mengelola produk yang ada dalam sistem.

### c. Halaman User



Ini adalah tampilan produk yang dapat diakses oleh pengguna setelah melakukan login. Halaman ini menyediakan fitur pencarian produk, melihat detail produk, menambahkan produk ke keranjang belanja, dan juga terdapat fitur pengaturan akun (settings), log aktivitas (activity log), dan keluar (log out). Pengguna juga memiliki kemampuan untuk kembali ke halaman landing atau halaman awal dari halaman ini.

## 4. Kodingan

### a. Controller

#### API ProductController

```

File Edit Selection View Go Run Terminal Help ProductController.php - arkatama - Visual Studio Code
EXPLORER ProductController.php ×
ARKATAMA
  app
    > Console
    > Exceptions
    > Http
      > Controllers
        > API
          ProductController.php
          BrandController.php
          CartController.php
          CategoryController.php
          Controller.php
          DashboardController.php
          LandingController.php
          LoginController.php
          ProductController.php
          RegisterController.php
          RoleController.php
          SliderController.php
          UserController.php
        > Middleware
          Kernel.php
        > Models
        > Providers
        > bootstrap
        > config
          > database
        > OUTLINE
        > TIMELINE
ProductController.php | 1 author (You)
You, yesterday | 1 author (You)
1 <?php
2
3 namespace App\Http\Controllers\API;
4
5 use App\Http\Controllers\Controller;
6 use App\Models\Product;
7 use Illuminate\Http\Request;
8 use Illuminate\Support\Facades\Validator;
9
10 class ProductController extends Controller
11 {
12     public function index()
13     {
14         $products = Product::all();
15
16         return response()->json([
17             'success' => true,
18             'message' => 'Daftar data produk',
19             'data' => $products
20         ], 200);
21
22     }
23
24     public function show($id)
25     {
26         $product = Product::find($id);
27
28         if ($product) {
29             return response()->json([
30                 'success' => true,
31                 'message' => 'Detail data produk',
32                 'data' => $product
33             ], 200);
34         }
35     }
}

```

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer (Left):** Shows the project structure under "ARKATAMA". The "ProductController.php" file is selected.
- Code Editor (Center):** Displays the PHP code for the "ProductController.php" file. The code includes methods for creating and updating products, validation logic using Validator, and JSON response handling.
- Terminal (Bottom Left):** Shows the command "git status" output.
- Search Bar (Bottom Left):** Contains the placeholder "Type here to search".
- Quick Access (Bottom Left):** Includes icons for file operations like Open, Save, and Close, as well as Git Graph.
- Bottom Status Bar:** Shows the date ("yesterday"), line number ("Ln 13, Col 6"), spaces count ("Spaces: 4"), file type ("UTF-8 LF PHP"), Go Live button, spell checker status ("27 Spell"), and system information ("25°C Berawan ENG 14/06/2023").

ProductController.php - arkatama - Visual Studio Code

```

EXPLORER          ProductController.php x
ARKATAMA
  app
    > Console
    > Exceptions
    > Http
      > Controllers
        > API
          ProductController.php
          BrandController.php
          CartController.php
          CategoryController.php
          Controller.php
          DashboardController.php
          LandingController.php
          LoginController.php
          ProductController.php
          RegisterController.php
          RoleController.php
          SliderController.php
          UserController.php
        > Middleware
        Kernel.php
      > Models
      > Providers
      > bootstrap
      config
    > database
  > OUTLINE
  > TIMELINE
main* 0 0 0 0 27 Git Graph
Type here to search 25°C Berawan 22:39 14/06/2023
File Edit Selection View Go Run Terminal Help ProductController.php - arkatama - Visual Studio Code
ProductController.php x
app > Http > Controllers > API > ProductController.php > ProductController > index
99     ], 422);
100
101
102
103     $product = Product::find($id);
104
105     if ($product) {
106         $product = $product->update([
107             'category_id' => $request->category,
108             'name' => $request->name,
109             'price' => $request->price,
110             'sale_price' => $request->sale_price,
111             'brands' => $request->brand,
112         ]);
113
114         return response()->json([
115             'success' => true,
116             'message' => 'Produk berhasil diupdate',
117             'data' => $product
118         ], 200);
119     } else {
120         return response()->json([
121             'success' => false,
122             'message' => 'Produk tidak ditemukan',
123             'data' => ''
124         ], 404);
125     }
126
127     public function destroy($id)
128     {
129         $product = Product::find($id);
130
131         if ($product) {
132             $product->delete();
133
134             return response()->json([
135                 'success' => true,
136                 'message' => 'Produk berhasil dihapus',
137                 'data' => null
138             ], 200);
139         } else {
140
141             return response()->json([
142                 'success' => false,
143                 'message' => 'Produk tidak ditemukan',
144                 'data' => ''
145             ], 404);
146         }
147     }
148
149
150
151
You, yesterday Ln 13, Col 6 Spaces: 4 UTF-8 LF PHP Go Live △ 27 Spell

```

## BrandController

The screenshot shows the Visual Studio Code interface with the file `BrandController.php` open in the editor. The code implements a controller for managing brands. It includes methods for listing all brands, creating a new brand, updating an existing brand, and deleting a brand.

```
You,yesterday | 1 author (You)
1 <?php You, yesterday + tugas 25-27 ...
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Brand;
6 use Illuminate\Http\Request;
7
8 You,yesterday | 1 author (You)
9 class BrandController extends Controller
{
10
11     public function index()
12     {
13         // load data dari table brands
14         $brands = Brand::all();
15
16         // passing data brands ke view brand.index
17         return view('brand.index', compact('brands'));
18     }
19
20     // function create untuk menampilkan form create data
21     public function create()
22     {
23         // load view create.blade.php
24         return view('brand.create');
25     }
26
27     // function store untuk menyimpan data ke table brands
28     public function store(Request $request)
29     {
30         // insert data ke table brands
31         $brand = Brand::create([
32             'name' => $request->name,
33         ]);
34
35         // alihkan halaman ke halaman brands
36         return redirect()->route('brand.index');
37     }
38
39     // function edit untuk menampilkan form edit data
40     public function edit(Request $request, $id)
41     {
42         // cari data berdasarkan id menggunakan find()
43         // find() merupakan fungsi eloquent untuk mencari data berdasarkan primary key
44         $brand = Brand::find($id);
45
46         // load view edit.blade.php dan passing data brand
47         return view('brand.edit', compact('brand'));
48     }
49
50     // function update untuk mengupdate data yang sudah ada
51     public function update(Request $request, $id)
52     {
53         // update data brands
54         Brand::where('id', $id)->update([
55             'name' => $request->name,
56         ]);
57
58         // alihkan halaman ke halaman brands
59         return redirect()->route('brand.index');
60     }
61
62     // function destroy untuk menghapus data yang sudah ada
63     public function destroy($id)
64     {
65         // ambil data category berdasarkan id
66         $brand = Brand::find($id);
67
68         // hapus data brands
69         $brand->delete();
70
71         // alihkan halaman ke halaman brands
72         return redirect()->route('brand.index');
73     }
74 }
```

This screenshot shows the same Visual Studio Code interface as the first one, but with additional code blocks overlaid on the bottom half of the editor area. These blocks appear to be part of the same file or related code, possibly demonstrating different sections or versions of the controller logic.

```
// alihkan halaman ke halaman brands
return redirect()->route('brand.index');

// function edit untuk menampilkan form edit data
public function edit(Request $request, $id)
{
    // cari data berdasarkan id menggunakan find()
    // find() merupakan fungsi eloquent untuk mencari data berdasarkan primary key
    $brand = Brand::find($id);

    // load view edit.blade.php dan passing data brand
    return view('brand.edit', compact('brand'));

    // update data brands
    Brand::where('id', $id)->update([
        'name' => $request->name,
    ]);

    // alihkan halaman ke halaman brands
    return redirect()->route('brand.index');
}

// function destroy untuk menghapus data yang sudah ada
public function destroy($id)
{
    // ambil data category berdasarkan id
    $brand = Brand::find($id);

    // hapus data brands
    $brand->delete();

    // alihkan halaman ke halaman brands
    return redirect()->route('brand.index');
}
```

The screenshot shows the Visual Studio Code interface with the 'BrandController.php' file open in the editor. The code handles requests for brands, including creating, updating, and deleting them. It uses the Illuminate framework's HTTP and Database components.

```
File Edit Selection View Go Run Terminal Help
BrandController.php - arkatama - Visual Studio Code
EXPLORER ARKATAMA app
    > Console
    > Exceptions
    > Http
        > Controllers
            > API
                > ProductController.php
                > BrandController.php
                    BrandController.php
                > CartController.php
                > CategoryController.php
                > Controller.php
                > DashboardController.php
                > LandingController.php
                > LoginController.php
                > ProductController.php
                > RegisterController.php
                > RoleController.php
                > SliderController.php
                > UserController.php
            > Middleware
                > Kernel.php
            > Models
            > Providers
            > bootstrap
            > config
            > database
        > OUTLINE
        > TIMELINE
BrandController.php
43     $brand = Brand::find($id);
44
45     // load view edit.blade.php dan passing data brand
46     return view('brand.edit', compact('brand'));
47 }
48
49 // function update untuk mengupdate data yang sudah ada
50 public function update(Request $request, $id)
51 {
52     // update data brands
53     Brand::where('id', $id)->update([
54         'name' => $request->name,
55     ]);
56
57     // alihkan halaman ke halaman brands
58     return redirect()->route('brand.index');
59 }
60
61 // function destroy untuk menghapus data yang sudah ada
62 public function destroy($id)
63 {
64     // ambil data category berdasarkan id
65     $brand = Brand::find($id);
66
67     // hapus data category
68     $brand->delete();
69
70     // alihkan halaman ke halaman brands
71     return redirect()->route('brand.index');
72 }
73 }
You, yesterday | Ln 1, Col 1 | Spaces: 4 | UTF-8 | LF | PHP | Go Live | △ 31 Spell | 22:41 | 24°C Berawan | ENG | 14/06/2023
```

## CategoryController

The screenshot shows the Visual Studio Code interface with the 'CategoryController.php' file open in the editor. This controller handles requests for categories, including listing, creating, and storing them. It utilizes the Illuminate framework's HTTP and Database components.

```
File Edit Selection View Go Run Terminal Help
CategoryController.php - arkatama - Visual Studio Code
EXPLORER ARKATAMA app
    > Console
    > Exceptions
    > Http
        > Controllers
            > API
                > ProductController.php
                > BrandController.php
                > CartController.php
                > CategoryController.php
                    CategoryController.php
                > Controller.php
                > DashboardController.php
                > LandingController.php
                > LoginController.php
                > ProductController.php
                > RegisterController.php
                > RoleController.php
                > SliderController.php
                > UserController.php
            > Middleware
                > Kernel.php
            > Models
            > Providers
            > bootstrap
            > config
            > database
        > OUTLINE
        > TIMELINE
CategoryController.php
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Category;
6 use Illuminate\Http\Request;
7
8 You, yesterday | 1 author (You)
9 class CategoryController extends Controller
10 {
11     public function index()
12     {
13         $categories = Category::all();
14
15         return view('category.index', compact('categories'));
16         // return response()->json([
17         //     'success' => true,
18         //     'message' => 'List Data Category',
19         //     'data' => $categories
20         // ], 200);
21     }
22
23     public function create()
24     {
25         return view('category.create');
26     }
27
28     public function store(Request $request)
29     {
30         // masukkan data ke database
31         $category = Category::create([
You, yesterday | Ln 5, Col 1 (24 selected) | Spaces: 4 | UTF-8 | LF | PHP | Go Live | △ 12 Spell | 22:42 | USD/IDR +0,27% | 24°C Berawan | ENG | 14/06/2023
```

```
CategoryController.php - arkatama - Visual Studio Code
```

```
CategoryController.php - arkatama - Visual Studio Code
```

```
File Edit Selection View Go Run Terminal Help CategoryController.php
```

```
File Edit Selection View Go Run Terminal Help CategoryController.php
```

```
ARAKATAMA
```

```
app
```

```
Console
```

```
Exceptions
```

```
Http
```

```
Controllers
```

```
API
```

```
ProductController.php
```

```
BrandController.php
```

```
CartController.php
```

```
CategoryController.php
```

```
Controller.php
```

```
DashboardController.php
```

```
LandingController.php
```

```
LoginController.php
```

```
ProductController.php
```

```
RegisterController.php
```

```
RoleController.php
```

```
SliderController.php
```

```
UserController.php
```

```
Middleware
```

```
Kernel.php
```

```
Models
```

```
Providers
```

```
bootstrap
```

```
config
```

```
database
```

```
main* 0 0 0 0 12 Git Graph
```

```
Type here to search
```

```
CategoryController.php x
```

```
CategoryController.php x
```

```
app > Http > Controllers > CategoryController.php > ...
```

```
// masukkan data ke database
```

```
$category = Category::create([
```

```
'name' => $request->name
```

```
]);
```

```
// redirect ke halaman category.index
```

```
return redirect()->route('category.index');
```

```
}
```

```
public function edit($id)
```

```
{
```

```
// ambil data category berdasarkan id
```

```
$category = Category::find($id);
```

```
// tampilkan view edit dan passing data category
```

```
return view('category.edit', compact('category'));
```

```
}
```

```
public function update(Request $request, $id)
```

```
{
```

```
// ambil data category berdasarkan id
```

```
$category = Category::find($id);
```

```
// update data category
```

```
$category->update([
    'name' => $request->name
]);
```

```
// redirect ke halaman category.index
```

```
return redirect()->route('category.index');
```

```
}
```

```
public function destroy($id)
```

```
{
```

```
// ambil data category berdasarkan id
```

```
$category = Category::find($id);
```

```
// hapus data category
```

```
$category->delete();
```

```
// redirect ke halaman category.index
```

```
return redirect()->route('category.index');
```

```
}
```

```
You, yesterday Ln 5, Col 1 (24 selected) Spaces: 4 UTF-8 LF PHP ⚡ Go Live ⚡ 12 Spell
```

```
USD/IDR +0,27% ⚡ 22:42 14/06/2023 ENG
```

```
File Edit Selection View Go Run Terminal Help CategoryController.php - arkatama - Visual Studio Code
```

```
File Edit Selection View Go Run Terminal Help CategoryController.php - arkatama - Visual Studio Code
```

```
ARAKATAMA
```

```
app
```

```
Console
```

```
Exceptions
```

```
Http
```

```
Controllers
```

```
API
```

```
ProductController.php
```

```
BrandController.php
```

```
CartController.php
```

```
CategoryController.php
```

```
Controller.php
```

```
DashboardController.php
```

```
LandingController.php
```

```
LoginController.php
```

```
ProductController.php
```

```
RegisterController.php
```

```
RoleController.php
```

```
SliderController.php
```

```
UserController.php
```

```
Middleware
```

```
Kernel.php
```

```
Models
```

```
Providers
```

```
bootstrap
```

```
config
```

```
database
```

```
main* 0 0 0 0 12 Git Graph
```

```
Type here to search
```

```
CategoryController.php x
```

```
CategoryController.php x
```

```
app > Http > Controllers > CategoryController.php > ...
```

```
// ambil data category berdasarkan id
```

```
$category = Category::find($id);
```

```
// tampilkan view edit dan passing data category
```

```
return view('category.edit', compact('category'));
```

```
}
```

```
public function update(Request $request, $id)
```

```
{
```

```
// ambil data category berdasarkan id
```

```
$category = Category::find($id);
```

```
// update data category
```

```
$category->update([
    'name' => $request->name
]);
```

```
// redirect ke halaman category.index
```

```
return redirect()->route('category.index');
```

```
}
```

```
public function destroy($id)
```

```
{
```

```
// ambil data category berdasarkan id
```

```
$category = Category::find($id);
```

```
// hapus data category
```

```
$category->delete();
```

```
// redirect ke halaman category.index
```

```
return redirect()->route('category.index');
```

```
}
```

```
You, yesterday Ln 5, Col 1 (24 selected) Spaces: 4 UTF-8 LF PHP ⚡ Go Live ⚡ 12 Spell
```

```
USD/IDR +0,27% ⚡ 22:43 14/06/2023 ENG
```

## DashboardController

The screenshot shows the Visual Studio Code interface with the file `DashboardController.php` open in the editor. The code defines a controller for the dashboard:

```
You,yesterday | 1 author (You)
1 <?php You, yesterday + tugas 25-27 ...
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use Illuminate\Support\Facades\Auth;
7
8 You,yesterday | 1 author (You)
9 class DashboardController extends Controller
{
    public function index()
    {
        if (Auth::user()->role->name == 'User') {
            return redirect()->route('product.index');
        } else {
            return view('dashboard');
        }
    }
}
```

## LandingController

The screenshot shows the Visual Studio Code interface with the file `LandingController.php` open in the editor. The code defines a controller for landing pages:

```
You,yesterday | 1 author (You)
1 <?php You, yesterday + tugas 25-27 ...
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Category;
6 use App\Models\Product;
7 use App\Models\Slider;
8 use Illuminate\Http\Request;
9
10 You,yesterday | 1 author (You)
11 class LandingController extends Controller
{
    public function index(Request $request)
    {
        // mengambil data category
        $categories = Category::all();

        // mengambil data slider yang sudah di approve
        $sliders = Slider::where('approve', '1')->get();

        if ($request->category) {
            $products = Product::where('category', $request->category)->with('category')->whereHas('category', function ($query) use
                $request {
                    $query->where('name', $request->category);
                })
            )->get();
        } else if ($request->min && $request->max) {
            $products = Product::where('price', '>', $request->min)->where('price', '<=', $request->max)->get();
        } else {
            // mengambil 8 data produk secara acak
            $products = Product::where('approve', '1')->inRandomOrder()->limit(8)->get();
        }

        return view('landing', compact('products', 'categories', 'sliders'));
    }
}
```

## LoginController

The screenshot shows the Visual Studio Code interface with the file `LoginController.php` open in the editor. The code implements a `LoginController` class extending `Controller`. It contains two methods: `index()` and `authenticate(Request $request)`. The `index()` method checks if the user is authenticated; if not, it returns a login view. The `authenticate()` method validates the email and password using a Validator, attempts to log the user in, and if successful, redirects to the dashboard. If validation fails or authentication attempt fails, it returns a back page with errors.

```
You, yesterday | 1 author (You)
1 <?php You, yesterday + tugas 25-27 ...
2
3 namespace App\Http\Controllers;
4
5 use App\Models\User;
6 use Illuminate\Http\Request;
7 use Illuminate\Support\Facades\Auth;
8 use Illuminate\Support\Facades\Hash;
9 use Illuminate\Support\Facades\Validator;
10
11 You, yesterday | 1 author (You)
12 class LoginController extends Controller
13 {
14     public function index()
15     {
16         if (Auth::check())
17         {
18             return redirect()->route('dashboard');
19         }
20
21         return view('auth.login');
22     }
23
24     public function authenticate(Request $request)
25     {
26
27         $validator = Validator::make($request->all(), [
28             'email' => 'required|email',
29             'password' => 'required'
30         ]);
31
32         if (Auth::attempt(['email' => $request->email, 'password' => $request->password]))
33         {
34             $request->session()->regenerate();
35
36             return redirect()->route('dashboard');
37         }
38
39         // return back()->withErrors([
40         //     'email' => 'The provided credentials do not match our records.',
41         // ])
42         // ->onlyInput('email');
43
44         return redirect()->back()->with('error', 'Email atau password salah');
45     }
46
47     public function logout(Request $request)
48     {
49         Auth::logout();
50
51         $request->session()->invalidate();
52
53         $request->session()->regenerateToken();
54     }
55 }
```

The screenshot shows the Visual Studio Code interface with the file `ProductController.php` open in the editor. The code implements a `ProductController` class extending `Controller`. It contains three methods: `index()`, `store(Request $request)`, and `update(Request $request, Product $product)`. The `index()` method retrieves products from the database and returns them as JSON. The `store()` method creates a new product in the database and returns a success response. The `update()` method updates an existing product in the database and returns a success response.

```
public function index()
{
    $products = Product::all();
    return response()->json($products);
}
public function store(Request $request)
{
    $product = $request->validate([
        'name' => 'required',
        'description' => 'required',
        'price' => 'required|integer',
        'category_id' => 'required|exists:categories,id'
    ]);

    $product = Product::create($product);

    return response()->json($product, 201);
}
public function update(Request $request, Product $product)
{
    $product->update($request->validated());
    return response()->json($product, 200);
}
```

## ProductController

ProductController.php - arkatama - Visual Studio Code

```
You, yesterday | 1 author (You)
1 <?php You, yesterday + tugas 25-27 ...
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Brand;
6 use App\Models\Category;
7 use App\Models\Product;
8 use Illuminate\Http\Request;
9 use Illuminate\Support\Facades\Auth;
10 use Illuminate\Support\Facades\Storage;
11 use Illuminate\Support\Facades\Validator;
12
13 You, yesterday | 1 author (You)
14 class ProductController extends Controller
15 {
16     public function index()
17     {
18         $products = Product::with('category')->get();
19
20         if (Auth::user()->role->name == 'User') {
21             return view('product.card', ['products' => $products]);
22         } else {
23             return view('product.index', ['products' => $products]);
24         }
25     }
26
27     public function show($id)
28     {
29         $product = Product::where('id', $id)->with('category')->first();
30
31         $related = Product::where('category_id', $product->category->id)->inRandomOrder()->limit(4)->get();
32
33         if ($product) {
34             return view('product.show', compact('product', 'related'));
35         } else {
36             abort(404);
37         }
38     }
39
40     public function create()
41     {
42         $brands = Brand::all();
43         $categories = Category::all();
44
45         return view('product.create', compact('brands', 'categories'));
46     }
47
48     public function store(Request $request)
49     {
50
51         $validator = Validator::make($request->all(), [
52             'category' => 'required',
53             'name' => 'required|string|min:3',
54             'price' => 'required|integer',
55             'sale_price' => 'required|integer',
56             'brand' => 'required|string',
57             'image' => 'required|image|mimes:jpeg,png,jpg|max:2048',
58         ]);
59
59         if ($validator->fails()) {
60             return redirect()->back()->withErrors($validator->errors()->WithInput());
61         }
62
63         // ubah nama file
64     }
}
```

ProductController.php - arkatama - Visual Studio Code

```
if ($product) {
    return view('product.show', compact('product', 'related'));
} else {
    abort(404);
}

public function create()
{
    $brands = Brand::all();
    $categories = Category::all();

    return view('product.create', compact('brands', 'categories'));
}

public function store(Request $request)
{
    $validator = Validator::make($request->all(), [
        'category' => 'required',
        'name' => 'required|string|min:3',
        'price' => 'required|integer',
        'sale_price' => 'required|integer',
        'brand' => 'required|string',
        'image' => 'required|image|mimes:jpeg,png,jpg|max:2048',
    ]);

    if ($validator->fails()) {
        return redirect()->back()->withErrors($validator->errors()->WithInput());
    }

    // ubah nama file
}
```

ProductController.php - arkatama - Visual Studio Code

```
app > Http > Controllers > ProductController.php > ...
65     $imageName = time() . '.' . $request->image->extension();
66
67     // simpan file ke folder public/product
68     Storage::putFileAs('public/product', $request->image, $imageName);
69
70     $product = Product::create([
71         'category_id' => $request->category,
72         'name' => $request->name,
73         'price' => $request->price,
74         'sale_price' => $request->sale_price,
75         'brands' => $request->brand,
76         'image' => $imageName,
77     ]);
78
79     return redirect()->route('product.index')->with('success', 'Product created successfully.');
80 }
81
82 public function edit($id)
83 {
84     // ambil data product berdasarkan id
85     $product = Product::where('id', $id)->with('category')->first();
86
87     // ambil data brand dan category sebagai isian di pilihan (select)
88     $brands = Brand::all();
89     $categories = Category::all();
90
91     // tampilkan view edit dan passing data product
92     return view('product.edit', compact('product', 'brands', 'categories'));
93 }
94
95 public function update(Request $request, $id)
96 {
97 }
```

ProductController.php - arkatama - Visual Studio Code

```
app > Http > Controllers > ProductController.php > ...
97     // cek jika user mengupload gambar di form
98     if ($request->hasFile('image')) {
99         // ambil nama file gambar lama dari database
100        $oldImage = Product::find($id)->image;
101
102        // hapus file gambar lama dari folder slider
103        Storage::delete('public/product/' . $oldImage);
104
105        // ubah nama file
106        $imageName = time() . '.' . $request->image->extension();
107
108        // simpan file ke folder public/product
109        Storage::putFileAs('public/product', $request->image, $imageName);
110
111        // update data product
112        Product::where('id', $id)->update([
113             'category_id' => $request->category,
114             'name' => $request->name,
115             'price' => $request->price,
116             'sale_price' => $request->sale_price,
117             'brands' => $request->brand,
118             'image' => $imageName,
119         ]);
120
121     } else {
122         // update data product tanpa menyertakan file gambar
123         Product::where('id', $id)->update([
124             'category_id' => $request->category,
125             'name' => $request->name,
126             'price' => $request->price,
127             'sale_price' => $request->sale_price,
128             'brands' => $request->brand,
129         ]);
130     }
131 }
```

**ProductController.php**

```

File Edit Selection View Go Run Terminal Help ProductController.php - arkatama - Visual Studio Code
EXPLORER ARKATAMA app > Http > Controllers > ProductController.php > ...
132 // redirect ke halaman product.index
133 return redirect()->route('product.index')->with('success', 'Product updated successfully.');
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164

public function destroy($id)
{
    // ambil data product berdasarkan id
    $product = Product::find($id);

    // hapus data product
    $product->delete();

    // redirect ke halaman product.index
    return redirect()->back()->with('success', 'Product deleted successfully.');
}

public function approve($id)
{
    // ambil data product berdasarkan id
    $product = Product::find($id);

    // update data product
    $product->update([
        'approve' => '1',
    ]);

    // redirect ke halaman product.index
    return redirect()->back()->with('success', 'Product approved successfully.');
}

public function reject($id)
{
    // ambil data product berdasarkan id
    $product = Product::find($id);

    // update data product
    $product->update([
        'approve' => '0',
    ]);

    // redirect ke halaman product.index
    return redirect()->back()->with('success', 'Product rejected successfully.');
}

```

Type here to search 24°C Berawan 22:51 14/06/2023

**ProductController.php**

```

File Edit Selection View Go Run Terminal Help ProductController.php - arkatama - Visual Studio Code
EXPLORER ARKATAMA app > Http > Controllers > ProductController.php > ...
144 // redirect ke halaman product.index
145 return redirect()->back()->with('success', 'Product deleted successfully.');
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175

public function approve($id)
{
    // ambil data product berdasarkan id
    $product = Product::find($id);

    // update data product
    $product->update([
        'approve' => '1',
    ]);

    // redirect ke halaman product.index
    return redirect()->back()->with('success', 'Product approved successfully.');
}

public function reject($id)
{
    // ambil data product berdasarkan id
    $product = Product::find($id);

    // update data product
    $product->update([
        'approve' => '0',
    ]);

    // redirect ke halaman product.index
    return redirect()->back()->with('success', 'Product rejected successfully.');
}

```

Type here to search 24°C Berawan 22:52 14/06/2023

## RegisterController

The screenshot shows the Visual Studio Code interface with the RegisterController.php file open in the editor. The code handles user registration, creating a new User model with provided name, email, phone, role\_id, and password.

```
RegisterController.php - arkatama - Visual Studio Code
File Edit Selection View Go Run Terminal Help
RegisterController.php - arkatama - Visual Studio Code
app > Http > Controllers > RegisterController.php > ...
3 namespace App\Http\Controllers;
4
5 use App\Models\Role;
6 use App\Models\User;
7 use Illuminate\Http\Request;
8 use Illuminate\Support\Facades\Hash;
9
10 class RegisterController extends Controller
11 {
12     public function index()
13     {
14         return view('auth.register');
15     }
16
17     public function store(Request $request)
18     {
19
20         $role = Role::where('name', 'User')->first();
21
22         $store = User::create([
23             'name' => $request->name,
24             'email' => $request->email,
25             'phone' => $request->phone,
26             'role_id' => $role->id,
27             'password' => Hash::make($request->password),
28         ]);
29
30         if($store) {
31             return redirect()->route('login')->with('success', 'Register berhasil, silahkan login');
32         } else {
33             return redirect()->back()->with('error', 'Register gagal, silahkan coba lagi');
34         }
35     }
}
You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF PHP ⚡ Go Live ⚡ 6 Spell
24°C Berawan 14/06/2023
```

## RoleController

The screenshot shows the Visual Studio Code interface with the RoleController.php file open in the editor. The code handles role management, displaying all roles and creating new ones.

```
RoleController.php - arkatama - Visual Studio Code
File Edit Selection View Go Run Terminal Help
RoleController.php - arkatama - Visual Studio Code
app > Http > Controllers > RoleController.php > ...
1 <?php You, yesterday | author (You)
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Role;
6 use Illuminate\Http\Request;
7
8 You, yesterday | author (You)
9 class RoleController extends Controller
10 {
11     public function index()
12     {
13         $roles = Role::all();
14         return view('role.index', compact('roles'));
15     }
16
17     public function create()
18     {
19         // tampilkan halaman create
20         return view('role.create');
21     }
22
23     public function store(Request $request)
24     {
25         // insert data ke table roles
26         $role = Role::create([
27             'name' => $request->name,
28         ]);
29
30         // alihkan halaman ke halaman roles
31         return redirect()->route('role.index');
32     }
}
You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF PHP ⚡ Go Live ⚡ 17 Spell
24°C Berawan 14/06/2023
```

The screenshot shows the Visual Studio Code interface with the file `RoleController.php` open in the editor. The code handles role management, including creating, updating, and deleting roles. It uses the `Role` model and the `Request` object.

```
RoleController.php
34
35 // ambil data role berdasarkan id
36 $role = Role::find($id);
37
38 // tampilkan view edit dan passing data role
39 return view('role.edit', compact('role'));
40
41 public function update(Request $request, $id)
42 {
43     // ambil data role berdasarkan id
44     $role = Role::find($id);
45
46     // update data role
47     $role->update([
48         'name' => $request->name,
49     ]);
50
51     // alihkan halaman ke halaman roles
52     return redirect()->route('role.index');
53 }
54
55 public function destroy($id)
56 {
57     // ambil data role berdasarkan id
58     $role = Role::find($id);
59
60     // hapus data role
61     $role->delete();
62
63     // alihkan halaman ke halaman roles
64     return redirect()->route('role.index');
65 }
```

## SliderController

The screenshot shows the Visual Studio Code interface with the file `SliderController.php` open in the editor. The code handles slider management, including listing, creating, and storing sliders. It uses the `Slider` model and the `Request` object.

```
SliderController.php
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Slider;
6 use Illuminate\Http\Request;
7 use Illuminate\Support\Facades\Storage;
8
9 You, yesterday || author (You)
10 class SliderController extends Controller
11 {
12     public function index()
13     {
14         // load data dari table sliders
15         $sliders = Slider::all();
16
17         // passing data sliders ke view slider.index
18         return view('slider.index', compact('sliders'));
19     }
20
21     public function create()
22     {
23         // menampilkan halaman create
24         return view('slider.create');
25     }
26
27     public function store(Request $request)
28     {
29         // ubah nama file gambar dengan angka random
30         $imageName = time() . '.' . $request->image->extension(); // 1685433155.jpg
31
32         // upload file gambar ke folder slider
33         Storage::put('slider/' . $imageName, $request->file('image'));
34
35         // alihkan halaman ke halaman slider.index
36         return redirect()->route('slider.index');
37     }
38 }
```

SliderController.php

```
app > Http > Controllers > SliderController.php > ...
32 // insert data ke table sliders
33 $slider = Slider::create([
34     'title' => $request->title,
35     'caption' => $request->caption,
36     'image' => $imageName,
37 ]);
38
39 // alihkan halaman ke halaman slider.index
40 return redirect()->route('slider.index');
41 }

42 public function edit(Request $request, $id)
43 {
44     // cari data berdasarkan id menggunakan find()
45     // find() merupakan fungsi eloquent untuk mencari data berdasarkan primary key
46     $slider = Slider::find($id);
47
48     // load view edit.blade.php dan passing data slider
49     return view('slider.edit', compact('slider'));
50 }

51 public function update(Request $request, $id)
52 {
53     // cek jika user mengupload gambar di form
54     if ($request->hasFile('image')) {
55         // ambil nama file gambar lama dari database
56         $oldImage = Slider::find($id)->image;
57
58         // hapus file gambar lama dari folder slider
59         Storage::delete('public/slider/'.$oldImage);
60     }
61
62 }
63 }
```

SliderController.php

```
app > Http > Controllers > SliderController.php > ...
67     $imageName = time().'.'.$request->image->extension();
68
69     // upload file gambar ke folder slider
70     Storage::putFileAs('public/slider', $request->file('image'), $imageName);
71
72     // update data sliders
73     $slider->where('id', $id)->update([
74         'title' => $request->title,
75         'caption' => $request->caption,
76         'image' => $imageName,
77     ]);
78
79 } else {
80     // jika user tidak mengupload gambar
81     // update data sliders hanya untuk title dan caption
82     $slider->where('id', $id)->update([
83         'title' => $request->title,
84         'caption' => $request->caption,
85     ]);
86 }
87
88 // alihkan halaman ke halaman sliders
89 return redirect()->route('slider.index');
90 }

91 public function destroy($id)
92 {
93     // cari data berdasarkan id menggunakan find()
94     // find() merupakan fungsi eloquent untuk mencari data berdasarkan primary key
95     $slider = Slider::find($id);
96
97     // hapus file gambar dari folder slider
98 }
```

The screenshot shows the Visual Studio Code interface with the file `SliderController.php` open in the editor. The code handles slider management, including deleting files from the public folder, updating the database, and redirecting to the index page. The code is annotated with Indonesian comments explaining the purpose of each section.

```
// hapus file gambar dari folder sliders
Storage::delete('public/slider/'.$slider->image);

// hapus data dari table sliders
$slider->delete();

// alihkan halaman ke halaman sliders
return redirect()->route('slider.index');

}

public function approve($id)
{
    // update data sliders
Slider::where('id', $id)->update([
    'approve' => '1',
]);

// alihkan halaman ke halaman sliders
return redirect()->back()->with('success', 'Slider berhasil diapprove');

}

public function reject($id)
{
    // update data sliders
Slider::where('id', $id)->update([
    'approve' => '0',
]);

// alihkan halaman ke halaman sliders
return redirect()->back()->with('success', 'Slider berhasil direject');

}
```

## UserController

The screenshot shows the Visual Studio Code interface with the file `UserController.php` open in the editor. The code defines a controller for user management, including index, create, and store actions. It interacts with the User and Role models and uses Illuminate\Http\Request.

```
<?php
namespace App\Http\Controllers;

use App\Models\Role;
use App\Models\User;
use Illuminate\Http\Request;

class UserController extends Controller
{
    public function index()
    {
        // Ambil semua data user dari database
        $users = User::with('role')->get();

        // Tampilkan halaman index
        return view('user.index', compact('users'));
    }

    public function create()
    {
        // Ambil data roles dari database
        $roles = Role::all();

        // Tampilkan form create user dengan passing data roles
        return view('user.create', compact('roles'));
    }

    public function store(Request $request)
    {
        // Simpan data ke database
    }
}
```

```

UserController.php - arkatama - Visual Studio Code
File Edit Selection View Go Run Terminal Help UserController.php ×
app > Http > Controllers > UserController.php > store
31 // Simpan data ke database
32 $user = User::create([
33     'name' => $request->name,
34     'email' => $request->email,
35     'phone' => $request->phone,
36     'role' => $request->role,
37     'password' => bcrypt('password') // default password, sementara di hardcode
38 ]);
39
40 // Redirect ke halaman user.index
41 return redirect()->route('user.index');
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62

```

```

UserController.php - arkatama - Visual Studio Code
File Edit Selection View Go Run Terminal Help UserController.php ×
app > Http > Controllers > UserController.php > store
52 // Tampilkan halaman edit dengan passing data user dan roles
53 return view('user.edit', compact('user', 'roles'));
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83

```

## b. Middleware

### Role

```

File Edit Selection View Go Run Terminal Help
Role.php - arkatama - Visual Studio Code
app > Http > Middleware > Role.php > ...
You, yesterday | 1 author (You)
1 <?php You, yesterday + tugas 25-27 ...
2
3 namespace App\Http\Middleware;
4
5 use Closure;
6 use Illuminate\Http\Request;
7
8 You, yesterday | 1 author (You)
9 class Role
{
10
11     /**
12      * Handle an incoming request.
13      *
14      * @param \Illuminate\Http\Request $request
15      * @param \Closure(\Illuminate\Http\Request): (\Illuminate\Http\Response|\Illuminate\Http\RedirectResponse)
16      * @return \Illuminate\Http\Response|\Illuminate\Http\RedirectResponse
17      */
18
19     public function handle(Request $request, Closure $next, $role)
20     {
21         $explode = explode('|', $role);
22
23         foreach ($explode as $key => $value) {
24             if ($request->user()->role->name == $value) {
25                 return $next($request);
26             }
27         }
28
29         return abort(403, 'Unauthorized action');
30
31     }
32
33     // if ($request->user()->role->name != $role) {
34
35     // }
36
37 }

```

You, yesterday | Ln 1, Col 1 | Spaces: 4 | UTF-8 | LF | PHP | Go Live | Spell | 23:02 | 14/06/2023

## c. Models

### Brand

```

File Edit Selection View Go Run Terminal Help
Brand.php - arkatama - Visual Studio Code
app > Models > Brand.php > ...
You, yesterday | 1 author (You)
1 <?php You, yesterday + tugas 25-27 ...
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 You, yesterday | 1 author (You)
9 class Brand extends Model
{
10     use HasFactory;
11     protected $table = "brands";
12     protected $fillable = [
13         'name',
14     ];
15 }

```

You, yesterday | Ln 1, Col 1 | Spaces: 4 | UTF-8 | LF | PHP | Go Live | Spell | 23:03 | 14/06/2023

### Category

The screenshot shows the Visual Studio Code interface with the file `Category.php` open in the editor. The code defines a `Category` model extending `Model`. It uses the `HasFactory` trait and specifies the protected `$table` as "categories". The `$fillable` array contains the fields: `'name'`. The `products()` method returns a relationship to the `Product` model.

```
You,yesterday | 1 author (You)
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 You,yesterday | 1 author (You)
9 class Category extends Model
10 {
11     use HasFactory;
12     protected $table = "categories";    You, yesterday + tugas 25-27
13     protected $fillable = [
14         'name',
15     ];
16
17     public function products()
18     {
19         return $this->hasMany(Product::class);
20     }
21 }
```

## Product

The screenshot shows the Visual Studio Code interface with the file `Product.php` open in the editor. The code defines a `Product` model extending `Model`. It uses the `HasFactory` trait and specifies the protected `$table` as "products". The `$fillable` array contains the fields: `'category_id'`, `'name'`, `'price'`, `'sale_price'`, `'brands'`, `'rating'`, `'image'`, and `'approve'`. The `category()` method returns a relationship to the `Category` model.

```
<?php You, yesterday + tugas 25-27 ...
1 <?php You, yesterday + tugas 25-27 ...
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8
9 class Product extends Model
10 {
11     use HasFactory;
12     protected $table = "products";
13     protected $fillable = [
14         'category_id',
15         'name',
16         'price',
17         'sale_price',
18         'brands',
19         'rating',
20         'image',
21         'approve'
22     ];
23
24     public function category()
25     {
26         return $this->belongsTo(Category::class);
27     }
28 }
```

## Role

**Slider**

The screenshot shows the Visual Studio Code interface with the file `Role.php` open in the editor. The code defines a `Role` model with attributes `$fillable` and `$table`. The `fillable` array contains the field `'name'`. The `table` attribute is set to `"roles"`.

```
You,yesterday | 1 author (You)
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 You,yesterday | 1 author (You)
9 class Role extends Model
{
    use HasFactory;
10
11     protected $table = "roles";
12     protected $fillable = [
13         'name',
14     ];
15
16     public function users()
17     {
18         return $this->hasMany(User::class);
19     }
20
21 }
22
```


The Explorer sidebar on the left shows the project structure under the `ARKATAMA` folder, including files like `Brand.php`, `Cart.php`, `Category.php`, `Product.php`, `User.php`, `Slider.php`, and `Role.php`. The `migrations` folder also lists several migration files.

**User**

The screenshot shows the Visual Studio Code interface with the file `Slider.php` open in the editor. The code defines a `Slider` model with attributes `$fillable` and `$table`. The `fillable` array contains fields `'title'`, `'caption'`, `'image'`, and `'approve'`. The `table` attribute is set to `'sliders'`.

```
You,yesterday | 1 author (You)
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 You,yesterday | 1 author (You)
9 class Slider extends Model
{
    use HasFactory;
10
11     protected $table = 'sliders';
12
13     protected $fillable = [
14         'title',
15         'caption',
16         'image',
17         'approve',
18     ];
19
20 }
21
```

The Explorer sidebar on the left shows the project structure under the `ARKATAMA` folder, including files like `Brand.php`, `Cart.php`, `Category.php`, `Product.php`, `User.php`, `Slider.php`, and `Role.php`. The `migrations` folder also lists several migration files.



```

<?php
namespace App\Models;

use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Sanctum\HasApiTokens;

class User extends Authenticatable
{
    use HasApiTokens, HasFactory, Notifiable;


    /**
     * The attributes that are mass assignable.
     *
     * @var array<int, string>
     */
    protected $fillable = [
        'role_id',
        'name',
        'email',
        'password',
        'phone'
    ];

    /**
     * The attributes that should be hidden for serialization.
     *
     * @var array<int, string>
     */
    protected $hidden = [
        'password',
        'remember_token',
    ];

    /**
     * The attributes that should be cast.
     *
     * @var array<string, string>
     */
    protected $casts = [
        'email_verified_at' => 'datetime',
    ];

    public function role()
    {
        return $this->belongsTo(Role::class);
    }
}

```



```

<?php
namespace App\Models;

use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Sanctum\HasApiTokens;

class User extends Authenticatable
{
    use HasApiTokens, HasFactory, Notifiable;

    /**
     * The attributes that are mass assignable.
     *
     * @var array<int, string>
     */
    protected $fillable = [
        'role_id',
        'name',
        'email',
        'password',
        'phone'
    ];

    /**
     * The attributes that should be hidden for serialization.
     *
     * @var array<int, string>
     */
    protected $hidden = [
        'password',
        'remember_token',
    ];

    /**
     * The attributes that should be cast.
     *
     * @var array<string, string>
     */
    protected $casts = [
        'email_verified_at' => 'datetime',
    ];

    public function role()
    {
        return $this->belongsTo(Role::class);
    }
}

```

#### d. Migrations

##### Create\_brands\_table

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer:** On the left, it shows the project structure under "ARKATAMA". The "migrations" folder contains several files, with "2023\_06\_12\_161750\_create\_brands\_table.php" selected.
- Code Editor:** The main area displays the content of the selected migration file. It defines a new class `CreateBrandsTable` that extends `Migration`. The `up()` method creates a table named 'brands' with columns for id, name, and timestamps. The `down()` method drops the 'brands' table if it exists.
- Bottom Bar:** Includes icons for file operations (New, Open, Save, Find, Replace), Git status, and various development tools like Git Graph, Outline, and Timeline.
- Status Bar:** Shows the current file path ("2023\_06\_12\_161750\_create\_brands\_table.php"), the author ("You, yesterday"), and other settings like line numbers (Ln 11), column numbers (Col 7), and spaces (Spaces: 4).

## Create\_categories\_table

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer (Left):** Shows the project structure under "ARKATAMA". Key items include "app", "bootstrap", "config", "database" (with "factories" and "migrations" subfolders), and various migration files like "2014\_10\_12\_000000\_create\_us...", "2014\_10\_12\_100000\_create\_pa...", etc., up to "2023\_06\_12\_162123\_create\_cat...".
- Terminal (Top):** Displays the path: "2023\_06\_12\_162123\_create\_categories\_table.php - arkatama - Visual Studio Code".
- Code Editor (Center):** The file "2023\_06\_12\_162123\_create\_categories\_table.php" is open. It contains PHP code for a database migration using the Illuminate\Database\Migrations\Migration class. The code defines an "up" function to create a "categories" table with columns "id", "name", and timestamps, and a "down" function to drop the table if it exists.
- Status Bar (Bottom):** Shows the status "You, yesterday | 1 author (You)" and other details like "Ln 18, Col 36", "Spaces: 4", "UTF-8", "LF", "PHP", "Go Live", "Spell", and the date "14/06/2023".

## Create roles table

```
2023_06_12_162252_create_roles_table.php

database > migrations > 2023_06_12_162252_create_roles_table.php > class > up > Closure
You, yesterday | 1 author (You)
return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::create('roles', function (Blueprint $table) {
            $table->id();
            $table->string('name');
            $table->timestamps();
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::dropIfExists('roles');
    }
}
```

## Add\_role\_id\_to\_users\_table

```
2023_06_12_162503_add_role_id_to_users_table.php

database > migrations > 2023_06_12_162503_add_role_id_to_users_table.php > class > up > Closure
You, yesterday | 1 author (You)
return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::table('users', function (Blueprint $table) {
            $table->bigInteger('role_id')->after('id'); You, yesterday + tugas 25-27 ...
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::table('users', function (Blueprint $table) {
            // ...
        });
    }
}
```

## Add\_phone\_to\_users\_table

**Create\_products\_table**

```

File Edit Selection View Go Run Terminal Help 2023_06_12_162631_add_phone_to_users_table.php - arkatama - Visual Studio Code
EXPLORER ARKATAMA ...
database > migrations > 2023_06_12_162631_add_phone_to_users_table.php > class > up > Closure
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9
10 /**
11 * Run the migrations.
12 *
13 * @return void
14 */
15 public function up()
16 {
17     Schema::table('users', function (Blueprint $table) {
18         $table->string('phone')->after('email'); // You, yesterday * tugas 25-27 ...
19     });
20 }
21
22 /**
23 * Reverse the migrations.
24 *
25 * @return void
26 */
27 public function down()
28 {
29     Schema::table('users', function (Blueprint $table) {
30         // ...
31     });
}

```

You, yesterday Ln 17, Col 53 Spaces: 4 UTF-8 LF PHP Go Live Spell

**Create\_sliders\_table**

```

File Edit Selection View Go Run Terminal Help 2023_06_12_162745_create_products_table.php - arkatama - Visual Studio Code
EXPLORER ARKATAMA ...
database > migrations > 2023_06_12_162745_create_products_table.php > class > up
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 You, yesterday | 1 author (You)
8 return new class extends Migration
9 {
10
11 /**
12 * Run the migrations.
13 *
14 * @return void
15 */
16 public function up() // You, yesterday * tugas 25-27 ...
17 {
18     Schema::create('products', function (Blueprint $table) {
19         $table->id();
20         $table->bigInteger("category_id");
21         $table->string("name");
22         $table->bigInteger("price")->default(0);
23         $table->bigInteger("sale_price")->default(0);
24         $table->string("brands")->nullable();
25         $table->integer("rating")->default(0);
26         $table->timestamps();
27     });
28
29 /**
30 * Reverse the migrations.
31 *
32 * @return void
33 */
34 public function down()
35 {
}
}

```

You, yesterday Ln 14, Col 25 Spaces: 4 UTF-8 LF PHP Go Live Spell

The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer:** On the left, it shows a project structure under "ARKATAMA". The "migrations" folder contains numerous migration files, with one file selected: "2023\_06\_12\_162857\_create\_sliders\_table.php".
- Code Editor:** The main area displays the content of the selected migration file. The code defines a new migration class that extends the Illuminate\Database\Migrations\Migration class. It includes methods for running and reversing migrations, and a specific up() method that creates a "sliders" table with columns for id, title, caption, image (nullable), and timestamps.
- Status Bar:** At the bottom, the status bar shows the author as "You, yesterday", the file size as "25-27 ...", the line count as "In 20 Col 49", and the file type as "PHP". Other status indicators include "Spaces 4", "UTF-8", "LF", "PHP", "Go Live", "Spell", and "Git Graph".
- Bottom Icons:** A row of icons for various tools and services like GitHub, Git, Docker, and others.

## Add\_image\_to\_product\_table

The screenshot shows a Visual Studio Code interface with the following details:

- File Explorer:** On the left, it shows a tree view of the project structure under the "ARKATAMA" workspace. It includes "app", "bootstrap", "config", "database" (with "factories" and "migrations" sub-folders), and various migration files like "2014\_10\_12\_000000\_create\_us..." and "2023\_06\_12\_163033\_add\_image\_to\_products\_table.php".
- Editor:** The main editor area displays the code for the migration file "2023\_06\_12\_163033\_add\_image\_to\_products\_table.php".

```
<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    /**
     * Run the migrations.
     *
     * @return void
     */
    public function up()
    {
        Schema::table('products', function (Blueprint $table) {
            $table->string('image')->nullable()->after('rating');
        });
    }

    /**
     * Reverse the migrations.
     *
     * @return void
     */
    public function down()
    {
        Schema::table('products', function (Blueprint $table) {
            // ...
        });
    }
}
```
- Code Hover:** A tooltip for the "Blueprint" class is shown, containing its definition:

```
Illuminate\Database\Schema\Blueprint
<?php
class Blueprint
{
    use Macroable;
}
```
- Bottom Status Bar:** Shows file path ("2023\_06\_12\_163033\_add\_image\_to\_products\_table.php"), date ("yesterday"), line number ("Ln 26, Col 12"), spaces ("Spaces: 4"), encoding ("UTF-8"), file type ("PHP"), Go Live button, spell check status, and a search bar.

### Add approve to sliders table

**2023\_06\_12\_163255\_add\_approve\_to\_sliders\_table.php**

```

database > migrations > 2023_06_12_163255_add_approve_to_sliders_table.php > class > up > Closure
You, yesterday | 1 author (You)
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 You, yesterday | 1 author (You)
8 return new class extends Migration
9 {
10
11     /**
12      * Run the migrations.
13      *
14      * @return void
15      */
16     public function up()
17     {
18         Schema::table('sliders', function (Blueprint $table) {
19             $table->boolean('approve')->default(0)->after('image');
20         });
21
22         /**
23          * Reverse the migrations.
24          *
25          * @return void
26          */
27         public function down()
28         {
29             Schema::table('sliders', function (Blueprint $table) {
30                 // ...
31             });
32
33         }
34
35     }
36
37     /**
38      * Run the migrations.
39      *
40      * @return void
41      */
42     public function up()
43     {
44         Schema::table('products', function (Blueprint $table) {
45             $table->boolean('approve')->default(0)->after('image');
46         });
47
48         /**
49          * Reverse the migrations.
50          *
51          * @return void
52          */
53         public function down()
54         {
55             Schema::table('products', function (Blueprint $table) {
56                 // ...
57             });
58
59         }
60
61     }
62
63     /**
64      * Run the migrations.
65      *
66      * @return void
67      */
68     public function up()
69     {
70         Schema::table('users', function (Blueprint $table) {
71             $table->boolean('approve')->default(0)->after('image');
72         });
73
74         /**
75          * Reverse the migrations.
76          *
77          * @return void
78          */
79         public function down()
80         {
81             Schema::table('users', function (Blueprint $table) {
82                 // ...
83             });
84
85         }
86
87     }
88
89     /**
90      * Run the migrations.
91      *
92      * @return void
93      */
94     public function up()
95     {
96         Schema::table('categories', function (Blueprint $table) {
97             $table->boolean('approve')->default(0)->after('image');
98         });
99
100        /**
101          * Reverse the migrations.
102          *
103          * @return void
104          */
105         public function down()
106         {
107             Schema::table('categories', function (Blueprint $table) {
108                 // ...
109             });
110
111         }
112
113     }
114
115     /**
116      * Run the migrations.
117      *
118      * @return void
119      */
120     public function up()
121     {
122         Schema::table('roles', function (Blueprint $table) {
123             $table->boolean('approve')->default(0)->after('image');
124         });
125
126         /**
127          * Reverse the migrations.
128          *
129          * @return void
130          */
131         public function down()
132         {
133             Schema::table('roles', function (Blueprint $table) {
134                 // ...
135             });
136
137         }
138
139     }
140
141     /**
142      * Run the migrations.
143      *
144      * @return void
145      */
146     public function up()
147     {
148         Schema::table('permissions', function (Blueprint $table) {
149             $table->boolean('approve')->default(0)->after('image');
150         });
151
152         /**
153          * Reverse the migrations.
154          *
155          * @return void
156          */
157         public function down()
158         {
159             Schema::table('permissions', function (Blueprint $table) {
160                 // ...
161             });
162
163         }
164
165     }
166
167     /**
168      * Run the migrations.
169      *
170      * @return void
171      */
172     public function up()
173     {
174         Schema::table('products', function (Blueprint $table) {
175             $table->boolean('approve')->default(0)->after('image');
176         });
177
178         /**
179          * Reverse the migrations.
180          *
181          * @return void
182          */
183         public function down()
184         {
185             Schema::table('products', function (Blueprint $table) {
186                 // ...
187             });
188
189         }
190
191     }
192
193     /**
194      * Run the migrations.
195      *
196      * @return void
197      */
198     public function up()
199     {
200         Schema::table('users', function (Blueprint $table) {
201             $table->boolean('approve')->default(0)->after('image');
202         });
203
204         /**
205          * Reverse the migrations.
206          *
207          * @return void
208          */
209         public function down()
210         {
211             Schema::table('users', function (Blueprint $table) {
212                 // ...
213             });
214
215         }
216
217     }
218
219     /**
220      * Run the migrations.
221      *
222      * @return void
223      */
224     public function up()
225     {
226         Schema::table('categories', function (Blueprint $table) {
227             $table->boolean('approve')->default(0)->after('image');
228         });
229
230         /**
231          * Reverse the migrations.
232          *
233          * @return void
234          */
235         public function down()
236         {
237             Schema::table('categories', function (Blueprint $table) {
238                 // ...
239             });
240
241         }
242
243     }
244
245     /**
246      * Run the migrations.
247      *
248      * @return void
249      */
250     public function up()
251     {
252         Schema::table('roles', function (Blueprint $table) {
253             $table->boolean('approve')->default(0)->after('image');
254         });
255
256         /**
257          * Reverse the migrations.
258          *
259          * @return void
259          */
260         public function down()
261         {
262             Schema::table('roles', function (Blueprint $table) {
263                 // ...
264             });
265
266         }
267
268     }
269
270     /**
271      * Run the migrations.
272      *
273      * @return void
274      */
275     public function up()
276     {
277         Schema::table('permissions', function (Blueprint $table) {
278             $table->boolean('approve')->default(0)->after('image');
279         });
280
281         /**
282          * Reverse the migrations.
283          *
284          * @return void
285          */
286         public function down()
287         {
288             Schema::table('permissions', function (Blueprint $table) {
289                 // ...
290             });
291
292         }
293
294     }
295
296     /**
297      * Run the migrations.
298      *
299      * @return void
300      */
301     public function up()
302     {
303         Schema::table('products', function (Blueprint $table) {
304             $table->boolean('approve')->default(0)->after('image');
305         });
306
307         /**
308          * Reverse the migrations.
309          *
310          * @return void
311          */
312         public function down()
313         {
314             Schema::table('products', function (Blueprint $table) {
315                 // ...
316             });
317
318         }
319
320     }
321
322     /**
323      * Run the migrations.
324      *
325      * @return void
326      */
327     public function up()
328     {
329         Schema::table('users', function (Blueprint $table) {
330             $table->boolean('approve')->default(0)->after('image');
331         });
332
333         /**
334          * Reverse the migrations.
335          *
336          * @return void
337          */
338         public function down()
339         {
339             Schema::table('users', function (Blueprint $table) {
340                 // ...
341             });
342
343         }
344
345     }
346
347     /**
348      * Run the migrations.
349      *
350      * @return void
351      */
352     public function up()
353     {
354         Schema::table('categories', function (Blueprint $table) {
355             $table->boolean('approve')->default(0)->after('image');
356         });
357
358         /**
359          * Reverse the migrations.
360          *
361          * @return void
362          */
363         public function down()
364         {
365             Schema::table('categories', function (Blueprint $table) {
366                 // ...
367             });
368
369         }
370
371     }
372
373     /**
374      * Run the migrations.
375      *
376      * @return void
377      */
378     public function up()
379     {
380         Schema::table('roles', function (Blueprint $table) {
381             $table->boolean('approve')->default(0)->after('image');
382         });
383
384         /**
385          * Reverse the migrations.
386          *
387          * @return void
388          */
389         public function down()
390         {
390             Schema::table('roles', function (Blueprint $table) {
391                 // ...
392             });
393
394         }
395
396     }
397
398     /**
399      * Run the migrations.
400      *
401      * @return void
402      */
403     public function up()
404     {
405         Schema::table('permissions', function (Blueprint $table) {
406             $table->boolean('approve')->default(0)->after('image');
407         });
408
409         /**
410          * Reverse the migrations.
411          *
412          * @return void
413          */
414         public function down()
415         {
415             Schema::table('permissions', function (Blueprint $table) {
416                 // ...
417             });
418
419         }
420
421     }
422
423     /**
424      * Run the migrations.
425      *
426      * @return void
427      */
428     public function up()
429     {
430         Schema::table('products', function (Blueprint $table) {
431             $table->boolean('approve')->default(0)->after('image');
432         });
433
434         /**
435          * Reverse the migrations.
436          *
437          * @return void
438          */
439         public function down()
440         {
440             Schema::table('products', function (Blueprint $table) {
441                 // ...
442             });
443
444         }
445
446     }
447
448     /**
449      * Run the migrations.
450      *
451      * @return void
452      */
453     public function up()
454     {
455         Schema::table('users', function (Blueprint $table) {
456             $table->boolean('approve')->default(0)->after('image');
457         });
458
459         /**
460          * Reverse the migrations.
461          *
462          * @return void
463          */
464         public function down()
465         {
465             Schema::table('users', function (Blueprint $table) {
466                 // ...
467             });
468
469         }
470
471     }
472
473     /**
474      * Run the migrations.
475      *
476      * @return void
477      */
478     public function up()
479     {
480         Schema::table('categories', function (Blueprint $table) {
481             $table->boolean('approve')->default(0)->after('image');
482         });
483
484         /**
485          * Reverse the migrations.
486          *
487          * @return void
488          */
489         public function down()
490         {
490             Schema::table('categories', function (Blueprint $table) {
491                 // ...
492             });
493
494         }
495
496     }
497
498     /**
499      * Run the migrations.
500      *
501      * @return void
502      */
503     public function up()
504     {
505         Schema::table('roles', function (Blueprint $table) {
506             $table->boolean('approve')->default(0)->after('image');
507         });
508
509         /**
510          * Reverse the migrations.
511          *
512          * @return void
513          */
514         public function down()
515         {
515             Schema::table('roles', function (Blueprint $table) {
516                 // ...
517             });
518
519         }
520
521     }
522
523     /**
524      * Run the migrations.
525      *
526      * @return void
527      */
528     public function up()
529     {
530         Schema::table('permissions', function (Blueprint $table) {
531             $table->boolean('approve')->default(0)->after('image');
532         });
533
534         /**
535          * Reverse the migrations.
536          *
537          * @return void
538          */
539         public function down()
540         {
540             Schema::table('permissions', function (Blueprint $table) {
541                 // ...
542             });
543
544         }
545
546     }
547
548     /**
549      * Run the migrations.
550      *
551      * @return void
552      */
553     public function up()
554     {
555         Schema::table('products', function (Blueprint $table) {
556             $table->boolean('approve')->default(0)->after('image');
557         });
558
559         /**
560          * Reverse the migrations.
561          *
562          * @return void
563          */
564         public function down()
565         {
565             Schema::table('products', function (Blueprint $table) {
566                 // ...
567             });
568
569         }
570
571     }
572
573     /**
574      * Run the migrations.
575      *
576      * @return void
577      */
578     public function up()
579     {
580         Schema::table('users', function (Blueprint $table) {
581             $table->boolean('approve')->default(0)->after('image');
582         });
583
584         /**
585          * Reverse the migrations.
586          *
587          * @return void
588          */
589         public function down()
590         {
590             Schema::table('users', function (Blueprint $table) {
591                 // ...
592             });
593
594         }
595
596     }
597
598     /**
599      * Run the migrations.
600      *
601      * @return void
602      */
603     public function up()
604     {
605         Schema::table('categories', function (Blueprint $table) {
606             $table->boolean('approve')->default(0)->after('image');
607         });
608
609         /**
610          * Reverse the migrations.
611          *
612          * @return void
613          */
614         public function down()
615         {
615             Schema::table('categories', function (Blueprint $table) {
616                 // ...
617             });
618
619         }
620
621     }
622
623     /**
624      * Run the migrations.
625      *
626      * @return void
627      */
628     public function up()
629     {
630         Schema::table('roles', function (Blueprint $table) {
631             $table->boolean('approve')->default(0)->after('image');
632         });
633
634         /**
635          * Reverse the migrations.
636          *
637          * @return void
638          */
639         public function down()
640         {
640             Schema::table('roles', function (Blueprint $table) {
641                 // ...
642             });
643
644         }
645
646     }
647
648     /**
649      * Run the migrations.
650      *
651      * @return void
652      */
653     public function up()
654     {
655         Schema::table('permissions', function (Blueprint $table) {
656             $table->boolean('approve')->default(0)->after('image');
657         });
658
659         /**
660          * Reverse the migrations.
661          *
662          * @return void
663          */
664         public function down()
665         {
665             Schema::table('permissions', function (Blueprint $table) {
666                 // ...
667             });
668
669         }
670
671     }
672
673     /**
674      * Run the migrations.
675      *
676      * @return void
677      */
678     public function up()
679     {
680         Schema::table('products', function (Blueprint $table) {
681             $table->boolean('approve')->default(0)->after('image');
682         });
683
684         /**
685          * Reverse the migrations.
686          *
687          * @return void
688          */
689         public function down()
690         {
690             Schema::table('products', function (Blueprint $table) {
691                 // ...
692             });
693
694         }
695
696     }
697
698     /**
699      * Run the migrations.
700      *
701      * @return void
702      */
703     public function up()
704     {
705         Schema::table('users', function (Blueprint $table) {
706             $table->boolean('approve')->default(0)->after('image');
707         });
708
709         /**
710          * Reverse the migrations.
711          *
712          * @return void
713          */
714         public function down()
715         {
715             Schema::table('users', function (Blueprint $table) {
716                 // ...
717             });
718
719         }
720
721     }
722
723     /**
724      * Run the migrations.
725      *
726      * @return void
727      */
728     public function up()
729     {
730         Schema::table('categories', function (Blueprint $table) {
731             $table->boolean('approve')->default(0)->after('image');
732         });
733
734         /**
735          * Reverse the migrations.
736          *
737          * @return void
738          */
739         public function down()
740         {
740             Schema::table('categories', function (Blueprint $table) {
741                 // ...
742             });
743
744         }
745
746     }
747
748     /**
749      * Run the migrations.
750      *
751      * @return void
752      */
753     public function up()
754     {
755         Schema::table('roles', function (Blueprint $table) {
756             $table->boolean('approve')->default(0)->after('image');
757         });
758
759         /**
760          * Reverse the migrations.
761          *
762          * @return void
763          */
764         public function down()
765         {
765             Schema::table('roles', function (Blueprint $table) {
766                 // ...
767             });
768
769         }
770
771     }
772
773     /**
774      * Run the migrations.
775      *
776      * @return void
777      */
778     public function up()
779     {
780         Schema::table('permissions', function (Blueprint $table) {
781             $table->boolean('approve')->default(0)->after('image');
782         });
783
784         /**
785          * Reverse the migrations.
786          *
787          * @return void
788          */
789         public function down()
790         {
790             Schema::table('permissions', function (Blueprint $table) {
791                 // ...
792             });
793
794         }
795
796     }
797
798     /**
799      * Run the migrations.
800      *
801      * @return void
802      */
803     public function up()
804     {
805         Schema::table('products', function (Blueprint $table) {
806             $table->boolean('approve')->default(0)->after('image');
807         });
808
809         /**
810          * Reverse the migrations.
811          *
812          * @return void
813          */
814         public function down()
815         {
815             Schema::table('products', function (Blueprint $table) {
816                 // ...
817             });
818
819         }
820
821     }
822
823     /**
824      * Run the migrations.
825      *
826      * @return void
827      */
828     public function up()
829     {
830         Schema::table('users', function (Blueprint $table) {
831             $table->boolean('approve')->default(0)->after('image');
832         });
833
834         /**
835          * Reverse the migrations.
836          *
837          * @return void
838          */
839         public function down()
840         {
840             Schema::table('users', function (Blueprint $table) {
841                 // ...
842             });
843
844         }
845
846     }
847
848     /**
849      * Run the migrations.
850      *
851      * @return void
852      */
853     public function up()
854     {
855         Schema::table('categories', function (Blueprint $table) {
856             $table->boolean('approve')->default(0)->after('image');
857         });
858
859         /**
860          * Reverse the migrations.
861          *
862          * @return void
863          */
864         public function down()
865         {
865             Schema::table('categories', function (Blueprint $table) {
866                 // ...
867             });
868
869         }
870
871     }
872
873     /**
874      * Run the migrations.
875      *
876      * @return void
877      */
878     public function up()
879     {
880         Schema::table('roles', function (Blueprint $table) {
881             $table->boolean('approve')->default(0)->after('image');
882         });
883
884         /**
885          * Reverse the migrations.
886          *
887          * @return void
888          */
889         public function down()
890         {
890             Schema::table('roles', function (Blueprint $table) {
891                 // ...
892             });
893
894         }
895
896     }
897
898     /**
899      * Run the migrations.
900      *
901      * @return void
902      */
903     public function up()
904     {
905         Schema::table('permissions', function (Blueprint $table) {
906             $table->boolean('approve')->default(0)->after('image');
907         });
908
909         /**
910          * Reverse the migrations.
911          *
912          * @return void
913          */
914         public function down()
915         {
915             Schema::table('permissions', function (Blueprint $table) {
916                 // ...
917             });
918
919         }
920
921     }
922
923     /**
924      * Run the migrations.
925      *
926      * @return void
927      */
928     public function up()
929     {
930         Schema::table('products', function (Blueprint $table) {
931             $table->boolean('approve')->default(0)->after('image');
932         });
933
934         /**
935          * Reverse the migrations.
936          *
937          * @return void
938          */
939         public function down()
940         {
940             Schema::table('products', function (Blueprint $table) {
941                 // ...
942             });
943
944         }
945
946     }
947
948     /**
949      * Run the migrations.
950      *
951      * @return void
952      */
953     public function up()
954     {
955         Schema::table('users', function (Blueprint $table) {
956             $table->boolean('approve')->default(0)->after('image');
957         });
958
959         /**
960          * Reverse the migrations.
961          *
962          * @return void
963          */
964         public function down()
965         {
965             Schema::table('users', function (Blueprint $table) {
966                 // ...
967             });
968
969         }
970
971     }
972
973     /**
974      * Run the migrations.
975      *
976      * @return void
977      */
978     public function up()
979     {
980         Schema::table('categories', function (Blueprint $table) {
981             $table->boolean('approve')->default(0)->after('image');
982         });
983
984         /**
985          * Reverse the migrations.
986          *
987          * @return void
988          */
989         public function down()
990         {
990             Schema::table('categories', function (Blueprint $table) {
991                 // ...
992             });
993
994         }
995
996     }
997
998     /**
999      * Run the migrations.
1000      *
1001      * @return void
1002      */
1003     public function up()
1004     {
1005         Schema::table('roles', function (Blueprint $table) {
1006             $table->boolean('approve')->default(0)->after('image');
1007         });
1008
1009         /**
1010          * Reverse the migrations.
1011          *
1012          * @return void
1013          */
1014         public function down()
1015         {
1015             Schema::table('roles', function (Blueprint $table) {
1016                 // ...
1017             });
1018
1019         }
1020
1021     }
1022
1023     /**
1024      * Run the migrations.
1025      *
1026      * @return void
1027      */
1028     public function up()
1029     {
1030         Schema::table('permissions', function (Blueprint $table) {
1031             $table->boolean('approve')->default(0)->after('image');
1032         });
1033
1034         /**
1035          * Reverse the migrations.
1036          *
1037          * @return void
1038          */
1039         public function down()
1040         {
1040             Schema::table('permissions', function (Blueprint $table) {
1041                 // ...
1042             });
1043
1044         }
1045
1046     }
1047
1048     /**
1049      * Run the migrations.
1050      *
1051      * @return void
1052      */
1053     public function up()
1054     {
1055         Schema::table('products', function (Blueprint $table) {
1056             $table->boolean('approve')->default(0)->after('image');
1057         });
1058
1059         /**
1060          * Reverse the migrations.
1061          *
1062          * @return void
1063          */
1064         public function down()
1065         {
1065             Schema::table('products', function (Blueprint $table) {
1066                 // ...
1067             });
1068
1069         }
1070
1071     }
1072
1073     /**
1074      * Run the migrations.
1075      *
1076      * @return void
1077      */
1078     public function up()
1079     {
1080         Schema::table('users', function (Blueprint $table) {
1081             $table->boolean('approve')->default(0)->after('image');
1082         });
1083
1084         /**
1085          * Reverse the migrations.
1086          *
1087          * @return void
1088          */
1089         public function down()
1090         {
1090             Schema::table('users', function (Blueprint $table) {
1091                 // ...
1092             });
1093
1094         }
1095
1096     }
1097
1098     /**
1099      * Run the migrations.
1100      *
1101      * @return void
1102      */
1103     public function up()
1104     {
1105         Schema::table('categories', function (Blueprint $table) {
1106             $table->boolean('approve')->default(0)->after('image');
1107         });
1108
1109         /**
1110          * Reverse the migrations.
1111          *
1112          * @return void
1113          */
1114         public function down()
1115         {
1115             Schema::table('categories', function (Blueprint $table) {
1116                 // ...
1117             });
1118
1119         }
1120
1121     }
1122
1123     /**
1124      * Run the migrations.
1125      *
1126      * @return void
1127      */
1128     public function up()
1129     {
1130         Schema::table('roles', function (Blueprint $table) {
1131             $table->boolean('approve')->default(0)->after('image');
1132         });
1133
1134         /**
1135          * Reverse the migrations.
1136          *
1137          * @return void
1138          */
1139         public function down()
1140         {
1140             Schema::table('roles', function (Blueprint $table) {
1141                 // ...
1142             });
1143
1144         }
1145
1146     }
1147
1148     /**
1149      * Run the migrations.
1150      *
1151      * @return void
1152      */
1153     public function up()
1154     {
1155         Schema::table('permissions', function (Blueprint $table) {
1156             $table->boolean('approve')->default(0)->after('image');
1157         });
1158
1159         /**
1160          * Reverse the migrations.
1161          *
1162          * @return void
1163          */
1164         public function down()
1165         {
1165             Schema::table('permissions', function (Blueprint $table) {
1166                 // ...
1167             });
1168
1169         }
1170
1171     }
1172
1173     /**
1174      * Run the migrations.
1175      *
1176      * @return void
1177      */
1178     public function up()
1179     {
1180         Schema::table('products', function (Blueprint $table) {
1181             $table->boolean('approve')->default(0)->after('image');
1182         });
1183
1184         /**
1185          * Reverse the migrations.
1186          *
1187          * @return void
1188          */
1189         public function down()
1190         {
1190             Schema::table('products', function (Blueprint $table) {
1191                 // ...
1192             });
1193
1194         }
1195
1196     }
1197
1198     /**
1199      * Run the migrations.
1200      *
1201      * @return void
1202      */
1203     public function up()
1204     {
1205         Schema::table('users', function (Blueprint $table) {
1206             $table->boolean('approve')->default(0)->after('image');
1207         });
1208
1209         /**
1210          * Reverse the migrations.
1211          *
1212          * @return void
1213          */
1214         public function down()
1215         {
1215             Schema::table('users', function (Blueprint $table) {
1216                 // ...
1217             });
1218
1219         }
1220
1221     }
1222
1223     /**
1224      * Run the migrations.
1225      *
1226      * @return void
1227      */
1228     public function up()
1229     {
1230         Schema::table('categories', function (Blueprint $table) {
1231             $table->boolean('approve')->default(0)->after('image');
1232         });
1233
1234         /**
1235          * Reverse the migrations.
1236          *
1237          * @return void
1238          */
1239         public function down()
1240         {
1240             Schema::table('categories', function (Blueprint $table) {
1241                 // ...
1242             });
1243
1244         }
1245
1246     }
1247
1248     /**
1249      * Run the migrations.
1250      *
1251      * @return void
1252      */
1253     public function up()
1254     {
1255         Schema::table('roles', function (Blueprint $table) {
1256             $table->boolean('approve')->default(0)->after('image');
1257         });
1258
1259         /**
1260          * Reverse the migrations.
1261          *
1262          * @return void
1263          */
1264         public function down()
1265         {
1265             Schema::table('roles', function (Blueprint $table) {
1266                 // ...
1267             });
1268
1269         }
1270
1271     }
1272
1273     /**
1274      * Run the migrations.
1275      *
1276      * @return void
1277      */
1278     public function up()
1279     {
1280         Schema::table('permissions', function (Blueprint $table) {
1281             $table->boolean('approve')->default(0)->after('image');
1282         });
1283
1284         /**
1285          * Reverse the migrations.
1286          *
1287          * @return void
1288          */
1289         public function down()
1290         {
1290             Schema::table('permissions', function (Blueprint $table) {
1291                 // ...
1292             });
1293
1294         }
1295
1296     }
1297
1298     /**
1299      * Run the migrations.
1300      *
1301      * @return void
1302      */
1303     public function up()
1304     {
1305         Schema::table('products', function (Blueprint $table) {
1306             $table->boolean('approve')->default(0)->after('image');
1307         });
1308
1309         /**
1310          * Reverse the migrations.
1311          *
1312          * @return void
1313          */
1314         public function down()
1315         {
1315             Schema::table('products', function (Blueprint $table) {
1316                 // ...
1317             });
1318
1319         }
1320
1321     }
1322
1323     /**
1324      * Run the migrations.
1325      *
1326      * @return void
1327      */
1328     public function up()
1329     {
1330         Schema::table('users', function (Blueprint $table) {
1331             $table->boolean('approve')->default(0)->after('image');
1332         });
1333
1334         /**
1335          * Reverse the migrations.
1336          *
1337          * @return void
1338          */
1339         public function down()
1340         {
1340             Schema::table('users', function (Blueprint $table) {
1341                 // ...
1342             });
1343
1344         }
1345
1346     }
1347
1348     /**
1349      * Run the migrations.
1350      *
1351      * @return void
1352      */
1353     public function up()
1354     {
1355         Schema::table('categories', function (Blueprint $table) {
1356             $table->boolean('approve')->default(0)->after('image');
1357         });
1358
1359         /**
1360          * Reverse the migrations.
1361          *
1362          * @return void
1363          */
1364         public function down()
1365         {
1365             Schema::table('categories', function (Blueprint $table) {
1366                 // ...
1367             });
1368
1369         }
1370
1371     }
1372
1373     /**
1374      * Run the migrations.
1375      *
1376      * @return void
1377      */
1378     public function up()
1379     {
1380         Schema::table('roles', function (Blueprint $table) {
1381             $table->boolean('approve')->default(0)->after('image');
1382         });
1383
1384         /**
1385          * Reverse the migrations.
1386          *
1387          * @return void
1388          */
1389         public function down()
1390         {
1390             Schema::table('roles', function (Blueprint $table) {
1391                 // ...
1392             });
1393
1394         }
1395
1396     }
1397
1398     /**
1399      * Run the migrations.
1400      *
1401      * @return void
1402      */
1403     public function up()
1404     {
1405         Schema::table('permissions', function (Blueprint $table) {
1406             $table->boolean('approve')->default(0)->after('image');
1407         });
1408
1409         /**
1410          * Reverse the migrations.
1411          *
1412          * @return void
1413          */
1414         public function down()
1415
```

File Edit Selection View Go Run Terminal Help

login.blade.php - arkatama - Visual Studio Code

resources > views > auth > login.blade.php > html > head > style > .btn-login

```
You, 1 minute ago | 1 author (You)
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <meta http-equiv="X-UA-Compatible" content="ie-edge">
8   <title>Login</title>
9   <link href="{{ asset('css/styles.css') }}" rel="stylesheet" />
10  <style>
11    You, yesterday | 1 author (You)
12    body {
13      background: #007bff;
14      background: linear-gradient(to right, #0062E6, #33AEFF);
15    }
16    You, yesterday | 1 author (You)
17    .btn-login {
18      You, yesterday + tugas 25-27 ...
19      font-size: 0.9rem;
20      letter-spacing: 0.05rem;
21      padding: 0.75rem 1rem;
22    }
23    You, yesterday | 1 author (You)
24    .btn-google {
25      color: white !important;
26      background-color: #ea4335;
27    }
28    You, yesterday | 1 author (You)
29    .btn-facebook {
30      color: white !important;
31    }
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
```

main\* 24°C Berawan 23:24 14/06/2023

File Edit Selection View Go Run Terminal Help

login.blade.php - arkatama - Visual Studio Code

resources > views > auth > login.blade.php > html > style > .btn-facebook

```
color: white !important;
background-color: #3b5998; You, yesterday + tugas 25-27 ...
}
You, 3 minutes ago | 1 author (You)
.logo {
  text-align: center;
  margin-bottom: 2rem;
}
</style>
</head>
<body>
  <div class="container">
    <div class="row">
      <div class="col-sm-9 col-md-7 col-lg-5 mx-auto">
        @if (Session::get('success'))
          <div class="alert alert-success alert-dismissible fade show mt-3" role="alert">
            <strong>Sukses!</strong> Akun anda berhasil dibuat.
            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
          </div>
        @endif
        @if (Session::get('error'))
          <div class="alert alert-danger alert-dismissible fade show mt-3" role="alert">
            <strong>Oops!</strong> Email atau password salah.
            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
          </div>
        @endif
      <div class="card border-0 shadow rounded-3 mb-5 mt-2">
        <div class="card-body p-4 p-sm-5">
```

main\* 24°C Berawan 23:26 14/06/2023

File Edit Selection View Go Run Terminal Help

login.blade.php - arkatama - Visual Studio Code

```
ew > auth > login.blade.php > html > body > div.container > div.row > div.col-sm-9.col-md-7.col-lg-5.mx-auto > div.card.border-0.shadow.rounded-3.mb-5.mt-2
  <div class="card-body p-4 p-sm-5" >
    <h5 class="card-title text-center mb-5 fw-light fs-5">Sign In</h5>
    <div class="logo">
      | 
    </div>
    <form action="{{ route('login.authenticate') }}" method="POST">
      @csrf

      <div class="form-floating mb-3">
        <input type="email" class="form-control" id="floatingInput" name="email" placeholder="Email address" required="required" value="john@example.com">
        <label for="floatingInput">Email address</label>
      </div>
      <div class="form-floating mb-3">
        <input type="password" class="form-control" id="floatingPassword" name="password" required="required" value="password123">
        <label for="floatingPassword">Password</label>
      </div>

      <div class="form-check mb-3">
        <input class="form-check-input" type="checkbox" value="" id="rememberPasswordCheck" checked="checked" value="remember-me">
        <label class="form-check-label" for="rememberPasswordCheck">
          | Remember password
        </label>
      </div>
      <div class="d-grid">
        <button class="btn btn-primary btn-login text-uppercase fw-bold" type="submit">Sign In</button>
        <br>
        <a href="{{ route('register') }}">Register Now</a>
      </div>
    </form>
  </div>
```

You, yesterday + tugas 25-27

File Edit Selection View Go Run Terminal Help

register.blade.php - arkatama - Visual Studio Code

```
<!DOCTYPE html> You, yesterday + tugas 25-27 ...
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Register</title>
    <link href="{{ asset('css/styles.css') }}" rel="stylesheet" />
  <style>
    body {
      background: #007bff;
      background: linear-gradient(to right, #0062E6, #33AEFF);
    }

    .btn-login {
      font-size: 0.9rem;
      letter-spacing: 0.05rem;
      padding: 0.75rem 1rem;
    }

    .btn-google {
      color: white !important;
      background-color: #ea4335;
    }

    .btn-facebook {
      color: white !important;
      background-color: #334D8B;
    }
  </style>
```

You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell

## Register

File Edit Selection View Go Run Terminal Help

register.blade.php - arkatama - Visual Studio Code

```
<!DOCTYPE html> You, yesterday + tugas 25-27 ...
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Register</title>
    <link href="{{ asset('css/styles.css') }}" rel="stylesheet" />
  <style>
    body {
      background: #007bff;
      background: linear-gradient(to right, #0062E6, #33AEFF);
    }

    .btn-login {
      font-size: 0.9rem;
      letter-spacing: 0.05rem;
      padding: 0.75rem 1rem;
    }

    .btn-google {
      color: white !important;
      background-color: #ea4335;
    }

    .btn-facebook {
      color: white !important;
      background-color: #334D8B;
    }
  </style>
```

You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell

```

File Edit Selection View Go Run Terminal Help register.blade.php - arkatama - Visual Studio Code
EXPLORER resources > views > auth > register.blade.php > html > head > style
29     background-color: #3b5998;
30 }
31 </style> You, yesterday * tugas 25-27
32 </head>
33
34 <body>
35     <div class="container">
36         <div class="row">
37             <div class="col-sm-9 col-md-7 col-lg-5 mx-auto">
38
39             @if(Session::get('error'))
40                 <div class="alert alert-danger alert-dismissible fade show mt-3" role="alert">
41                     <strong>Oops!</strong> Data tidak lengkap. Akun anda gagal dibuat.
42                     <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
43                 </div>
44             @endif
45
46             <div class="card border-0 shadow rounded-3 my-5">
47                 <div class="card-body p-4 p-sm-5">
48                     <h5 class="card-title text-center mb-5 fw-light fs-5">Register</h5>
49                     <form action="{{ route('register.store') }}" method="POST">
50                         @csrf
51                         <div class="form-floating mb-3">
52                             <input type="text" class="form-control" id="floatingInput" name="name">
53                             <label for="floatingInput">Name</label>
54                         </div>
55
56                         <div class="form-floating mb-3">
57                             <input type="text" class="form-control" id="floatingInput" name="phone">
58                             <label for="floatingInput">Phone</label>
59                         </div>
60
61                         <div class="form-floating mb-3">
62                             <input type="email" class="form-control" id="floatingInput" name="email">
63                             <label for="floatingInput">Email address</label>
64                         </div>
65
66                         <div class="form-floating mb-3">
67                             <input type="password" class="form-control" id="floatingPassword" name="password">
68                             <label for="floatingPassword">Password</label>
69                         </div>
70
71                         <div class="d-grid">
72                             <button class="btn btn-primary btn-login text-uppercase fw-bold" type="submit">Sign Up</button>
73                         </div>
74                     </div>
75                 </div>
76             </div>
77         </div>
78     </body>
79
80 </html> You, yesterday * tugas 25-27
81
82

```

## f. Brand

### Create

**Edit**

File Edit Selection View Go Run Terminal Help

create.blade.php - arkatama - Visual Studio Code

resources > views > brand > create.blade.php > ...

```
You, yesterday | author (You)
1 @extends('layouts.main') You, yesterday + tugas 25-27 ...
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Create Brand</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('brand.store') }}" method="POST">
11        @csrf
12
13        <div class="mb-3">
14          <label for="name" class="form-label">Name</label>
15          <input type="text" class="form-control" id="name" name="name" required>
16        </div>
17        <button type="submit" class="btn btn-primary">Submit</button>
18        <a href="{{ route('brand.index') }}" class="btn btn-secondary">Cancel</a>
19
20      </form>
21    </div>
22  </div>
23  </main>
24
25 @endsection
26
27
```

You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell

Type here to search

24°C Berawan 14/06/2023

**Edit**

File Edit Selection View Go Run Terminal Help

edit.blade.php - arkatama - Visual Studio Code

resources > views > brand > edit.blade.php > main > div.container-fluid.px-4 > div.card.mb-4 > div.card-body > form > div.mb-3 > input#name.form-control

```
You, yesterday | author (You)
1 @extends('layouts.main')
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Edit Brand</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('brand.update', $brand->id) }}" method="POST">
11        @csrf
12        @method('PUT')
13
14        <div class="mb-3">
15          <label for="name" class="form-label">Name</label>
16          <input type="text" class="form-control" id="name" value="{{ $brand->name }}" name="name" required>
17        </div>
18        <button type="submit" class="btn btn-primary">Submit</button>
19        <a href="{{ route('brand.index') }}" class="btn btn-secondary">Cancel</a>
20
21      </form>
22    </div>
23  </div>
24  </main>
25
26 @endsection
27
```

You, yesterday Ln 17, Col 64 Spaces:4 UTF-8 LF Blade Go Live Spell

Type here to search

24°C Berawan 14/06/2023

## Index

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

resources > views > brand > index.blade.php > ... You, yesterday | author (You)

```

1 @extends('layouts.main') You, yesterday + tugas 25-27 ...
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Brand</h1>
7
8     <a class="btn btn-primary mb-2" href="{{ route('brand.create') }}" role="button">Create New</a>
9
10    <div class="card mb-4">
11      <div class="card-body">
12        <table id="dataTable" class="table table-striped">
13          <thead>
14            <tr>
15              <th>#</th>
16              <th>Nama</th>
17              <th>Aksi</th>
18            </tr>
19          </thead>
20          <tbody>
21            @foreach ($brands as $brand)
22              <tr>
23                <td>{{ $loop->iteration }}</td>
24                <td>{{ $brand->name }}</td>
25                <td>
26                  <form onsubmit="return confirm('Are you sure? ')" action="{{ route('brand.edit', $brand->id) }}" class="btn btn-sm btn-@csrf @method('DELETE')><button type="submit" class="btn btn-sm btn-danger">Delete</button>
27                </td>
28              </tr>
29            @endforeach
30          </tbody>
31        </table>
32      </div>
33    </div>
34  </main>
35
36  @endsection You, yesterday + tugas 25-27 ...
37
38
39
40
41
42

```

You, yesterday | Ln 1, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell

Type here to search 24°C Berawan 23:33 ENG 14/06/2023

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

resources > views > brand > index.blade.php > ... You, yesterday | author (You)

```

10    <div class="card mb-4">
11      <div class="card-body">
12        <table id="dataTable" class="table table-striped">
13          <thead>
14            <tr>
15              <th>#</th>
16              <th>Nama</th>
17              <th>Aksi</th>
18            </tr>
19          </thead>
20          <tbody>
21            @foreach ($brands as $brand)
22              <tr>
23                <td>{{ $loop->iteration }}</td>
24                <td>{{ $brand->name }}</td>
25                <td>
26                  <form onsubmit="return confirm('Are you sure? ')" action="{{ route('brand.edit', $brand->id) }}" class="btn btn-sm btn-@csrf @method('DELETE')><button type="submit" class="btn btn-sm btn-danger">Delete</button>
27                </td>
28              </tr>
29            @endforeach
30          </tbody>
31        </table>
32      </div>
33    </div>
34  </main>
35
36  @endsection You, yesterday + tugas 25-27 ...
37
38
39
40
41
42

```

You, yesterday | Ln 41, Col 12 Spaces:4 UTF-8 LF Blade Go Live Spell

Type here to search 24°C Berawan 23:34 ENG 14/06/2023

## g. Category

### Create

**create.blade.php**

```
You, yesterday | 1 author (You)
1 @extends('layouts.main') You, yesterday + tugas 25-27 ...
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Create Category</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('category.store') }}" method="POST">
11        @csrf
12
13        <div class="mb-3">
14          <label for="name" class="form-label">Name</label>
15          <input type="text" class="form-control" id="name" name="name" required>
16        </div>
17
18        <button type="submit" class="btn btn-primary">Submit</button>
19        <a href="{{ route('category.index') }}" class="btn btn-secondary">Cancel</a>
20
21      </div>
22    </div>
23  </div>
24
25 </main>
26 @endsection
27
```

File Edit Selection View Go Run Terminal Help create.blade.php - arkatama - Visual Studio Code

resources > views > category > **create.blade.php** ...

EXPLORER ARKATAMA app bootstrap config database lang public resources css js views auth brand cart category create.blade.php edit.blade.php index.blade.php includes footer.blade.php navbar.blade.php sidebar.blade.php layouts main.blade.php product card.blade.php create.blade.php

OUTLINE TIMELINE

Type here to search

24°C Berawan 23:35 14/06/2023 ENG

## Edit

**edit.blade.php**

```
You, yesterday | 1 author (You)
1 @extends('layouts.main')
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Edit Category</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('category.update', $category->id) }}" method="POST">
11        @csrf
12        @method('PUT')
13
14        <div class="mb-3">
15          <label for="name" class="form-label">Name</label>
16          <input type="text" class="form-control" id="name" value="{{ $category->name }}" name="name" required>
17        </div>
18
19        <button type="submit" class="btn btn-primary">Submit</button>
20        <a href="{{ route('category.index') }}" class="btn btn-secondary">Cancel</a>
21
22      </div>
23    </div>
24
25  </div>
26
27 </main>
28 @endsection
```

File Edit Selection View Go Run Terminal Help edit.blade.php - arkatama - Visual Studio Code

resources > views > category > **edit.blade.php** ...

EXPLORER ARKATAMA app bootstrap config database lang public resources css js views auth brand cart category create.blade.php edit.blade.php index.blade.php includes footer.blade.php navbar.blade.php sidebar.blade.php layouts main.blade.php product card.blade.php create.blade.php

OUTLINE TIMELINE

Type here to search

24°C Berawan 23:35 14/06/2023 ENG

## Index

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

resources > views > category > index.blade.php > ... You, yesterday | author (You)

```

1 @extends('layouts.main') You, yesterday + tugas 25-27 ...
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Category</h1>
7
8     <a class="btn btn-primary mb-2" href="{{ route('category.create') }}" role="button">Create New</a>
9
10    <div class="card mb-4">
11      <div class="card-body">
12        <table id="dataTable" class="table table-striped">
13          <thead>
14            <tr>
15              <th>#</th>
16              <th>Nama</th>
17              <th>Aksi</th>
18            </tr>
19          </thead>
20          <tbody>
21            @foreach ($categories as $category)
22              <tr>
23                <td>{{ $loop->iteration }}</td>
24                <td>{{ $category->name }}</td>
25                <td>
26                  <form onsubmit="return confirm('Are you sure? ');" action="{{ route('category.edit', $category->id) }}" class="btn btn-sm @csrf @method('DELETE') ">
27                    <a href="{{ route('category.edit', $category->id) }}" class="btn btn-sm btn-danger">Delete</a>
28                  </form>
29                </td>
30              </tr>
31            @endforeach
32          </tbody>
33        </table>
34      </div>
35    </div>
36  </main>
37
38  @endsection
39  You, yesterday + tugas 25-27 ...
40
41
42
43

```

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

resources > views > category > index.blade.php > ... You, yesterday | author (You)

```

11 <div class="card-body">
12   <table id="dataTable" class="table table-striped">
13     <thead>
14       <tr>
15         <th>#</th>
16         <th>Nama</th>
17         <th>Aksi</th>
18       </tr>
19     </thead>
20     <tbody>
21       @foreach ($categories as $category)
22         <tr>
23           <td>{{ $loop->iteration }}</td>
24           <td>{{ $category->name }}</td>
25           <td>
26             <form onsubmit="return confirm('Are you sure? ');" action="{{ route('category.edit', $category->id) }}" class="btn btn-sm @csrf @method('DELETE') ">
27               <a href="{{ route('category.edit', $category->id) }}" class="btn btn-sm btn-danger">Delete</a>
28             </form>
29           </td>
30         </tr>
31       @endforeach
32     </tbody>
33   </table>
34 </div>
35 </div>
36 </main>
37
38  @endsection
39  You, yesterday + tugas 25-27 ...
40
41
42
43

```

## h. Includes

### Footer

The screenshot shows the Visual Studio Code interface with the file `footer.blade.php` open in the editor. The code is a Blade template for a footer, featuring a container fluid with a flex align-items-center justify-content-between small structure. It includes links to Privacy Policy and Terms & Conditions. The code is annotated with comments indicating it was last modified 3 seconds ago by the author (You).

```
You, 3 seconds ago | 1 author (You)
1 <footer class="py-4 bg-light mt-auto">
2   <div class="container-fluid px-4">
3     <div class="d-flex align-items-center justify-content-between small">
4       <div class="text-muted">Zii Accessories</div>
5       <div>
6         <a href="#">Privacy Policy</a>
7         &middot;
8         <a href="#">Terms &amp; Conditions</a>
9       </div>
10    </div>
11  </div>
12 </footer>
```

## Navbar

The screenshot shows the Visual Studio Code interface with the file `navbar.blade.php` open in the editor. The code defines a navigation bar with a dropdown menu. The dropdown menu contains links for Settings, Activity Log, and Logout. A CSRF token is included in the logout form. The code is annotated with comments indicating it was last modified yesterday by the author (You).

```
You, yesterday | 1 author (You)
1 <ul class="navbar-nav ms-auto ms-md-0 me-3 me-lg-4">
2   <li class="nav-item dropdown">
3     <a class="nav-link dropdown-toggle" id="navbarDropdown" href="#" role="button" data-bs-toggle="dropdown" a
4       <ul class="dropdown-menu dropdown-menu-end" aria-labelledby="navbarDropdown">
5         <li><a class="dropdown-item" href="#">Settings</a></li>
6         <li><a class="dropdown-item" href="#">Activity Log</a></li>
7         <li>
8           <hr class="dropdown-divider" />
9         </li>
10        <li>
11          <form action="{{ route('logout') }}" method="POST">
12            @csrf
13            <button type="submit" class="dropdown-item">Logout</button>
14          </form>
15        </li>
16      </ul>
17    </li>
18 </ul>
```

## Sidebar

File Edit Selection View Go Run Terminal Help sidebar.blade.php - arkatama - Visual Studio Code

resources > views > includes > sidebar.blade.php > nav#sidenavAccordion.sb-sidenav.accordion sb-sidenav-dark > div.sbsidenav-menu > div.nav > a.nav-link

```

1  <nav class="sb-sidenav accordion sb-sidenav-dark" id="sidenavAccordion">
2    <div class="sb-sidenav-menu">
3      <div class="nav">
4        @if (Auth::user()->role->name == 'Admin' || Auth::user()->role->name == 'Staff')
5          <div class="sb-sidenav-menu-heading">Core</div>
6          <a class="nav-link" href="{{ route('dashboard') }}">
7            <div class="sb-nav-link-icon"><i class="fas fa-tachometer-alt"></i></div>
8            Dashboard
9          </a>
10         @endif
11
12         @if (Auth::user()->role->name == 'Admin' || Auth::user()->role->name == 'Staff')
13           <div class="sb-sidenav-menu-heading">Content</div>
14           <a class="nav-link" href="{{ route('slider.index') }}">
15             You, yesterday + tugas 25-27 ...
16             <div class="sb-nav-link-icon"><i class="fas fa-image"></i></div>
17             Slider
18           </a>
19         @endif
20
21         <div class="sb-sidenav-menu-heading">Management</div>
22         @if (Auth::user()->role->name == 'Admin' || Auth::user()->role->name == 'Staff')
23           <a class="nav-link collapsed" href="#" data-bs-toggle="collapse" data-bs-target="#collapseLayouts">
24             <div class="sb-nav-link-icon"><i class="fas fa-columns"></i></div>
25             Product
26             <div class="sb-sidenav-collapse-arrow"><i class="fas fa-angle-down"></i></div>
27           </a>
28           <div class="collapse" id="collapseLayouts" aria-labelledby="headingOne" data-bs-parent="#sidenavAccordion">
29             <nav class="sb-sidenav-menu-nested nav">
30               <a class="nav-link" href="{{ route('brand.index') }}">Brand</a>
31               <a class="nav-link" href="{{ route('category.index') }}">Category</a>
32               <a class="nav-link" href="{{ route('product.index') }}">Product</a>
33             </nav>
34           </div>
35         @endif
36
37         @if (Auth::user()->role->name == 'Admin')
38           <a class="nav-link collapsed" href="#" data-bs-toggle="collapse" data-bs-target="#collapsePages">
39             <div class="sb-nav-link-icon"><i class="fas fa-book-open"></i></div>
40             User
41             <div class="sb-sidenav-collapse-arrow"><i class="fas fa-angle-down"></i></div>
42           </a>
43           <div class="collapse" id="collapsePages" aria-labelledby="headingTwo" data-bs-parent="#sidenavAccordion">
44             <nav class="sb-sidenav-menu-nested nav">
45               <a class="nav-link" href="{{ route('role.index') }}">Role</a>
46               <a class="nav-link" href="{{ route('user.index') }}">User</a>
47             </nav>
48           </div>
49         @endif
50
51         @if (Auth::user()->role->name == 'User')
52           <a class="nav-link" href="{{ route('product.index') }}">
53             <div class="sb-nav-link-icon"><i class="fas fa-columns"></i></div>
54             Product
55           </a>
56         @endif
57
58       </div>
59     </div>
60     <div class="sb-sidenav-footer">
61       <div class="small">Logged in as:</div>
62       {{ Auth::user()->name }} ({{ Auth::user()->role->name }})
63     </div>
64   </nav>
65 
```

You, yesterday Ln 34, Col 19 Spaces:4 UTF-8 LF Blade Go Live Spell 23:40 14/06/2023

## i. Layouts

### Main

The screenshot displays two instances of Visual Studio Code side-by-side, both showing the same file: `main.blade.php`.

**Top Instance:**

```
You, 2 seconds ago | 1 author (You)
1 <!DOCTYPE html>
2 <html lang="en">
3
4     <head>
5         <meta charset="utf-8" />
6         <meta http-equiv="X-UA-Compatible" content="IE=edge" />
7         <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
8         <meta name="description" content="" />
9         <meta name="author" content="" />
10        <title>Dashboard</title>
11        <link href="{{ asset('css/styles.css') }}" rel="stylesheet" />
12        <link href="https://cdn.jsdelivr.net/npm/simple-datatables@v1.2.0/dist/style.min.css" rel="stylesheet" />
13        <script src="https://use.fontawesome.com/releases/v6.3.0/js/all.js" crossorigin="anonymous"></script>
14        <link href="https://cdn.datatables.net/1.13.4/css/dataTables.bootstrap5.min.css" rel="stylesheet" />
15    </head>
16
17    <body class="sb-nav-fixed">
18        <nav class="sb-topnav navbar navbar-expand navbar-dark bg-dark">
19            <!-- Navbar Brand -->
20            <a class="navbar-brand ps-3" href="{{ route('landing') }}>Zii Accessories</a>
21            <!-- Sidebar Toggle-->
22            <button class="btn btn-link btn-sm order-1 order-lg-0 me-4 me-lg-0" id="sidebarToggle" href="#"><i class="fas fa-bars" style="font-size: 1.5em;"></i></button>
23            <!-- Navbar Search-->
24            <form class="d-none d-md-inline-block form-inline ms-auto me-0 me-md-3 my-2 my-md-0">
25                <div class="input-group">
26                    <input class="form-control" type="text" placeholder="Search for..." aria-label="Search for..." aria-describedby="btnNavbarSearch" style="font-size: 1em; border-radius: 0.25em; padding: 0.5em; width: 150px;" />
27                    <button class="btn btn-primary" id="btnNavbarSearch" type="button"><i class="fas fa-search" style="font-size: 1.2em; margin-left: 0.2em;"></i></button>
28                </div>
29            <!-- Navbar-->
30            @include('includes.navbar')
31        </nav>
32    </body>
33
34    <div id="layoutSidenav">
35        <div id="layoutSidenav_nav">
36            <!-- Sidebar -->
37            @include('includes.sidebar')
38        </div>
39        <div id="layoutSidenav_content">
40            {{-- Content --}}
41            @yield('content')
42            @include('includes.footer')
43        </div>
44    </div>
45    <script src="https://code.jquery.com/jquery-3.7.0.min.js" integrity="sha256-2Pmv0kU7B0enSvLm6bvFBSSHrUJ+3A7x6" crossorigin="anonymous"></script>
46    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" crossorigin="anonymous"></script>
47    <script src="https://cdn.datatables.net/1.13.4/js/jquery.dataTables.min.js"></script>
48    <script src="https://cdn.datatables.net/1.13.4/js/dataTables.bootstrap5.min.js"></script>
49    <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.8.0/Chart.min.js" crossorigin="anonymous"></script>
50    <script src="{{ asset('js/scripts.js') }}"></script>
51    <script src="{{ asset('js/chart-area-demo.js') }}"></script>
52    <script src="{{ asset('js/chart-bar-demo.js') }}"></script>
53    <script src="{{ asset('js/datatables-demo.js') }}"></script>
54
55    </body>
56
57    </html>
```

**Bottom Instance:**

```
You, yesterday | tugas 25-27
1 <!DOCTYPE html>
2 <html lang="en">
3
4     <head>
5         <meta charset="utf-8" />
6         <meta http-equiv="X-UA-Compatible" content="IE=edge" />
7         <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
8         <meta name="description" content="" />
9         <meta name="author" content="" />
10        <title>Dashboard</title>
11        <link href="{{ asset('css/styles.css') }}" rel="stylesheet" />
12        <link href="https://cdn.jsdelivr.net/npm/simple-datatables@v1.2.0/dist/style.min.css" rel="stylesheet" />
13        <script src="https://use.fontawesome.com/releases/v6.3.0/js/all.js" crossorigin="anonymous"></script>
14        <link href="https://cdn.datatables.net/1.13.4/css/dataTables.bootstrap5.min.css" rel="stylesheet" />
15    </head>
16
17    <body class="sb-nav-fixed">
18        <nav class="sb-topnav navbar navbar-expand navbar-dark bg-dark">
19            <!-- Navbar Brand -->
20            <a class="navbar-brand ps-3" href="{{ route('landing') }}>Zii Accessories</a>
21            <!-- Sidebar Toggle-->
22            <button class="btn btn-link btn-sm order-1 order-lg-0 me-4 me-lg-0" id="sidebarToggle" href="#"><i class="fas fa-bars" style="font-size: 1.5em;"></i></button>
23            <!-- Navbar Search-->
24            <form class="d-none d-md-inline-block form-inline ms-auto me-0 me-md-3 my-2 my-md-0">
25                <div class="input-group">
26                    <input class="form-control" type="text" placeholder="Search for..." aria-label="Search for..." aria-describedby="btnNavbarSearch" style="font-size: 1em; border-radius: 0.25em; padding: 0.5em; width: 150px;" />
27                    <button class="btn btn-primary" id="btnNavbarSearch" type="button"><i class="fas fa-search" style="font-size: 1.2em; margin-left: 0.2em;"></i></button>
28                </div>
29            <!-- Navbar-->
30            @include('includes.navbar')
31        </nav>
32    </body>
33
34    <div id="layoutSidenav">
35        <div id="layoutSidenav_nav">
36            <!-- Sidebar -->
37            @include('includes.sidebar')
38        </div>
39        <div id="layoutSidenav_content">
40            {{-- Content --}}
41            @yield('content')
42            @include('includes.footer')
43        </div>
44    </div>
45    <script src="https://code.jquery.com/jquery-3.7.0.min.js" integrity="sha256-2Pmv0kU7B0enSvLm6bvFBSSHrUJ+3A7x6" crossorigin="anonymous"></script>
46    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" crossorigin="anonymous"></script>
47    <script src="https://cdn.datatables.net/1.13.4/js/jquery.dataTables.min.js"></script>
48    <script src="https://cdn.datatables.net/1.13.4/js/dataTables.bootstrap5.min.js"></script>
49    <script src="https://cdnjs.cloudflare.com/ajax/libs/Chart.js/2.8.0/Chart.min.js" crossorigin="anonymous"></script>
50    <script src="{{ asset('js/scripts.js') }}"></script>
51    <script src="{{ asset('js/chart-area-demo.js') }}"></script>
52    <script src="{{ asset('js/chart-bar-demo.js') }}"></script>
53    <script src="{{ asset('js/datatables-demo.js') }}"></script>
54
55    </body>
56
57    </html>
```

### i. Product

Card

File Edit Selection View Go Run Terminal Help card.blade.php - arkatama - Visual Studio Code

EXPLORER

- ARKATAMA
  - > app
  - > bootstrap
  - > config
  - > lang
  - > public
  - > resources
    - > css
    - > js
  - > views
    - > auth
    - > brand
    - > cart
    - > category
    - > includes
    - > layouts
    - > product
      - card.blade.php M
      - create.blade.php
      - edit.blade.php
      - index.blade.php
      - show.blade.php
      - > role
      - > slider
      - > user
      - > create.blade.php

resources > views > product > card.blade.php > main > div.container-fluid.px-4 > section.py-5 > div.container.px-4.px-lg-5.mt-5 > div.row.gx-4.gx-lg-5.row-cols-2.ro

```

1 You, 3 seconds ago | 1 author (You)
2 @extends('layouts.main')
3
4 @section('content')
5   <div class="container-fluid px-4">
6     <section class="py-5">
7       <div class="container px-4 px-lg-5 mt-5">
8         <div class="row gx-4 gx-lg-5 row-cols-2 row-cols-md-3 row-cols-xl-4 justify-content-center">
9           @forelse ($products as $product)
10             <div class="col mb-5">
11               <div class="card h-100">
12                 @if ($product['sale_price'] != 0)
13                   <!-- Sale badge-->
14                   <div class="badge bg-success text-white position-absolute" style="top: 0.5em; left: 0.5em; font-size: 0.8em; padding: 2px 5px; border-radius: 50%;">SALE</div>
15                 @endif
16
17                 <!-- Product image-->
18                 
19
20                 <!-- Product details-->
21                 <div class="card-body p-4">
22                   <div class="text-center">
23                     <!-- Product name-->
24                     <a href="#" style="text-decoration: none; color: inherit; font-weight: bold;">{{ $product->name }}</a>
25
26                     <!-- Product reviews-->
27                     <div class="d-flex justify-content-center small text-warning mb-2">
28                       @for ($i = 0; $i < $product->rating; $i++)
29                         <div class="bi-star-fill"></div>
30                       @endfor
31                     </div>
32
33                     <!-- Product price-->
34                     @if ($product['sale_price'] != 0)
35                       <span class="text-muted text-decoration-line-through">Rp.{{ number_format($product->price, 0) }}</span>
36                     @else
37                       <span class="text-decoration-line-through">Rp.{{ number_format($product->sale_price, 0) }}</span>
38                     @endif
39
40                     <!-- Product actions-->
41                     <div class="card-footer p-4 pt-0 border-top-0 bg-transparent">
42                       <div class="text-center"><a class="btn btn-outline-dark mt-auto" href="{{ $product->getRoute() }}>View</a></div>
43                     </div>
44
45                     @empty
46                       <div class="alert alert-secondary w-100 text-center" role="alert">
47                         <h4>Produk belum tersedia</h4>
48                       </div>
49                     @endforelse
50                   </div>
51                 </div>
52               </div>
53             </div>
54           </div>
55         </div>
56       </div>
57     </div>
58   </main>
59 @endsection

```

You, 1 second ago | Ln 45, Col 135 | Spaces: 4 | UTF-8 | LF | Blade | Go Live | Spell | 23:42 | 14/06/2023

File Edit Selection View Go Run Terminal Help card.blade.php - arkatama - Visual Studio Code

EXPLORER

- ARKATAMA
  - > app
  - > bootstrap
  - > config
  - > database
  - > lang
  - > public
  - > resources
    - > css
    - > js
  - > views
    - > auth
    - > brand
    - > cart
    - > category
    - > includes
    - > layouts
    - > product
      - card.blade.php M
      - create.blade.php
      - edit.blade.php
      - index.blade.php
      - show.blade.php
      - > role
      - > slider
      - > user
      - > create.blade.php

resources > views > product > card.blade.php > main > div.container.px-4.px-lg-5.mt-5 > section.py-5 > div.row.gx-4.gx-lg-5.row-cols-2.row-cols-md-3.row-cols-xl-4.justify-content-center

```

1
2   <!-- Product reviews-->
3   <div class="d-flex justify-content-center small text-warning mb-2">
4     @for ($i = 0; $i < $product->rating; $i++)
5       <div class="bi-star-fill"></div>
6     @endfor
7   </div>
8
9   <!-- Product price-->
10  @if ($product['sale_price'] != 0)
11    <span class="text-muted text-decoration-line-through">Rp.{{ number_format($product->price, 0) }}</span>
12  @else
13    <span class="text-decoration-line-through">Rp.{{ number_format($product->sale_price, 0) }}</span>
14  @endif
15
16
17   <!-- Product actions-->
18   <div class="card-footer p-4 pt-0 border-top-0 bg-transparent">
19     <div class="text-center"><a class="btn btn-outline-dark mt-auto" href="{{ $product->getRoute() }}>View</a></div>
20   </div>
21
22   @empty
23     <div class="alert alert-secondary w-100 text-center" role="alert">
24       <h4>Produk belum tersedia</h4>
25     </div>
26   @endforelse
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

```

You, yesterday | Ln 43, Col 60 | Spaces: 4 | UTF-8 | LF | Blade | Go Live | Spell | 23:43 | 14/06/2023

Create

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer (Left):** Shows the project structure under 'ARKATAMA'. The 'product' folder is expanded, showing files like 'card.blade.php', 'create.blade.php' (which is currently selected), 'edit.blade.php', 'index.blade.php', and 'show.blade.php'. Other folders like 'views' and 'resources' also contain blade files.
- Code Editor (Center):** Displays the content of 'create.blade.php'. The code uses Blade templating syntax with PHP-like logic. It includes sections for 'content' and 'main', forms for category and name inputs, and price labels.
- Terminal (Bottom Left):** Shows the command 'create.blade.php - arkatama - Visual Studio Code'.
- Status Bar (Bottom Right):** Shows the date '14/06/2022', time '23:44', location 'Berawan', and system status indicators.

```
<small class="text-danger">{{ $message }}</small>
        @enderror
    </div>
    <div class="mb-3">
        <label for="sale_price" class="form-label">Sale Price</label>
        <input type="text" class="form-control" @error('sale_price') is-invalid @enderror id="sale_price" value="{{ old('sale_price') }}"/>
        @error('sale_price')
            <small class="text-danger">{{ $message }}</small>
        @enderror
    </div>
    <div class="mb-3">
        <label for="brand" class="form-label">Brand</label>
        <select class="form-select" @error('brand') is-invalid @enderror aria-label="brand" id="brand">
            <option selected disabled> Choose Brand -</option>
            @foreach ($brands as $brand)
                <option value="{{ $brand->name }}> {{ old('brand') == $brand->name ? 'selected' : '' }}</option>
            @endforeach
        </select>
        @error('brand')
            <small class="text-danger">{{ $message }}</small>
        @enderror
    </div>

    <div class="mb-3">
        <label for="image" class="form-label">Product Image</label>
        <input class="form-control" @error('image') is-invalid @enderror type="file" name="image" value="{{ old('image') }}"/>
        @error('image')
            <small class="text-danger">{{ $message }}</small>
        @enderror
    </div>

    <button type="submit" class="btn btn-primary">Submit</button>
    <a href="{{ route('product.index') }}" class="btn btn-secondary">Cancel</a>

```

Edit

edit.blade.php - arkatama - Visual Studio Code

```

File Edit Selection View Go Run Terminal Help
edit.blade.php ×
resources > views > product > edit.blade.php > main > div.container-fluid.px-4 > div.card.mb-4 > div.card-body > form > div.mb-3 > select#category.form-select
You, yesterday | author (You)
1 @extends('layouts.main')
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Edit Product</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('product.update', $product->id) }}" method="POST" enctype="multipart/form-data">
11        @csrf
12        @method('PUT')
13
14        <div class="mb-3">
15          <label for="category" class="form-label">Category</label>
16          <select class="form-select" aria-label="category" id="category" name="category">
17            <option selected disabled>-- Choose Category --</option>
18            @foreach ($categories as $cat)
19              <option value="{{ $cat->id }}> {{ $product->category_id == $cat->id ? 'selected' : '' }} {{ $cat->name }}</option>
20            @endforeach
21          </select>
22        </div>
23        <div class="mb-3">
24          <label for="name" class="form-label">Name</label>
25          <input type="text" class="form-control" id="name" value="{{ $product->name }}" name="name" required="required" />
26        </div>
27        <div class="mb-3">
28          <label for="price" class="form-label">Price</label>
29          <input type="text" class="form-control" id="price" value="{{ $product->price }}" name="price" required="required" />
30        </div>
31        <div class="mb-3">
32          <label for="sale-price" class="form-label">Sale Price</label>
33          <input type="text" class="form-control" id="sale-price" value="{{ $product->sale_price }}" name="sale_price" required="required" />
34        </div>
35
36        <div class="mb-3">
37          <label for="brand" class="form-label">Brand</label>
38          <select class="form-select" aria-label="brand" id="brand" name="brand">
39            <option selected disabled>-- Choose Brand --</option>
40            @foreach ($brands as $brand)
41              <option value="{{ $brand->name }}> {{ $product->brands == $brand->name ? 'selected' : '' }} {{ $brand->name }}</option>
42            @endforeach
43          </select>
44        </div>
45
46        <div class="mb-3">
47          <label for="image" class="form-label">Product Image</label>
48          <input class="form-control" type="file" name="image" id="image" accept=".jpg, .jpeg, .png" />
49        </div>
50
51        <button type="submit" class="btn btn-primary">Submit</button>
52        <button type="button" class="btn btn-secondary">Cancel</button>
53
54      </div>
55    </div>
56  </main>
57 @endsection

```

You, yesterday | 14/06/2023 23:45

edit.blade.php - arkatama - Visual Studio Code

```

File Edit Selection View Go Run Terminal Help
edit.blade.php ×
resources > views > product > edit.blade.php > main > div.container-fluid.px-4 > div.card.mb-4 > div.card-body > form > div.mb-3 > select#category.form-select
You, yesterday | author (You)
1 @extends('layouts.main')
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Edit Product</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('product.update', $product->id) }}" method="POST" enctype="multipart/form-data">
11        @csrf
12        @method('PUT')
13
14        <div class="mb-3">
15          <label for="category" class="form-label">Category</label>
16          <select class="form-select" aria-label="category" id="category" name="category">
17            <option selected disabled>-- Choose Category --</option>
18            @foreach ($categories as $cat)
19              <option value="{{ $cat->id }}> {{ $product->category_id == $cat->id ? 'selected' : '' }} {{ $cat->name }}</option>
20            @endforeach
21          </select>
22        </div>
23        <div class="mb-3">
24          <label for="name" class="form-label">Name</label>
25          <input type="text" class="form-control" id="name" value="{{ $product->name }}" name="name" required="required" />
26        </div>
27        <div class="mb-3">
28          <label for="price" class="form-label">Price</label>
29          <input type="text" class="form-control" id="price" value="{{ $product->price }}" name="price" required="required" />
30        </div>
31        <div class="mb-3">
32          <label for="sale-price" class="form-label">Sale Price</label>
33          <input type="text" class="form-control" id="sale-price" value="{{ $product->sale_price }}" name="sale_price" required="required" />
34        </div>
35
36        <div class="mb-3">
37          <label for="brand" class="form-label">Brand</label>
38          <select class="form-select" aria-label="brand" id="brand" name="brand">
39            <option selected disabled>-- Choose Brand --</option>
40            @foreach ($brands as $brand)
41              <option value="{{ $brand->name }}> {{ $product->brands == $brand->name ? 'selected' : '' }} {{ $brand->name }}</option>
42            @endforeach
43          </select>
44        </div>
45
46        <div class="mb-3">
47          <label for="image" class="form-label">Product Image</label>
48          <input class="form-control" type="file" name="image" id="image" accept=".jpg, .jpeg, .png" />
49        </div>
50
51        <button type="submit" class="btn btn-primary">Submit</button>
52        <button type="button" class="btn btn-secondary">Cancel</button>
53
54      </div>
55    </div>
56  </main>
57 @endsection

```

You, yesterday | 14/06/2023 23:46

## Index

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

EXPLORER

ARKATAMA

- > app
- > bootstrap
- > config
- > database
- > lang
- > public
- > resources
- > views
- > auth
- > brand
- > cart
- > category
- > includes
- > layouts
- > product
  - card.blade.php
  - create.blade.php
  - edit.blade.php
  - index.blade.php
  - show.blade.php
- > role
- > slider
- > user
  - create.blade.php

OUTLINE

TIMELINE

index.blade.php

```
You, yesterday | 1 author (You)
1 @extends('layouts.main')
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Product</h1>
7
8     <a class="btn btn-primary mb-2" href="{{ route('product.create') }}" role="button">Create New</a>
9
10    {{-- Flash session message --}}
11    @if ($message = Session::get('success'))
12      <div class="alert alert-success" role="alert">
13        | {{ $message }}
14      </div>
15    @endif
16
17    @if ($message = Session::get('error'))
18      <div class="alert alert-danger" role="alert">
19        | {{ $message }}
20      </div>
21    @endif
22
23    <div class="card mb-4">
24      <div class="card-body">
25        <table id="dataTable" class="table table-striped">
26          <thead>
27            <tr>
28              <th>#</th>
29              <th>Category</th>
30              You, yesterday * tugas 25-27
31              <th>Name</th>
32              <th>Price</th>
33              <th>Sale Price</th>
34            </tr>
35          </thead>
36          <tbody>
37            <tr>
38              <td>{{ $loop->iteration }}</td>
39              <td>{{ $product->category->name }}</td>
40              <td>{{ $product->name }}</td>
41              <td>Rp. {{ number_format($product->price, 0, 2) }}</td>
42              <td>Rp. {{ number_format($product->sale_price, 0, 2) }}</td>
43              <td>
44                @if ($product->image == null)
45                  <small><em>No Image</em></small>
46                @else
47                  
48                @endif
49              </td>
50            <td>
51              @if ($product->approve)
52                <small class="text-success">Approved</small>
53              @else
54                <small class="text-danger">Rejected</small>
55              @endif
56            </td>
57            <td>
58              @if (Auth::user()->role->name == 'Admin')
59                @if ($product->approve)
60                  <form onsubmit="return confirm('Are you sure?');" action="{{ route('product.update', $product) }}"
61                    @csrf
62                    @method('PUT')>
63                </form>
64              @endif
65            </td>
66          </tr>
67        </tbody>
68      </table>
69    </div>
70  </div>
71</main>
```

You, yesterday | 29 Col 50 Spaces:4 UTF-8 LF Blade Go Live Spell

23:47 14/06/2023

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

EXPLORER

ARKATAMA

- > app
- > bootstrap
- > config
- > database
- > lang
- > public
- > resources
- > views
- > auth
- > brand
- > cart
- > category
- > includes
- > layouts
- > product
  - card.blade.php
  - create.blade.php
  - edit.blade.php
  - index.blade.php
  - show.blade.php
- > role
- > slider
- > user
  - create.blade.php

OUTLINE

TIMELINE

index.blade.php

```
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
```

index.blade.php

```
You, yesterday | 33 Col 46 Spaces:4 UTF-8 LF Blade Go Live Spell

23:48 14/06/2023


```

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

EXPLORER ARKATAMA

- > app
- > bootstrap
- > config
- > lang
- > public
- > resources
- > css
- > js
- > views
- > auth
- > brand
- > cart
- > category
- > includes
- > layouts
- > product
  - card.blade.php
  - create.blade.php
  - edit.blade.php
  - index.blade.php
  - show.blade.php
- > role
- > slider
- > user
- > < create.blade.php

OUTLINE TIMELINE

```
63    @if ($product->approve)
64        <form onsubmit="return confirm('Are you sure? ');" action="{{ route('product.approve', $product) }}"
65            @csrf
66            @method('PUT')
67            <button type="submit" class="btn btn-sm btn-danger">Reject</button>
68        </form>
69    @else
70        <form onsubmit="return confirm('Are you sure? ');" action="{{ route('product.reject', $product) }}"
71            @csrf
72            @method('PUT')
73            <button type="submit" class="btn btn-sm btn-success">Approve</button>
74        </form>
75    @endif
76    <form onsubmit="return confirm('Are you sure? ');" action="{{ route('product.destroy', $product) }}"
77        > a href="{{ route('product.edit', $product) }}" class="btn btn-sm btn-primary">Edit</a>
78        @csrf
79        @method('DELETE')
80
81        <button type="submit" class="btn btn-sm btn-danger">Delete</button>
82    </form>
83    @endif
84    </td>
85    </tr>
86    @endforeach
87    </tbody>
88    </table>
89    </div>
90    </div>
91    </main>
92 @endsection
```

You, yesterday \* tugas 25-27

main\* 24°C Berawan 23:48 14/06/2023

## Show

File Edit Selection View Go Run Terminal Help show.blade.php - arkatama - Visual Studio Code

EXPLORER ARKATAMA

- > app
- > bootstrap
- > config
- > database
- > lang
- > public
- > resources
- > css
- > js
- > views
- > auth
- > brand
- > cart
- > category
- > includes
- > layouts
- > product
  - card.blade.php
  - create.blade.php
  - edit.blade.php
  - index.blade.php
  - show.blade.php
- > role
- > slider
- > user
- > < create.blade.php

OUTLINE TIMELINE

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4     <head>
5         <meta charset="utf-8" />
6         <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
7         <meta name="description" content="" />
8         <meta name="author" content="" />
9         <title>Shop Item - Start Bootstrap Template</title>
10        <!-- Favicon-->
11        <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
12
13        <!-- Bootstrap icons-->
14        <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css" rel="stylesheet" />
15        <link href="{{ asset('css/styles.css') }}" rel="stylesheet" />
16
17
18    </head>
19
20    <!-- Navigation-->
21    <nav class="navbar navbar-expand-lg navbar-light bg-light">
22        <div class="container px-4 px-lg-5">
23            <a class="navbar-brand" href="#">Start Bootstrap</a>
24            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-label="Toggle navigation"><span class="navbar-toggler-icon"></span></button>
25            <div class="collapse navbar-collapse" id="navbarSupportedContent">
26                <form class="d-flex">
27                    <button class="btn btn-outline-dark" type="submit">
28                        <i class="bi-cart-fill me-1"></i>
29                        Cart
30                        <span class="badge bg-dark text-white ms-1 rounded-pill">0</span>
31                    </button>
32                </form>
33            </div>
34        </div>
35    </nav>
```

You, yesterday \* tugas 25-27

main\* 24°C Berawan 23:49 14/06/2023

**File Edit Selection View Go Run Terminal Help**

**show.blade.php - arkatama - Visual Studio Code**

```

EXPLORER
ARKATAMA
  > app
  > bootstrap
  > config
  > lang
  > public
  > resources
    > css
    > js
  > views
    > auth
    > brand
    > cart
    > category
    > includes
    > layouts
    > product
      <-- show.blade.php selected
      > card.blade.php
      > create.blade.php
      > edit.blade.php
      > index.blade.php
      > show.blade.php
    > role
    > slider
    > user
      <-- create.blade.php selected
    > outline
    > timeline

```

```

resources > views > product > show.blade.php <-- current file
  </form>
  </div>
</nav>
<!-- Product section-->
<section class="py-5">
  <div class="container px-4 py-4 px-lg-5 my-5">
    <div class="row gx-4 gy-4 gx-lg-5 align-items-center">
      @if ($product->image)
        <div class="col-md-6">
      @else
        <div class="col-md-6">
      @endif
      <div class="col-md-6">
        <div class="small mb-1">SKU: BST-498</div>
        <h1 class="display-5 fw-bolder">{{ $product->name }}
        <div class="fs-5 mb-5">
          <span class="text-decoration-line-through">Rp.{{ number_format($product->price, 0) }}</span>
          <span>Rp.{{ number_format($product->sale_price, 0) }}</span>
        </div>
        <p class="lead">Lorem ipsum dolor sit amet consectetur adipisicing elit. Praesentium at dolore blanditiis delectus ipsam minima ea iste laborum vero?</p>
        <div class="d-flex">
          <input class="form-control text-center me-3" id="inputQuantity" type="num" value="1" style="width: 50px;"/>
          <button class="btn btn-outline-dark flex-shrink-0" type="button">
            Add to cart
            <i class="bi-cart-fill me-1"></i>
          </button>
        </div>
      </div>
    </div>
  </div>
  You, yesterday * tugas 25-27

```

You, yesterday Ln 63, Col 19 Spaces:4 UTF-8 LF Blade Go Live Spell

## k. Role

### Create

**File Edit Selection View Go Run Terminal Help**

**create.blade.php - arkatama - Visual Studio Code**

```

EXPLORER
ARKATAMA
  > app
  > bootstrap
  > config
  > database
  > lang
  > public
  > resources
    > css
    > js
  > views
    > auth
    > brand
    > cart
    > category
    > includes
    > layouts
    > product
    > role
      <-- create.blade.php selected
      > card.blade.php
      > edit.blade.php
      > index.blade.php
    > slider
    > user
      > create.blade.php
      > edit.blade.php
      > index.blade.php
    > outline
    > timeline

```

```

resources > views > role > create.blade.php ...
You, yesterday | 1 author (You)
  1 @extends('layouts.main')
  2
  3 @section('content')
  4   <main>
  5     <div class="container-fluid px-4">
  6       <h1 class="my-4">Create Role</h1>
  7
  8       <div class="card mb-4">
  9         <div class="card-body">
 10           <form action="{{ route('role.store') }}" method="POST">
 11             @csrf
 12             <div class="mb-3">
 13               <label for="name" class="form-label">Name</label>
 14               <input type="text" class="form-control" id="name" name="name" required>
 15             </div>
 16             <button type="submit" class="btn btn-primary">Submit</button>
 17             <a href="{{ route('role.index') }}" class="btn btn-secondary">Cancel</a>
 18           </form>
 19         </div>
 20       </div>
 21     </main>
 22   @endsection
 23
 24

```

You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell

### Edit

File Edit Selection View Go Run Terminal Help edit.blade.php - arkatama - Visual Studio Code

resources > views > role > edit.blade.php ... You, yesterday | 1 author (You)

```
1 @extends('layouts.main') You, yesterday * tugas 25-27 ...
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Edit Role</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('role.update', $role->id) }}" method="POST">
11        @csrf
12        @method('PUT')
13
14        <div class="mb-3">
15          <label for="name" class="form-label">Name</label>
16          <input type="text" class="form-control" id="name" value="{{ $role->name }}" name="name">
17        </div>
18
19        <button type="submit" class="btn btn-primary">Submit</button>
20        <a href="{{ route('role.index') }}" class="btn btn-secondary">Cancel</a>
21
22      </form>
23    </div>
24  </div>
25 </main>
26 @endsection
```

You, yesterday | Ln 1, Col 1 Spaces: 4 UTF-8 LF Blade ⚡ Go Live ⚡ Spell 🔍

Type here to search

## Index

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

resources > views > role > index.blade.php ... You, yesterday | 1 author (You)

```
1 @extends('layouts.main') You, yesterday * tugas 25-27 ...
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Role</h1>
7
8     <a href="{{ route('role.create') }}" class="btn btn-primary mb-2">Create New</a>
9
10    <div class="card mb-4">
11      <div class="card-body">
12        <table id="dataTable" class="table table-striped">
13          <thead>
14            <tr>
15              <th>#</th>
16              <th>Name</th>
17              <th>Action</th>
18            </tr>
19          </thead>
20          <tbody>
21            @foreach ($roles as $role)
22              <tr>
23                <td>{{ $loop->iteration }}</td>
24                <td>{{ $role->name }}</td>
25                <td>
26                  <form action="{{ route('role.destroy', $role->id) }}" method="POST" class="d-inline">
27                    @csrf
28                    @method('DELETE')
29                    <button type="submit" class="btn btn-danger" onclick="return confirm('Are you sure?')>Delete</button>
30                  </form>
31                </td>
32              </tr>
33            @endforeach
34          </tbody>
35        </table>
36      </div>
37    </div>
38  </div>
39 </main>
40 @endsection
```

You, yesterday | Ln 1, Col 1 Spaces: 4 UTF-8 LF Blade ⚡ Go Live ⚡ Spell 🔍

Type here to search

The screenshot shows the Visual Studio Code interface with the file `index.blade.php` open. The code is a Blade template for displaying a list of roles. It includes a table with columns for iteration, role name, and action buttons for deletion. The code uses Blade syntax like `@foreach`, `@method('DELETE')`, and `return confirm()`.

```
<div class="card-body">
    <table id="dataTable" class="table table-striped">
        <thead>
            <tr>
                <th>#</th>
                <th>Name</th>
                <th>Action</th>
            </tr>
        </thead>
        <tbody>
            @foreach ($roles as $role)
                <tr>
                    <td>{{ $loop->iteration }}</td>
                    <td>{{ $role->name }}</td>
                    <td>
                        <form action="{{ route('role.destroy', $role->id) }}" method="POST" class="d-inline">
                            @csrf
                            @method('DELETE')
                            <button type="submit" class="btn btn-warning" onclick="return confirm('Are you sure?')"></button>
                        </form>
                    </td>
                </tr>
            @endforeach
        </tbody>
    </table>
</div>
```

## I. Slider

### Create

The screenshot shows the Visual Studio Code interface with the file `create.blade.php` open. The code is a Blade template for creating a new slider. It features a form with fields for title, caption, and image, both with and without file inputs.

```
@extends('layouts.main')
@section('content')
    <div class="container-fluid px-4">
        <h1 class="my-4">Create Slider</h1>
        <div class="card mb-4">
            <div class="card-body">
                <form action="{{ route('slider.store') }}" method="POST" enctype="multipart/form-data">
                    @csrf
                    <div class="mb-3">
                        <label for="title" class="form-label">Title</label>
                        <input type="text" class="form-control" id="title" name="title" required>
                    </div>
                    <div class="mb-3">
                        <label for="caption" class="form-label">Caption</label>
                        <input type="text" class="form-control" id="caption" name="caption" required>
                    </div>
                    <div class="mb-3">
                        <label for="image" class="form-label">Slider Image</label>
                        <input class="form-control" type="file" name="image" id="image" accept=".jpg, .jpeg, .png" required>
                    </div>
                    <button type="submit" class="btn btn-primary">Submit</button>
                    <a href="{{ route('slider.index') }}" class="btn btn-secondary">Cancel</a>
                </form>
            </div>
        </div>
    </div>
```

### Edit

edit.blade.php - arkatama - Visual Studio Code

```
You, yesterday | author (You)
1 @extends('layouts.main')
2
3 @section('content')
4 <main>
5     <div class="container-fluid px-4">
6         <h1 class="my-4">Edit Slider</h1>
7
8         <div class="card mb-4">
9             <div class="card-body">
10            You, yesterday * tugas 25-27 ...
11            <form action="{{ route('slider.update', $slider->id) }}" method="POST" enctype="multipart/form-data">
12                @csrf
13                @method('PUT')
14
15                <div class="mb-3">
16                    <label for="title" class="form-label">Title</label>
17                    <input type="text" class="form-control" id="title" value="{{ $slider->title }}" name="title" ...>
18                </div>
19
20                <div class="mb-3">
21                    <label for="caption" class="form-label">Caption</label>
22                    <input type="text" class="form-control" id="caption" value="{{ $slider->caption }} " name="caption" ...>
23                </div>
24
25                <div class="mb-3">
26                    <label for="image" class="form-label">Slider Image <small>(optional)</small></label>
27                    <input class="form-control" type="file" name="image" id="image" accept=".jpg, .jpeg, ..." ...>
28                </div>
29
30                <button type="submit" class="btn btn-primary">Submit</button>
31                <a href="{{ route('slider.index') }}" class="btn btn-secondary">Cancel</a>
32            </form>

```

You, yesterday Ln 14, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell 23:57 14/06/2023

## Index

index.blade.php - arkatama - Visual Studio Code

```
You, yesterday * tugas 25-27 ...
resources > views > slider > index.blade.php > ...
1 @extends('layouts.main') ...
2
3 @section('content')
4 <main>
5     <div class="container-fluid px-4">
6         <h1 class="my-4">Slider</h1>
7
8         <a class="btn btn-primary mb-2" href="{{ route('slider.create') }}" role="button">Create New</a>
9
10        {{-- Flash session message --}}
11        @if ($message = Session::get('success'))
12            <div class="alert alert-success" role="alert">
13                {{ $message }}
14            </div>
15        @endif
16
17        <div class="card mb-4">
18            <div class="card-body">
19                <table id="dataTable" class="table table-striped">
20                    <thead>
21                        <tr>
22                            <th>#</th>
23                            <th>Title</th>
24                            <th>Caption</th>
25                            <th>Image</th>
26                            <th>Status</th>
27                            <th>Action</th>
28                        </tr>
29                    </thead>
30                    <tbody>
31                        @foreach ($sliders as $slider)
32                            <tr>
33                                <td>{{ $loop->iteration }}</td>
34                                <td>{{ $slider->title }}</td>
35                                <td>{{ $slider->caption }}</td>
36                                <td></td>
37                                <td>{{ $slider->status }}</td>
38                                <td><a href="{{ route('slider.edit', $slider->id) }}" class="btn btn-primary">Edit</a> <a href="#" class="btn btn-danger" onclick="confirm('Are you sure?') ? document.getElementById('deleteForm-' . $slider->id).submit() : false;">Delete</a></td>
39                            </tr>
40                        @endforeach
41                    </tbody>
42                </table>
43            </div>
44        </div>
45    </main>
46
47    @push('scripts')
48        <script src="https://cdn.datatables.net/1.13.1/js/jquery.dataTables.min.js"></script>
49        <script>
50            $(document).ready(function() {
51                $('#dataTable').DataTable();
52            });
53        </script>
54    @endpush
55
56
```

You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell 24°C Berawan 23:58 14/06/2023

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

resources > views > slider > index.blade.php

```

resources > views > slider > index.blade.php > main > div.container-fluid.px-4 > div.card.mb-4 > div.card-body > #dataTable.table.table-striped > tbody
    @foreach ($sliders as $slider)
        You, yesterday * tugas 25-27
        <tr>
            <td>{{ $loop->iteration }}</td>
            <td>{{ $slider->title }}</td>
            <td>{{ Str::limit($slider->caption, 20) }}</td>
            <td>
                @if ($slider->image)
                    
                @else
                    <small><em>Image not available</em></small>
                @endif
            </td>
            <td>
                @if ($slider->approve)
                    <small class="text-success">Approved</small>
                @else
                    <small class="text-danger">Rejected</small>
                @endif
            </td>
        </tr>
    @if (Auth::user()->role->name == 'Admin')
        <td>
            @if ($slider->approve)
                <form onsubmit="return confirm('Are you sure? ');" action="{{ route('slider.approve', $slider->id) }}">
                    @csrf
                    @method('PUT')
                    <button type="submit" class="btn btn-sm btn-danger">Reject</button>
                </form>
            @else
                <form onsubmit="return confirm('Are you sure? ');" action="{{ route('slider.reject', $slider->id) }}">
                    @csrf
                    @method('PUT')
                    <button type="submit" class="btn btn-sm btn-success">Approve</button>
                </form>
            @endif
        </td>
    @else
        <td>
            <form onsubmit="return confirm('Are you sure? ');" action="{{ route('slider.delete', $slider->id) }}">
                @csrf
                @method('DELETE')
                <button type="submit" class="btn btn-sm btn-danger">Delete</button>
            </form>
        </td>
    @endif
    </tr>
    @endforeach
</tbody>
</table>
</div>
</div>

```

You, yesterday Ln 84, Col 15 Spaces:4 UTF-8 LF Blade Go Live Spell

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

resources > views > slider > index.blade.php

```

resources > views > slider > index.blade.php > main > div.container-fluid.px-4
    @if ($slider->approve)
        <form onsubmit="return confirm('Are you sure? ');" action="{{ route('slider.approve', $slider->id) }}">
            @csrf
            @method('PUT')
            <button type="submit" class="btn btn-sm btn-danger">Reject</button>
        </form>
    @else
        <form onsubmit="return confirm('Are you sure? ');" action="{{ route('slider.reject', $slider->id) }}">
            @csrf
            @method('PUT')
            <button type="submit" class="btn btn-sm btn-success">Approve</button>
        </form>
    @endif
    <td>
        <form onsubmit="return confirm('Are you sure? ');" action="{{ route('slider.delete', $slider->id) }}">
            @csrf
            @method('DELETE')
            <button type="submit" class="btn btn-sm btn-danger">Delete</button>
        </form>
    </td>
    </tr>
    @endforeach
</tbody>
</table>
</div>
</div>

```

You, yesterday Ln 84, Col 15 Spaces:4 UTF-8 LF Blade Go Live Spell

## m. User

### Create

File Edit Selection View Go Run Terminal Help

create.blade.php - arkatama - Visual Studio Code

resources > views > user > create.blade.php ...

```
1 @extends('layouts.main') You, yesterday * tugas 25-27 ...
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Create User</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('user.store') }}" method="POST">
11        @csrf
12
13        <div class="mb-3">
14          <label for="name" class="form-label">Name</label>
15          <input type="text" class="form-control" id="name" name="name" required>
16        </div>
17        <div class="mb-3">
18          <label for="email" class="form-label">Email</label>
19          <input type="email" class="form-control" id="email" name="email" required>
20        </div>
21        <div class="mb-3">
22          <label for="phone" class="form-label">Phone</label>
23          <input type="text" class="form-control" id="phone" name="phone" required>
24        </div>
25        <div class="mb-3">
26          <label for="role" class="form-label">Role</label>
27          <select class="form-select" aria-label="role" id="role" name="role">
28            <option selected disabled>- Choose Role -</option>
29            @foreach ($roles as $role)
30              <option value="{{ $role->id }}>{{ $role->name }}</option>
31            @endforeach
32          </select>
```

You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell

Type here to search

## Edit

File Edit Selection View Go Run Terminal Help

edit.blade.php - arkatama - Visual Studio Code

resources > views > user > edit.blade.php ...

```
1 @extends('layouts.main') You, yesterday | author (You) You, yesterday * tugas 25-27 ...
2
3 @section('content')
4 <main>
5   <div class="container-fluid px-4">
6     <h1 class="my-4">Edit User</h1>
7
8     <div class="card mb-4">
9       <div class="card-body">
10      <form action="{{ route('user.update', $user->id) }}" method="POST">
11        @csrf
12        @method('PUT')
13
14        <div class="mb-3">
15          <label for="name" class="form-label">Name</label>
16          <input type="text" class="form-control" id="name" value="{{ $user->name }}" name="name" required>
17        </div>
18        <div class="mb-3">
19          <label for="email" class="form-label">Email</label>
20          <input type="email" class="form-control" id="email" value="{{ $user->email }}" name="email" required>
21        </div>
22        <div class="mb-3">
23          <label for="phone" class="form-label">Phone</label>
24          <input type="text" class="form-control" id="phone" value="{{ $user->phone }}" name="phone" required>
25        </div>
26        <div class="mb-3">
27          <label for="role" class="form-label">Role</label>
28          <select class="form-select" aria-label="role" id="role" name="role">
29            <option selected disabled>- Choose Role -</option>
30            @foreach ($roles as $role)
31              <option value="{{ $role->id }}>{{ $role->name }}</option>
32            @endforeach
33          </select>
```

You, yesterday Ln 1, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell

Type here to search

ARKATAMA

```
resources > views > user > edit.blade.php > ...
edit.blade.php - arkatama - Visual Studio Code
12     @extends('layouts.main')
13     @section('content')
14         <div class="mb-3">
15             <label for="name" class="form-label">Name</label>
16             <input type="text" class="form-control" id="name" value="{{ $user->name }}" name="name">
17         </div>
18         <div class="mb-3">
19             <label for="email" class="form-label">Email</label>
20             <input type="email" class="form-control" id="email" value="{{ $user->email }}" name="email">
21         </div>
22         <div class="mb-3">
23             <label for="phone" class="form-label">Phone</label>
24             <input type="text" class="form-control" id="phone" value="{{ $user->phone }}" name="phone">
25         </div>
26         <div class="mb-3">
27             <label for="role" class="form-label">Role</label>
28             <select class="form-select" aria-label="role" id="role" name="role">
29                 <option selected disabled> Choose Role ...</option>
30                 @foreach ($roles as $role)
31                     <option value="{{ $role->id }}> {{ $user->role_id == $role->id ? 'selected' : '' }}</option>
32                 @endforeach
33             </select>
34         </div>
35         <button type="submit" class="btn btn-primary">Submit</button>
36         <a href="{{ route('user.index') }}" class="btn btn-secondary">Cancel</a>
37     </form>
38 </div>
39 </div>
40 </main>
41 @endsection
42
```

ARKATAMA

```
resources > views > user > index.blade.php > ...
index.blade.php - arkatama - Visual Studio Code
1 You, yesterday | author (You)
2     @extends('layouts.main')
3     @section('content')
4         <main>
5             <div class="container-fluid px-4">
6                 <h1 class="my-4">User</h1>
7
8                 <a href="{{ route('user.create') }}" class="btn btn-primary mb-2">Create User</a>
9
10                <div class="card mb-4">
11                    <div class="card-body">
12                        <table id="dataTable" class="table table-striped">
13                            <thead>
14                                <tr>
15                                    <th>#</th>
16                                    <th>Avatar</th>
17                                    <th>Nama</th>
18                                    <th>Email</th>
19                                    <th>Phone</th>
20                                    <th>Role</th>
21                                    <th>Aksi</th>
22                                </tr>
23                            </thead>
24                            <tbody>
25                                @foreach ($users as $user)
26                                    <tr>
27                                        <td>{{ $loop->iteration }}</td>
28                                        <td>
29                                            
30                                        <td>{{ $user->name }}</td>
31                                        <td>{{ $user->email }}</td>
32                                    </tr>
33                                @endforeach
34                            </tbody>
35                        </table>
36                    </div>
37                </div>
38            </main>
39        <div class="py-4">
40            You, yesterday | author (You)
41            Ln 1, Col 1 | Spaces: 4 | UTF-8 | LF | Blade | Go Live | Spell | ...
42            24°C Berawan | 15/06/2023
43        </div>
44    </div>
45
```

File Edit Selection View Go Run Terminal Help index.blade.php - arkatama - Visual Studio Code

EXPLORER

ARKATAMA

- > app
- > bootstrap
- > config
- > lang
- > public
- > resources
- > css
- > js
- > views
- > auth
- > brand
- > cart
- > category
- > includes
- > layouts
- > product
- > role
- > slider
- > user
- create.blade.php
- edit.blade.php
- index.blade.php**
- dashboard.blade.php M
- landing.blade.php M
- welcome.blade.php

index.blade.php

```

resources > views > user > index.blade.php ...
    ...
    @foreach ($users as $user)
        <tr>
            <td>{{ $loop->iteration }}</td>
            <td>
                
            </td>
            <td>{{ $user->name }}</td>
            <td>{{ $user->email }}</td>
            <td>{{ $user->phone }}</td>
            <td>
                <span class="badge" {{ $user->role->name == 'admin' ? 'bg-success' : 'bg-p
            </td>
            <td>
                <form action="{{ route('user.destroy', $user->id) }}" method="POST" class="d
                    <a href="{{ route('user.edit', $user->id) }}" class="btn btn-warning">
                        @csrf
                        @method('DELETE')
                    <button type="submit" class="btn btn-danger" onclick="return confirm('
                </td>
            </tr>
        @endforeach
    </tbody>
</table>
</div>
</div>
</main>
</div>
@endsection

```

Ln 54, Col 1 Spaces:4 UTF-8 LF Blade Go Live Spell

Type here to search 24°C Berawan 0:03 15/06/2023

## n. Dashboard

File Edit Selection View Go Run Terminal Help dashboard.blade.php - arkatama - Visual Studio Code

EXPLORER

ARKATAMA

- > app
- > bootstrap
- > config
- > database
- > lang
- > public
- > resources
- > css
- > js
- > views
- > auth
- > brand
- > cart
- > category
- > includes
- > layouts
- > product
- > role
- > slider
- > user
- dashboard.blade.php M**
- landing.blade.php M
- welcome.blade.php

dashboard.blade.php

```

resources > views > dashboard.blade.php > main > div.container-fluid.px-4 > div.row > div.col-md-12 > div.card.bg-warning.text-white.mb-4 > div.card-footer.d
    ...
    @extends('layouts.main')
    @section('content')
        <main>
            <div class="container-fluid px-4">
                <h1 class="mt-4">Dashboard</h1>
                <ol class="breadcrumb mb-4">
                    <li class="breadcrumb-item active">Dashboard</li>
                </ol>
                <div class="row">
                    <div class="col-md-12">
                        <div class="card bg-primary text-white mb-4">
                            <div class="card-body">Brand</div>
                            <div class="card-footer d-flex align-items-center justify-content-between">
                                <a class="small text-white stretched-link" href="{{ route('brand.index') }}>Detail Br
                                <div class="small text-white"><i class="fas fa-angle-right"></i></div>
                            </div>
                        </div>
                    <div class="col-md-12">
                        <div class="card bg-warning text-white mb-4">
                            <div class="card-body">Category</div>
                            <div class="card-footer d-flex align-items-center justify-content-between">
                                <a class="small text-white stretched-link" href="{{ route('category.index') }}>Detail C
                                <div class="small text-white"><i class="fas fa-angle-right"></i></div>
                            </div>
                        </div>
                    <div class="col-md-12">
                        <div class="card bg-warning text-white mb-4">
                            <div class="card-body">Product</div>
                            <div class="card-footer d-flex align-items-center justify-content-between">

```

Ln 33, Col 101 Spaces:4 UTF-8 LF Blade Go Live Spell

Type here to search 24°C Berawan 0:03 15/06/2023

File Edit Selection View Go Run Terminal Help dashboard.blade.php - arkatama - Visual Studio Code

EXPLORER ARKATAMA

- > app
- > bootstrap
- > config
- > lang
- > public
- > resources
- > css
- > js
- > views
  - > auth
  - > brand
  - > cart
  - > category
  - > includes
  - > layouts
  - > product
  - > role
  - > slider
  - > user
- > routes
  - > api.php
  - > channels.php

dashboard.blade.php M

```

resources > views > dashboard.blade.php > ...
  30   <div class="col-md-12" >
  31     <div class="card bg-warning text-white mb-4" >
  32       <div class="card-body" >Product</div>
  33       <div class="card-footer d-flex align-items-center justify-content-between" >
  34         <a class="small text-white stretched-link" href="{{ route('product.index') }}" >Detail Product</a>
  35         <div class="small text-white" ><i class="fas fa-angle-right" ></i></div>
  36     </div>
  37   </div>
  38   <div class="col-md-12" >
  39     <div class="card bg-success text-white mb-4" >
  40       <div class="card-body" >Role</div>
  41       <div class="card-footer d-flex align-items-center justify-content-between" >
  42         <a class="small text-white stretched-link" href="{{ route('role.index') }}" >Detail Role</a>
  43         <div class="small text-white" ><i class="fas fa-angle-right" ></i></div>
  44     </div>
  45   </div>
  46   <div class="col-md-12" >
  47     <div class="card bg-danger text-white mb-4" >
  48       <div class="card-body" >User</div>
  49       <div class="card-footer d-flex align-items-center justify-content-between" >
  50         <a class="small text-white stretched-link" href="{{ route('user.index') }}" >Detail User</a>
  51         <div class="small text-white" ><i class="fas fa-angle-right" ></i></div>
  52     </div>
  53   </div>
  54 </main>
  55 <endsection>
  56
  57
  58
  59
  60

```

Ln 60, Col 1 Spaces: 4 UTF-8 LF Blade Go Live Spell

Type here to search 24°C Berawan 0:04 15/06/2023

## o. Landing

File Edit Selection View Go Run Terminal Help landing.blade.php - arkatama - Visual Studio Code

EXPLORER ARKATAMA

- > app
- > bootstrap
- > config
- > database
- > lang
- > public
- > resources
- > css
- > js
- > views
  - > auth
  - > brand
  - > cart
  - > category
  - > includes
  - > layouts
  - > product
  - > role
  - > slider
  - > user
- > routes
  - > api.php
  - > channels.php

landing.blade.php M

```

resources > views > landing.blade.php > html > body > section.py-5 > div.container.px-4.py-lg-5.mt-5 > div.row.gx-4.gx-lg-5.row-cols-2.row-cols-md-3.row-cols-xl-4 > ...
  You, 13 seconds ago | author (You)
  1  <!DOCTYPE html>
  2  <html lang="en" >
  3
  4    <head>
  5      <meta charset="utf-8" />
  6      <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no" />
  7      <meta name="description" content="" />
  8      <meta name="author" content="" />
  9      <title>Zii Accessories</title>
 10
 11      <!-- Favicon-->
 12      <link rel="icon" type="image/x-icon" href="{{ asset('favicon.ico') }}" />
 13
 14      <!-- Bootstrap icons-->
 15      <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.5.0/font/bootstrap-icons.css" rel="stylesheet" />
 16
 17      <!-- Core theme CSS (includes Bootstrap)-->
 18      <link href="{{ asset('css/landing.css') }}" rel="stylesheet" />
 19
 20    </head>
 21
 22    <body>
 23      <!-- Navigation-->
 24      <nav class="navbar navbar-expand-lg navbar-dark bg-dark" >
 25        <div class="container px-4 px-lg-5" >
 26          <a class="navbar-brand" href="#">Zii Accessories</a>
 27          <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent" aria-label="Toggle navigation" ><span class="navbar-toggler-icon" ></span></button>
 28          <div class="collapse navbar-collapse" id="navbarSupportedContent" >
 29            <ul class="navbar-nav me-auto mb-2 mb-lg-0 ms-1lg-4" >
 30              <li class="nav-item"><a class="nav-link active" aria-current="page" href="#">Home</a></li>
 31
 32              <li class="nav-item dropdown" >
 33                <a class="nav-link dropdown-toggle" id="navbarDropdown" href="#" role="button" data-bs-toggle="dropdown" aria-haspopup="true" aria-labelledby="navbarDropdown" ><span class="fas fa-angle-down" ></span></a>
 34                <ul class="dropdown-menu" aria-labelledby="navbarDropdown" >
 35                  @foreach ($categories as $category) >
 36                    <li class="dropdown-item" ><a href="#">{{ $category['name'] }}</a></li>
 37                  @endforeach
 38                </ul>
 39              </li>
 40            </ul>
 41          </div>
 42        </div>
 43      </nav>
 44
 45      <!-- Main Content-->
 46      <div class="container px-4 px-lg-5" >
 47        <div class="row" >
 48          <div class="col-md-4" >
 49            <h2>Categories</h2>
 50            <ul class="list-group" >
 51              @foreach ($categories as $category) >
 52                <li class="list-group-item" ><a href="#">{{ $category['name'] }}</a></li>
 53              @endforeach
 54            </ul>
 55          </div>
 56          <div class="col-md-4" >
 57            <h2>Recent Posts</h2>
 58            <ul class="list-group" >
 59              @foreach ($posts as $post) >
 60                <li class="list-group-item" ><a href="#">{{ $post['title'] }}</a></li>
 61              @endforeach
 62            </ul>
 63          </div>
 64          <div class="col-md-4" >
 65            <h2>Popular Tags</h2>
 66            <ul class="list-group" >
 67              @foreach ($tags as $tag) >
 68                <li class="list-group-item" ><a href="#">{{ $tag['name'] }}</a></li>
 69              @endforeach
 70            </ul>
 71          </div>
 72        </div>
 73      </div>
 74
 75      <!-- Footer-->
 76      <div class="footer" >
 77        <p>Copyright © 2023 Zii Accessories. All Rights Reserved.</p>
 78      </div>
 79
 80    </body>
 81
 82  </html>

```

Ln 155, Col 135 Spaces: 4 UTF-8 LF Blade Go Live Spell

Type here to search 24°C Berawan 0:05 15/06/2023

File Edit Selection View Go Run Terminal Help landing.blade.php - arkatama - Visual Studio Code

EXPLORER

ARKATAMA

- > app
- > bootstrap
- > config
- > lang
- > public
- > resources
  - > css
  - > js
- > views
  - > auth
  - > brand
  - > cart
  - > category
  - > includes
  - > layouts
  - > product
  - > role
  - > slider
  - > user
- & dashboard.blade.php M
- & landing.blade.php M
- & welcome.blade.php
- > routes
  - & api.php
  - & channels.php

OUTLINE

TIMELINE

landing.blade.php M

```
resources > views > landing.blade.php > html > body
  <ul class="dropdown-menu" aria-labelledby="navbarDropdown">
    @foreach ($categories as $category)
      <li><a href="{{ route('landing', ['category' => $category->name])}}>{{ $category->name }}</a>
    @endforeach
  </li>
</ul>
<form class="{{ route('cart.index') }}">
  <a class="btn btn-outline-light" role="button" href="#">
    <i class="bi-cart-fill me-1"></i>
    Cart
    <span class="badge bg-light text-dark ms-1 rounded-pill">0</span>
  </a>
  @auth
    <a href="{{ route('dashboard') }}" class="btn btn-outline-light ms-1">
      <i class="bi-person-fill me-1"></i>
      Dashboard
    </a>
  @endauth
  @guest
    <a href="{{ route('login') }}" class="btn btn-outline-light ms-1">
      <i class="bi-person-fill me-1"></i>
      Login
    </a>
  @endguest
</form>
</div>
</nav>
!!-- Carousel--> You, yesterday * tugas 25-27
<div id="carouselExampleIndicators" class="carousel slide" data-bs-ride="carousel">
```

You, yesterday Ln 62, Col 21 Spaces:4 UTF-8 LF Blade Go Live Spell

24°C Berawan 15/06/2023

File Edit Selection View Go Run Terminal Help landing.blade.php - arkatama - Visual Studio Code

EXPLORER

ARKATAMA

- > app
- > bootstrap
- > config
- > database
- > lang
- > public
- > resources
  - > css
  - > js
- > views
  - > auth
  - > brand
  - > cart
  - > category
  - > includes
  - > layouts
  - > product
  - > role
  - > slider
  - > user
- & dashboard.blade.php M
- & landing.blade.php M
- & welcome.blade.php
- > routes
  - & api.php
  - & channels.php

OUTLINE

TIMELINE

landing.blade.php M

```
resources > views > landing.blade.php > html > body > div#carouselExampleIndicators.carousel.slide > button.carousel-control-next
  !!-- Carousel-->
  <div id="carouselExampleIndicators" class="carousel slide" data-bs-ride="carousel">
    <div class="carousel-indicators">
      @foreach ($sliders as $slider)
        <button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="{{ $loop->index }}"
          aria-current="{{ $loop->first ? 'true' : '' }}" aria-label="Slide 1"></button>
      @endforeach
    </div>
    <div class="carousel-inner">
      @foreach ($sliders as $slider)
        <div class="carousel-item {{ $loop->first ? 'active' : '' }}" data-bs-interval="3000">
          {{-- cek apakah slider memiliki image --}}
          @if ($slider->image)
            title }}"/>
          @else
            
          @endif
          <div class="carousel-caption d-none d-md-block">
            <h5>{{ $slider->title }}</h5>
            <p>{{ $slider->caption }}</p>
          </div>
        </div>
      @endforeach
    </div>
    <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide="prev">
      <span class="carousel-control-prev-icon" aria-hidden="true"></span>
      <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide="next">
      <span class="carousel-control-next-icon" aria-hidden="true"></span>
      <span class="visually-hidden">Next</span>
    </button>
  </div>
  You, yesterday * tugas 25-27
</div>
```

You, yesterday Ln 93, Col 18 Spaces:4 UTF-8 LF Blade Go Live Spell

24°C Berawan 15/06/2023

File Edit Selection View Go Run Terminal Help landing.blade.php - arkatama - Visual Studio Code

EXPLORER

ARKATAMA

- > app
- > bootstrap
- > config
- > database
- > lang
- > public
- > resources
  - > css
  - > js
- > views
  - > auth
  - > brand
  - > cart
  - > category
  - > includes
  - > layouts
  - > product
  - > role
  - > slider
  - > user
- < dashboard.blade.php M
- < landing.blade.php M
- < welcome.blade.php
- > routes
  - < api.php
  - < channels.php
- > OUTLINE
- > TIMELINE

landing.blade.php M

```
resources > views > landing.blade.php > html > body > section.py-5 > div.container.px-4.py-lg-5.mt-5 > div.row.gx-4.gx-lg-5.row-cols-md-3.row-cols-xl-4 > div.col-md-5 > div.col-lg-3 > div.col-sm-3 > div.col-3 > form action="{{ route('landing') }}" method="GET" > @csrf > div class="row g-3 my-5" > div class="col-sm-3" > input type="text" class="form-control" placeholder="Min" name="min" value="{{ old('min') }}" > div class="col-sm-3" > input type="text" class="form-control" placeholder="Max" name="max" value="{{ old('max') }}" > div class="col-sm-3" > button type="submit" class="btn btn-primary">Terapkan </div> </div> </div> </div> <div class="row gx-4 gx-lg-5 row-cols-2 row-cols-md-3 row-cols-xl-4 justify-content-center" > @forelse ($products as $product) > div class="col mb-5" > div class="card h-100" > @if ($product['sale_price'] != 0) > !-- Sale badge --> > div class="badge bg-success text-white position-absolute" style="top: 0.5rem; right: 0.5rem;"> > @endif > !-- Product image --> > {{-- Cek apakah product memiliki image --}} > @if ($product->image) >  > @endif </div> </div> </div> </div> <!-- Product details --> <div class="card-body p-4" > <div class="text-center" > <!-- Product name --> <a href="{{ route('product.show', ['id' => $product->id]) }}" style="text-decoration: none; color: inherit;"> <small class="text-strong">{{ $product->category->name }}{{ $product->name }}

You, yesterday Ln 125, Col 18 Spaces:4 UTF-8 LF Blade Go Live Spell



Type here to search



File Edit Selection View Go Run Terminal Help landing.blade.php - arkatama - Visual Studio Code



EXPLORER



ARKATAMA



- > app
- > bootstrap
- > config
- > database
- > lang
- > public
- > resources
  - > css
  - > js
- > views
  - > auth
  - > brand
  - > cart
  - > category
  - > includes
  - > layouts
  - > product
  - > role
  - > slider
  - > user
- < dashboard.blade.php M
- < landing.blade.php M
- < welcome.blade.php
- > routes
  - < api.php
  - < channels.php
- > OUTLINE
- > TIMELINE



landing.blade.php M



```
resources > views > landing.blade.php > html > body > section.py-5 > div.container.px-4.py-lg-5.mt-5 > div.row.gx-4.gx-lg-5.row-cols-md-3.row-cols-xl-4 > div.col-md-5 > div.col-lg-3 > div.col-sm-3 > div.col-3 > form action="{{ route('landing') }}" method="GET" > @csrf > div class="row g-3 my-5" > div class="col-sm-3" > input type="text" class="form-control" placeholder="Min" name="min" value="{{ old('min') }}" > div class="col-sm-3" > input type="text" class="form-control" placeholder="Max" name="max" value="{{ old('max') }}" > div class="col-sm-3" > button type="submit" class="btn btn-primary">Terapkan </div> </div> </div> </div> <div class="row gx-4 gx-lg-5 row-cols-2 row-cols-md-3 row-cols-xl-4 justify-content-center" > @forelse ($products as $product) > div class="col mb-5" > div class="card h-100" > @if ($product['sale_price'] != 0) > !-- Sale badge --> > div class="badge bg-success text-white position-absolute" style="top: 0.5rem; right: 0.5rem;"> > @endif > !-- Product image --> > {{-- Cek apakah product memiliki image --}} > @if ($product->image) >  > @endif </div> </div> </div> </div> <!-- Product details --> <div class="card-body p-4" > <div class="text-center" > <!-- Product name --> <a href="{{ route('product.show', ['id' => $product->id]) }}" style="text-decoration: none; color: inherit;"> <small class="text-strong">{{ $product->category->name }}{{ $product->name }}

You, yesterday Ln 156, Col 34 Spaces:4 UTF-8 LF Blade Go Live Spell



Type here to search


```


```

## **p. Route Web**

```
routes > web.php > ...

1 <?php
2
3 use App\Http\Controllers\BrandController;
4 use App\Http\Controllers\CategoryController;
5 use App\Http\Controllers\LandingController;
6 use App\Http\Controllers>LoginController;
7 use App\Http\Controllers\CartController; You, 3 seconds ago * Uncommitted changes
8 use App\Http\Controllers\ProductController;
9 use App\Http\Controllers\RegisterController;
10 use App\Http\Controllers\RoleController;
11 use App\Http\Controllers\SliderController;
12 use Illuminate\Support\Facades\Route;
13 use App\Http\Controllers\UserController;
14 use App\Http\Controllers\DashboardController;
15
16 /*
17 |
18 | Web Routes
19 |
20 |
21 | Here is where you can register web routes for your application. These
22 | routes are loaded by the RouteServiceProvider within a group which
23 | contains the "web" middleware group. Now create something great!
24 |
25 */
26
27 Route::get('/', [LandingController::class, 'index'])->name('landing');
28
29 Route::get('/register', [RegisterController::class, 'index'])->name('register');
30 Route::post('/register', [RegisterController::class, 'store'])->name('register.store');
31
32 Route::get('/login', [LoginController::class, 'index'])->name('login');
```

```
routes > web.php > Closure
32 Route::get('/login', [LoginController::class, 'index'])->name('login');
33 Route::post('/login', [LoginController::class, 'authenticate'])->name('login.authenticate');
34
35 Route::get('/product/show/{id}', [ProductController::class, 'show'])->name('product.show');
36
37 Route::middleware('auth')->group(function() {
    Route::post('/logout', [LoginController::class, 'logout'])->name('logout');

    // Cart
    Route::get('/cart', [CartController::class, 'index'])->name('cart.index');
    Route::post('/cart/add/{productId}', [CartController::class, 'addToCart'])->name('cart.add');
    Route::post('/cart/remove/{productId}', [CartController::class, 'removeFromCart'])->name('cart.remove');
    Route::post('/cart/clear', [CartController::class, 'clearCart'])->name('cart.clear');

    // Dashboard
    Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');

    // STAFF & ADMIN
    Route::middleware('role:Admin|Staff')->group(function() {
        // Slider
        Route::get('/slider', [SliderController::class, 'index'])->name('slider.index'); // route untuk menampilkan slider
        Route::get('/slider/create', [SliderController::class, 'create'])->name('slider.create'); // route untuk membuat slider
        Route::post('/slider', [SliderController::class, 'store'])->name('slider.store'); // route untuk menyimpan slider
        Route::get('/slider/edit/{id}', [SliderController::class, 'edit'])->name('slider.edit'); // route untuk mengedit slider
        Route::put('/slider/{id}', [SliderController::class, 'update'])->name('slider.update'); // route untuk memperbarui slider
        Route::put('/slider/approve/{id}', [SliderController::class, 'approve'])->name('slider.approve'); // route untuk menyetujui slider
        Route::put('/slider/reject/{id}', [SliderController::class, 'reject'])->name('slider.reject'); // route untuk menolak slider
        Route::delete('/slider/{id}', [SliderController::class, 'destroy'])->name('slider.destroy'); // route untuk menghapus slider

        // Brand
        You, yesterday * tugas 25-27 ...
        Route::get('/brand', [BrandController::class, 'index'])->name('brand.index'); // route untuk menampilkan daftar merek
    });
});
```

```
routes > web.php > Closure
62 // Brand
63 Route::get('/brand', [BrandController::class, 'index'])->name('brand.index'); // route untuk menampilkan daftar merek
64 Route::get('/brand/create', [BrandController::class, 'create'])->name('brand.create'); // route untuk membuat merek
65 Route::get('/brand/edit/{id}', [BrandController::class, 'edit'])->name('brand.edit'); // route untuk mengedit merek
66 Route::put('/brand', [BrandController::class, 'store'])->name('brand.store'); // route untuk menyimpan merek
67 Route::put('/brand/{id}', [BrandController::class, 'update'])->name('brand.update'); // route untuk memperbarui merek
68 Route::delete('/brand/{id}', [BrandController::class, 'destroy'])->name('brand.destroy'); // route untuk menghapus merek

69 // Category
70 Route::get('/category', [CategoryController::class, 'index'])->name('category.index');
71 Route::get('/category/create', [CategoryController::class, 'create'])->name('category.create');
72 Route::post('/category', [CategoryController::class, 'store'])->name('category.store');
73 Route::get('/category/edit/{id}', [CategoryController::class, 'edit'])->name('category.edit');
74 Route::put('/category/{id}', [CategoryController::class, 'update'])->name('category.update');
75 Route::delete('/category/{id}', [CategoryController::class, 'destroy'])->name('category.destroy');
76 });

77 // STAFF, ADMIN, CUSTOMER
78 // Product
79 Route::get('/product', [ProductController::class, 'index'])->name('product.index');
80
81 Route::middleware('role:Admin|Staff')->group(function() {
82     // Product
83     Route::get('/product/create', [ProductController::class, 'create'])->name('product.create');
84     Route::post('/product', [ProductController::class, 'store'])->name('product.store');
85     Route::get('/product/edit/{id}', [ProductController::class, 'edit'])->name('product.edit');
86     Route::put('/product/{id}', [ProductController::class, 'update'])->name('product.update');
87     Route::put('/product/approve/{id}', [ProductController::class, 'approve'])->name('product.approve');
88     Route::put('/product/reject/{id}', [ProductController::class, 'reject'])->name('product.reject');
89     Route::delete('/product/{id}', [ProductController::class, 'destroy'])->name('product.destroy');
90 });
91
92 // ADMIN
93 You, yesterday * tugas 25-27 ...
94 // ADMIN
```

```
routes > web.php > Closure
83     Route::middleware('role:Admin|Staff')->group(function() {
84         Route::get('/product/create', [ProductController::class, 'create'])->name('product.create');
85         Route::post('/product', [ProductController::class, 'store'])->name('product.store');
86         Route::get('/product/edit/{id}', [ProductController::class, 'edit'])->name('product.edit');
87         Route::put('/product/{id}', [ProductController::class, 'update'])->name('product.update');
88         Route::put('/product/approve/{id}', [ProductController::class, 'approve'])->name('product.approve');
89         Route::put('/product/reject/{id}', [ProductController::class, 'reject'])->name('product.reject');
90         Route::delete('/product/{id}', [ProductController::class, 'destroy'])->name('product.destroy');
91     });
92     You, yesterday * tugas 25-27
93 // ADMIN
94 Route::middleware('role:Admin')->group(function() {
95     // User
96     Route::get('/user', [UserController::class, 'index'])->name('user.index');
97     Route::get('/user/create', [UserController::class, 'create'])->name('user.create');
98     Route::post('/user', [UserController::class, 'store'])->name('user.store');
99     Route::get('/user/edit/{id}', [UserController::class, 'edit'])->name('user.edit');
100    Route::put('/user/{id}', [UserController::class, 'update'])->name('user.update');
101    Route::delete('/user/{id}', [UserController::class, 'destroy'])->name('user.destroy');
102
103    // Role
104    Route::get('/role', [RoleController::class, 'index'])->name('role.index');
105    Route::get('/role/create', [RoleController::class, 'create'])->name('role.create');
106    Route::post('/role', [RoleController::class, 'store'])->name('role.store');
107    Route::get('/role/edit/{id}', [RoleController::class, 'edit'])->name('role.edit');
108    Route::put('/role/{id}', [RoleController::class, 'update'])->name('role.update');
109    Route::delete('/role/{id}', [RoleController::class, 'destroy'])->name('role.destroy');
110
111 });
112 });
113 );
```

5. Database

#### a. Tampilan Database

The screenshot shows the Navicat Premium interface. The left sidebar displays a tree view of database objects under the schema 'laravel'. The 'Tables' node is expanded, showing 11 tables: brands, carts, categories, failed\_jobs, migrations, password\_resets, personal\_access\_tokens, products, roles, sliders, and users. Each table has its name, auto-increment value, modified date, data length, engine, number of rows, and comment. The top menu bar includes File, Edit, View, Favorites, Tools, Window, and Help. The toolbar features icons for Connection, New Query, Table, View, Function, User, Others, Query, Backup, Automation, Model, and Charts. The right sidebar shows the database 'laravel' with its character set (utf8mb4) and collation (utf8mb4\_general\_ci). The bottom taskbar includes a search bar, system icons, and a notification for 'Angin kencang segera'.

Name	Auto In...	Modified Date	Data Length	Engine	Rows	Comment
brands	13	16 KB	InnoDB	11		
carts	1	16 KB	InnoDB	0		
categories	7	16 KB	InnoDB	5		
failed_jobs	1	16 KB	InnoDB	0		
migrations	17	16 KB	InnoDB	14		
password_resets	0	16 KB	InnoDB	0		
personal_access_tokens	1	16 KB	InnoDB	0		
products	65	32 KB	InnoDB	62		
roles	4	16 KB	InnoDB	2		
sliders	5	32 KB	InnoDB	2		
users	5	32 KB	InnoDB	3		

## Brands

brands @laravel (arkatama\_store) - Table - Navicat Premium

File Edit View Table Favorites Tools Window Help

Connection New Query Table View Function User Others Query Backup Automation Model Charts

Objects brands @laravel (arkatama\_store) - Table

Begin Transaction Text Filter Sort Columns Import Export Data Generation Create Chart

	id	name	created_at	updated_at
2	Samsung	2023-06-12 16:46:01	2023-06-13 04:58:28	
3	Vivo	2023-06-13 04:58:37	2023-06-13 04:58:37	
4	Oppo	2023-06-13 04:58:44	2023-06-13 04:58:44	
5	Iphone	2023-06-13 04:58:53	2023-06-13 04:58:53	
6	Realme	2023-06-13 04:59:01	2023-06-13 04:59:01	
7	Xiaomi	2023-06-13 04:59:50	2023-06-13 04:59:50	
8	Apple	2023-06-13 05:00:14	2023-06-13 05:00:14	
9	Redmi	2023-06-13 05:00:27	2023-06-13 05:00:27	
10	Infinix	2023-06-13 05:00:38	2023-06-13 05:00:38	
11	Nokia	2023-06-13 05:00:49	2023-06-13 05:00:49	
12	Poco	2023-06-13 05:01:02	2023-06-13 05:01:02	

+ - × C

SELECT \* FROM `laravel`.`brands` LIMIT 0,1000

Type here to search Rekor terendah 10:56 ENG 15/06/2023

## Categories

categories @laravel (arkatama\_store) - Table - Navicat Premium

File Edit View Table Favorites Tools Window Help

Connection New Query Table View Function User Others Query Backup Automation Model Charts

Objects brands @laravel (arkatama\_store) - Table categories @laravel (arkatama\_store) - T...

Begin Transaction Text Filter Sort Columns Import Export Data Generation Create Chart

	id	name	created_at	updated_at
1	Case HP	2023-06-12 16:46:22	2023-06-13 05:02:28	
2	Handset	2023-06-13 05:02:11	2023-06-13 05:02:11	
3	Power Bank	2023-06-13 05:03:03	2023-06-13 05:03:03	
4	Tongsi	2023-06-13 05:03:18	2023-06-13 05:03:18	
5	tempered glass	2023-06-13 05:03:57	2023-06-13 05:03:57	
6	Cas HP	2023-06-13 05:05:00	2023-06-13 05:05:00	

+ - × C

SELECT \* FROM `laravel`.`categories` LIMIT 0,1000

Type here to search Rekor terendah 10:56 ENG 15/06/2023

## Migrations

migrations @laravel (arkatama\_store) - Table - Navicat Premium

File Edit View Table Favorites Tools Window Help

Connection New Query Table View Function User Others Query Backup Automation Model Charts

Objects: brands @laravel (arkatama\_store) - Table | categories @laravel (arkatama\_store) - T... | migrations @laravel (arkatama\_store) - T...

Begin Transaction Text Filter Sort Columns Import Export Data Generation Create Chart

	id	migration	batch
1	1	2014_10_12_000000_create_users_table	1
2	2	2014_10_12_100000_create_password_resets_table	1
3	3	2019_08_19_000000_create_failed_jobs_table	1
4	4	2019_12_14_000001_create_personal_access_tokens_table	1
5	5	2023_06_12_161750_create_brands_table	2
6	6	2023_06_12_162123_create_categories_table	3
7	7	2023_06_12_162252_create_roles_table	4
8	8	2023_06_12_162503_add_role_id_to_users_table	5
9	9	2023_06_12_162631_add_phone_to_users_table	6
10	10	2023_06_12_162745_create_products_table	7
11	11	2023_06_12_162857_create_sliders_table	8
12	12	2023_06_12_163033_add_image_to_products_table	9
13	13	2023_06_12_163255_add_approve_to_sliders_table	10
14	14	2023_06_12_163645_add_approve_to_products_table	11
15	15	2023_06_13_164142_create_carts_table	12
16	16	2023_06_13_170445_create_carts_table	13

Type here to search 29°C Sebagian cerah 10:57 15/06/2023

## Products

products @laravel (arkatama\_store) - Table - Navicat Premium

File Edit View Table Favorites Tools Window Help

Connection New Query Table View Function User Others Query Backup Automation Model Charts

Objects: brands @laravel (ark... | categories @laravel ... | migrations @laravel ... | password\_resets @la... | personal\_access\_tok... | products @larvel...

Begin Transaction Text Filter Sort Columns Import Export Data Generation Create Chart

	id	category_id	name	price	sale_price	brands	rating	image	approve	created_at
1	2	1	Case Kartun Samsung A2 C	30000	25000	Samsung	0	1686632828.jpg	1	2023-06-13 05:07:08
2	3	1	Case Boba Samsung A01 C	30000	25000	Samsung	0	1686632390.jpg	1	2023-06-13 05:08:59
3	4	1	Case HP Samsung A10	30000	25000	Samsung	0	1686633061.jpg	1	2023-06-13 05:11:01
4	5	1	Case Samsung Polos	25000	20000	Samsung	0	1686633213.jpg	1	2023-06-13 05:13:33
5	6	1	Case Samsung Boneka Luc	30000	25000	Samsung	0	1686633323.jpg	1	2023-06-13 05:15:23
6	7	1	Case Vivo Kartun	30000	25000	Vivo	0	1686633448.jpg	1	2023-06-13 05:17:28
7	8	1	Case Vivo Motif Bunga	30000	25000	Vivo	0	1686633533.jpg	1	2023-06-13 05:18:53
8	9	1	Softcase Silikon Vivo	35000	30000	Vivo	0	1686633640.jpg	1	2023-06-13 05:20:41
9	10	1	Case Vivo Luar Angkasa	30000	25000	Vivo	0	1686633708.jpg	1	2023-06-13 05:21:48
10	11	1	Case Vivo Bermotif	30000	25000	Vivo	0	1686633802.jpg	1	2023-06-13 05:23:22
11	12	1	Case Oppo Amertas	25000	20000	Oppo	0	1686633916.jpg	1	2023-06-13 05:25:16
12	13	1	Case Oppo Lucky Bear	30000	25000	Oppo	0	1686633987.jpg	1	2023-06-13 05:26:27
13	14	1	Case Oppo A37 Motif	25000	20000	Oppo	0	1686634059.jpg	1	2023-06-13 05:27:39
14	15	1	Case Oppo Couple Terbaru	25000	20000	Oppo	0	1686634142.jpg	1	2023-06-13 05:29:02
15	16	1	case Oppo Starbuck	30000	25000	Oppo	0	1686634253.jpg	1	2023-06-13 05:30:53
16	17	1	Case Iphone Motif Bunga	35000	30000	Iphone	0	1686634461.jpg	1	2023-06-13 05:34:21
17	18	1	Goat Case Iphone	30000	25000	Iphone	0	1686634567.jpg	1	2023-06-13 05:36:07
18	19	1	Case Iphone Wave Gelombang	35000	30000	Iphone	0	1686634693.jpg	1	2023-06-13 05:38:13
19	20	1	Case Iphone Transparant	25000	20000	Iphone	0	1686634782.jpg	1	2023-06-13 05:39:42
20	21	1	Case Iphone Motif Love	30000	25000	Iphone	0	1686634882.jpg	1	2023-06-13 05:41:22
21	22	1	Case Realme Motif Love	30000	25000	Realme	0	1686635011.jpg	1	2023-06-13 05:43:31
22	23	1	Case Realme Motif Unicorn	30000	25000	Realme	0	1686635077.jpg	1	2023-06-13 05:44:37
23	24	1	Case Realme Motif Bunga	25000	20000	Realme	0	1686635135.jpg	1	2023-06-13 05:45:35
24	25	1	Case Realme Polos	20000	15000	Realme	0	1686635233.jpg	1	2023-06-13 05:47:13

Type here to search 29°C Sebagian cerah 10:58 15/06/2023

## Roles

roles @laravel (arkatama\_store) - Table - Navicat Premium

File Edit View Table Favorites Tools Window Help

Connection New Query Table View Function User Others Query Backup Automation Model Charts

Objects < ds @lar... categories ... migrations ... password\_r... personal\_ac... products @... roles @lar... sliders @lar... users @lar...

Begin Transaction Text Filter Sort Columns Import Export Data Generation Create Chart

	id	name	created_at	updated_at
1	Admin	(Null)	2023-06-13 07:	(Null)
2	Staff	(Null)	(Null)	(Null)
3	User	(Null)	(Null)	(Null)

**id**  
Type: bigint(20)  
Not null: Yes  
Default value: --  
Comment: --

SELECT \* FROM 'laravel'.`roles` LIMIT 0,1000 Record 1 of 3 in page 1 29°C Sebagian cerah 11:02 ENG 15/06/2023

## Sliders

roles @laravel (arkatama\_store) - Table - Navicat Premium

File Edit View Table Favorites Tools Window Help

Connection New Query Table View Function User Others Query Backup Automation Model Charts

Objects < brands @laravel ... categories @lar... migrations @lar... password\_resets ... personal\_access\_... products @lar... roles @laravel (ar...

Begin Transaction Text Filter Sort Columns Import Export Data Generation Create Chart

	id	name	created_at	updated_at
1	Admin	(Null)	2023-06-13 07:	(Null)
2	Staff	(Null)	(Null)	(Null)
3	User	(Null)	(Null)	(Null)

**id**  
Type: bigint(20)  
Not null: Yes  
Default value: --  
Comment: --

SELECT \* FROM 'laravel'.`roles` LIMIT 0,1000 Record 1 of 3 in page 1 29°C Sebagian cerah 10:59 ENG 15/06/2023

**Users**

File Edit View Table Favorites Tools Window Help

Connection New Query Table View Function User Others Query Backup Automation Model Charts

Objects ds @lar... categories ... migrations ... password\_r... personal\_ac... products @... roles @lar... sliders @lar... users @lar...

Begin Transaction Text Filter Sort Columns Import Export Data Generation Create Chart

Tables

Views Functions Queries Backups mysql performance\_schema phpmyadmin test


arkatama-laravel sinauo

id  
Type: bigint(20)  
Not null: Yes  
Default value: --  
Comment: --

SELECT \* FROM 'laravel'.users' LIMIT 0,1000 Record 1 of 4 in page 1

29°C Sebagian cerah 10:59 ENG 15/06/2023

## b. Tampilan ERD



Untuk pengelolaan basis data, saya menggunakan aplikasi Navicat. Navicat memudahkan saya dalam membuat, mengelola, dan memanipulasi struktur tabel dan data dalam database yang digunakan oleh website Zii Accessories.

Hosting website Zii Accessories dilakukan menggunakan layanan 000webhost. Saya mengunggah file-file website ke server 000webhost dan mengatur konfigurasi hosting yang diperlukan agar website dapat diakses secara online.

Proyek tugas akhir ini mencerminkan kemampuan saya dalam mengembangkan website e-commerce dengan menggunakan framework Laravel, mengelola basis data dengan Navicat, dan meng-hosting website menggunakan layanan 000webhost.