```sql
CREATE TABLE club (
 club_id int PRIMARY KEY,
 club_name varchar(255),
 club_total_value decimal(19,2),
 country varchar(255),
 city varchar(255),
 zip_code varchar(255)
);
CREATE TABLE stadium (
 stadium_id int PRIMARY KEY,
 stadium_name varchar(255),
 capacity int,
 country varchar(255),
 city varchar(255),
 zip_code varchar(255),
 club_id int,
 FOREIGN KEY (club_id) REFERENCES club(club_id) ON UPDATE CASCADE ON DELETE
CASCADE
);
CREATE TABLE president (
 president_id int PRIMARY KEY,
 name varchar(255),
 birth_date date,
 nationality varchar(255)
);
CREATE TABLE president_club (
 president_id int,
 club_id int,
 PRIMARY KEY (president_id, club_id),
 FOREIGN KEY (president_id) REFERENCES president(president_id) ON UPDATE CASCADE
ON DELETE CASCADE,
 FOREIGN KEY (club_id) REFERENCES club(club_id) ON UPDATE CASCADE ON DELETE
CASCADE
);
CREATE TABLE league (
 league_id int PRIMARY KEY,
 league_name varchar(255),
 country varchar(255),
 world_wide_rank int,
 local_rank int
);
CREATE TABLE referee (
```

```sql
  referee_id int PRIMARY KEY,
  name varchar(255),
  nationality varchar(255),
  birth_date date
);
CREATE TABLE tmatch (
  league_id int,
  tmatch_id int,
  date_match date,
  time_match time,
  week_day varchar(255),
  stadium_id int,
  referee_id int,
  PRIMARY KEY (league_id, tmatch_id),
FOREIGN KEY (league_id) REFERENCES league(league_id) ON UPDATE CASCADE ON
DELETE CASCADE,
  FOREIGN KEY (stadium_id) REFERENCES stadium(stadium_id) ON UPDATE CASCADE ON
DELETE CASCADE,
  FOREIGN KEY (referee_id) REFERENCES referee(referee_id) ON UPDATE CASCADE ON
DELETE CASCADE
);
CREATE TABLE player (
  player_id int PRIMARY KEY,
  name varchar(255),
  nationality varchar(255),
  birth_date date,
  position varchar(255),
  shirt_num int,
  performance int
);
CREATE TABLE team (
  team_id int,
  club_id int,
  team_name varchar(255),
  color varchar(255),
  logo varchar(255),
  PRIMARY KEY (team_id, club_id),
  FOREIGN KEY (club_id) REFERENCES club(club_id) ON UPDATE CASCADE ON DELETE
CASCADE
);
CREATE TABLE manager (
  manager_id int PRIMARY KEY,
  name varchar(255),
```

```
  birth_date date,
  nationality varchar(255)
);
CREATE TABLE team_manager (
 club_id int,
 team_id int,
 manager_id int,
 PRIMARY KEY (club_id, team_id, manager_id),
 FOREIGN KEY (club_id, team_id) REFERENCES team(club_id, team_id) ON UPDATE
CASCADE ON DELETE CASCADE,
 FOREIGN KEY (manager_id) REFERENCES manager(manager_id) ON UPDATE CASCADE ON
DELETE CASCADE
);
CREATE TABLE team_player (
 team_id int,
 player_id int,
 club_id int,
 PRIMARY KEY (team_id, player_id, club_id),
FOREIGN KEY (club_id, team_id) REFERENCES team(club_id, team_id) ON UPDATE
CASCADE ON DELETE CASCADE,
 FOREIGN KEY (player_id) REFERENCES player(player_id) ON UPDATE CASCADE ON
DELETE CASCADE

);
CREATE TABLE team_tmatch (
 club_id int,
 team_id int,
 league_id int,
 tmatch_id int,
 PRIMARY KEY (club_id, team_id, league_id, tmatch_id),
FOREIGN KEY (club_id, team_id) REFERENCES team(club_id, team_id) ON UPDATE
CASCADE ON DELETE CASCADE,
 FOREIGN KEY (league_id, tmatch_id) REFERENCES tmatch (league_id, tmatch_id) ON
UPDATE CASCADE ON DELETE CASCADE

);
CREATE TABLE standing (
 standing_id int,
 club_id int,
 team_id int,
 matches_played int,
 draws int,
 wins int,
 looses int,
```

```
 points int,
 league_id int,
 PRIMARY KEY (club_id, team_id, standing_id),
FOREIGN KEY (club_id, team_id) REFERENCES team(club_id, team_id) ON UPDATE
CASCADE ON DELETE CASCADE,
 FOREIGN KEY (league_id) REFERENCES league(league_id) ON UPDATE CASCADE ON
DELETE CASCADE
 );
```