
THE SPREAD OF COVID-19 IN A LANDLOCKED COUNTRY

THE CASE OF LUXEMBOURG

A PREPRINT

Bruno Rodrigues *

Statistics department

Ministry of Higher Education and Research, Grand-Duchy of Luxembourg
Luxembourg, 18-20, Montée de la Pétrusse
bruno.rodrigues@mesr.etat.lu

February 28, 2021

Abstract

Enter the text of your abstract here.

Keywords blah · blee · bloo · these are optional and can be removed

1 Introduction

The Grand-Duchy of Luxembourg is a country that is unique in many ways. As its official name quite clearly indicates, it is a grand duchy, the last of its kind on earth. It is a relatively young country, as it became a grand duchy once it gained independence from Napoleonic France in 1815 (but was pretty much still a puppet state of the Kingdom of the Netherlands until the end of the 19th century), is one of the founding members of the European Coal and Steel Community, which evolved to become the European Union and has three official languages: French, German, and Luxembourghish. Luxembourg is also a landlocked country, sandwiched between France, Germany and Belgium. This geographic position has given Luxembourg many advantages. One such advantage is that its labour force, which amounts to 400000 workers and is composed of 50% of French, German and Belgian commuters. This is also the reason why Luxembourg has one of the highest GDPs per capita in the world: half of its riches are produced by foreigners which are not taken into account in the computation of GDP per capita.

Half of Luxembourg's population is also composed of foreigners, the largest community being the Portuguese, followed by the French.

In this article, I posit the following hypothesis: due to its quite unique characteristics, the spread of COVID-19 in a landlocked country like Luxembourg is the exact opposite of the spread of COVID-19 that can be observed on an island country such as New Zealand, or Madagascar. A landlocked country like Luxembourg, which is furthermore highly dependent on foreign workers, has many more difficulties to control the spread of COVID-19 within its borders. Unlike an island country, a landlocked country that is highly tied to its neighbours cannot simply close its borders and put a very hard lockdown in place to control the pandemic. Or if the landlocked country does that, as soon as it opens its borders, the disease will start spreading again. To illustrate this idea, I will discuss how COVID-19 starting spreading, but not only within the borders of Luxembourg, but rather within the so-called Greater Region. The Greater Region *a space for cross-border cooperation in the heart of Europe* and is composed of the Grand-Duchy of Luxembourg, two Belgian Provinces, two French Départements and two German Bundesländer.

*This preprint was written during my free time as a private citizen, and reflects in no manner the views of the Ministry of Higher Education and Research, nor the Government of the Grand-Duchy of Luxembourg.




Figure 1: The daily commuters in the Greater Region. Luxembourg absorbs the vast majority. (Source: Bienvenue dans la Grande Région, 2018)

Figure 1 shows a map of the Greater Region with the flows of daily commuters between its constituent regions. Every day, according to this map from 2018, more than 150000 commuters go to Luxembourg to work. In 2019, it was reported that this number reached 200000.²


The approach I will be using in this paper is thus as follows: I will train a machine learning model to predict the spread of COVID-19 in Luxembourg using openly available data on the weekly positive cases of COVID-19. However, because of the very tight economic and social integration of Luxembourg to its neighbours I will use as features weekly positive cases in the border regions as well as Google Mobility data³ for Luxembourg to proxy for hard, and soft, lockdowns. I will show that lags of weekly cases in the neighbouring regions predict cases for Luxembourg. The end goal however, is *not* to build a model to predict how many weekly positive cases will be detected in Luxembourg. This would be a fools errand; in order to predict the future, the future has to look like the past, but in the case of this pandemic there is absolutely no guarantee that the future will look like the past, and there are many reasons for this. First of all, people are constantly adapting their behaviour, and public health policies are also constantly being tuned, and getting sometimes more restrictive, sometimes more relaxed. Secondly, vaccines have started being administrated and it would be impossible to predict the effect on weekly positive cases using the approach I'm using. Finally, there's also the threat of the variants. Here again, it is impossible to predict which new variants could arise and how much more contagious -and deadly- these could be. So then, why bother with this paper? The end goal is not prediction, but explainability. Once the model is trained, I will use explainability methods to show which variables, and their interaction with each other, predict positive cases for Luxembourg. This will be a clear illustration of the hypothesis that I posited at the beginning; that a landlocked country like Luxembourg which is very tightly economically and socially integrated with its neighbours cannot fight a pandemic on its own, but must cooperate with its neighbours. This argument can also be applied to any other country in the same situation as Luxembourg or even to the constituent states of a federal nation. Unfortunately, the virus does not respect the borders of sovereign nations.

²<https://paperjam.lu/article/plus-200-000-frontaliers-sur-m>

³<https://www.google.com/covid19/mobility/>

2 The COVID-19 pandemic in the Greater Region


```
tar_read(epid_curves)
```



```
tar_read(epidem_map)$map_first_wave
```

Monthly cases in the Greater Region


Positive cases per 100'000 inhabitants, from February 2020 to August 2020



```
tar_read(epidem_map)$map_second_wave
```

Monthly cases in the Greater Region, second wave

Positive cases per 100'000 inhabitants, from September 2020 to February 2021




3 The data used

Data on positive cases from the regions of the Greater Region was collected through each of the countries' open data portal. The levels of detail were heterogeneous, with Belgium and Germany providing a high level of detail (daily cases by sex, age group, Province in the case of Belgium, and Land- and Stadtkreise in the case of Germany), followed by France (daily cases by department and age group), with Luxembourg providing the least amount of details; only daily cases at the national level. In order to simplify the process of getting the data from all these sources, we wrote an R package called `{covidGrandeRegion}` which can be found on the following github repository. This R package provides several functions to download daily or weekly data, either for one single country or for the whole of the Greater Region as well as a function to call an interactive map of the region with a timeline, making it easy to visualise the spread of the disease through the region. It is also possible to normalize the data by dividing the daily or weekly cases by the size of the population in each sub-region. Another variable that was included comes from the Google Mobility website. This data shows on a daily basis how communities move since the start of the pandemic. This data is used here as proxy for lockdowns. The plot below shows the daily percentage change in time spent at home in Luxembourg:

```
tar_read(plot_mobility)
```

Average weekly change in time spent at home compared to baseline week
 Google COVID-19 Community Mobility Report for Luxembourg



The hard lockdown from March and April can be clearly seen in the data. Weekly positive cases were divided by the population size in each region and all the variables were lagged up to four times. The goal of lagging these variables is to see if cases that were detected in neighbouring countries in the past 4 weeks have predictive power. The same was done with the mobility variable (time spent at home in Luxembourg). The following table shows the structure of data used in this study:

```
print_data <- tar_read(data_for_model) %>%
  mutate(across(where(is.numeric), ~round(., 0))) %>%
  t() %>%
  as.data.frame() %>%
  tibble::rownames_to_column(var="Variable names") %>%
  select(seq(1, 6)) %>%
  unite("First 5 observations", 2:6, sep = ", ")
  
kbl(print_data, booktabs = TRUE, position = "center")
```

Variable names	First 5 observations
week	2020-02-24, 2020-03-02, 2020-03-09, 2020-03-16, 2020-03-23
Luxembourg	0, 0, 0, 112, 164
lag_Belgique_01	0, 0, 3, 11, 33
lag_Belgique_02	0, 0, 0, 3, 11
lag_Belgique_03	0, 0, 0, 0, 3
lag_Belgique_04	0, 0, 0, 0, 0
lag_Deutschland_01	0, 1, 3, 21, 37
lag_Deutschland_02	0, 0, 1, 3, 21
lag_Deutschland_03	0, 0, 0, 1, 3
lag_Deutschland_04	0, 0, 0, 0, 1
lag_France_01	0, 0, 2, 43, 39
lag_France_02	0, 0, 0, 2, 43
lag_France_03	0, 0, 0, 0, 2
lag_France_04	0, 0, 0, 0, 0
lag_stay_home_01	0, 1, 1, 4, 4
lag_stay_home_02	0, 0, 1, 1, 4
lag_stay_home_03	0, 0, 0, 1, 1
lag_stay_home_04	0, 0, 0, 0, 1

Luxembourg is the target variable.

```
tar_read(cv_plan)
```


Time Series Cross Validation Plan




Legend — training — testing

```
tar_read(forecast_plot)
```


```
## Warning in max(ids, na.rm = TRUE): no non-missing arguments to max; returning
## -Inf
```



```
tar_read(plot_var_imp)
```




```
tar_read(plot_var_resp)
```



```
tar_read(plot_pred_contributions)
```

Break Down profile



4 Headings: first level

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula. See Section 4.

4.1 Headings: second level

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

$$\xi_{ij}(t) = P(x_t = i, x_{t+1} = j | y, v, w; \theta) = \frac{\alpha_i(t) a_{ij}^{w_t} \beta_j(t+1) b_j^{v_{t+1}}(y_{t+1})}{\sum_{i=1}^N \sum_{j=1}^N \alpha_i(t) a_{ij}^{w_t} \beta_j(t+1) b_j^{v_{t+1}}(y_{t+1})}$$

4.1.1 Headings: third level

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor

odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Paragraph Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

5 Examples of citations, figures, tables, references

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui. some text (Kour and Saabne 2014b, 2014a) and see Hadash et al. (2018).

The documentation for `natbib` may be found at

<http://mirrors.ctan.org/macros/latex/contrib/natbib/natnotes.pdf>

Of note is the command `\citet`, which produces citations appropriate for use in inline text. For example,

```
\citet{hasselmo} investigated\dots
```

produces

Hasselmo, et al. (1995) investigated...

<https://www.ctan.org/pkg/booktabs>

5.1 Figures

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetur odio sem sed wisi. See Figure 2. Here is how you add footnotes. [^Sample of the first footnote.]

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetur eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

```
plot(mtcars$mpg)
```





Figure 2: Sample figure caption.



5.2 Tables

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetur tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

See awesome Table~1.

5.3 Lists

- Lorem ipsum dolor sit amet

Table 1: Sample table title

Part		
Name	Description	Size (μm)
Dendrite	Input terminal	~ 100
Axon	Output terminal	~ 10
Soma	Cell body	up to 10^6

- consectetur adipiscing elit.
- Aliquam dignissim blandit est, in dictum tortor gravida eget. In ac rutrum magna.

Hadash, Guy, Einat Kermany, Boaz Carmeli, Ofer Lavi, George Kour, and Alon Jacovi. 2018. “Estimate and Replace: A Novel Approach to Integrating Deep Neural Networks with Existing Applications.” *arXiv Preprint arXiv:1804.09028*.

Kour, George, and Raid Saabne. 2014a. “Fast Classification of Handwritten on-Line Arabic Characters.” In *Soft Computing and Pattern Recognition (SoCPaR), 2014 6th International Conference of*, 312–18. IEEE.

———. 2014b. “Real-Time Segmentation of on-Line Handwritten Arabic Script.” In *Frontiers in Handwriting Recognition (ICFHR), 2014 14th International Conference on*, 417–22. IEEE.