

Quarto Basics

Hello!

Best dataset ever:

```
library(michelRodange)

data(renert)

names(renert)
```

```
[1] "line"      "gesank"    "nb_line"
```

But this one is not bad either:

```
head(mtcars)
```

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Mazda RX4	21.0	6	160	110	3.90	2.620	16.46	0	1	4	4
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875	17.02	0	1	4	4
Datsun 710	22.8	4	108	93	3.85	2.320	18.61	1	1	4	1
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
Hornet Sportabout	18.7	8	360	175	3.15	3.440	17.02	0	0	3	2
Valiant	18.1	6	225	105	2.76	3.460	20.22	1	0	3	1

```
sessionInfo()
```

```
R version 4.3.1 (2023-06-16)
Platform: x86_64-pc-linux-gnu (64-bit)
Running under: Ubuntu 22.04.4 LTS
```

Matrix products: default

BLAS/LAPACK: /nix/store/k4nsmjxh92pmmjmlgmjfpqh3iisvjbsd-blas-3/lib/libblas.so.3; LAPACK ve

locale:

[1] LC_CTYPE=en_US.UTF-8	LC_NUMERIC=C
[3] LC_TIME=en_US.UTF-8	LC_COLLATE=en_US.UTF-8
[5] LC_MONETARY=en_US.UTF-8	LC_MESSAGES=en_US.UTF-8
[7] LC_PAPER=en_US.UTF-8	LC_NAME=C
[9] LC_ADDRESS=C	LC_TELEPHONE=C
[11] LC_MEASUREMENT=en_US.UTF-8	LC_IDENTIFICATION=C

time zone: Etc/UTC

tzcode source: system (glibc)

attached base packages:

[1] stats graphics grDevices utils datasets methods base

other attached packages:

[1] michelRodange_1.0.0

loaded via a namespace (and not attached):

[1] compiler_4.3.1	magrittr_2.0.3	fastmap_1.1.1	cli_3.6.1
[5] tools_4.3.1	htmltools_0.5.5	rstudioapi_0.15.0	yaml_2.3.7
[9] rmarkdown_2.23	knitr_1.43	xfun_0.40	digest_0.6.33
[13] jsonlite_1.8.7	rlang_1.1.1	evaluate_0.21	