
IAM > Policies > SecretsManagerReadOnlyPolicyBrando
Policy SecretsManagerReadOnlyPolicyBrando created.
View policy
SecretsManagerReadOnlyPolicyBrando
Edit
Delete
Policy details
Type
Customer managed
Creation time
March 06, 2026, 20:23 (UTC-05:00)
Edited time
March 06, 2026, 20:23 (UTC-05:00)
ARN
arn:aws:iam::654654478122:policy/SecretsManagerReadOnlyPolicyBrando
Permissions
Entities attached
Tags (1)
Policy versions (1)
Last Accessed
Permissions defined in this policy
Permissions defined in this policy document specify which actions are allowed or denied. To define permissions for an IAM identity (user, user group, or role), attach a policy to it
Allow (1 of 464 services)
Show remaining 463 services
Service
Access level
Resource
Request condition
Secrets Manager
Limited: Read
All resources
None


IAM > Roles > LambdaSecretsManagerRoleBrando
Role LambdaSecretsManagerRoleBrando created.
View role
Permissions
Trust relationships
Tags
Last Accessed
Revoke sessions
Permissions policies (2)
You can attach up to 10 managed policies.
Simulate
Remove
Add permissions
Filter by Type
All types
Policy name
Type
Attached entities
AWSLambdaBasicExecutionRole
AWS managed
15
SecretsManagerReadOnlyPolicyBrando
Customer managed
1
Permissions boundary (not set)
Generate policy based on CloudTrail events
You can generate a new policy based on the access activity for this role, then customize, create, and attach it to this role. AWS uses your CloudTrail events to identify the services and actions used and generate a policy.
Access denied to access-analyzer:ListPolicyGenerations
You don't have permission to access-analyzer:ListPolicyGenerations. To request access, copy the following text and send it to your AWS administrator.
Diagnose with Amazon Q
User: arn:aws:iam::654654478122:user/students/baldo542@gmail.com
Action: access-analyzer:ListPolicyGenerations
On resource(s): arn:aws:access-analyzer:us-east-1:654654478122:*
Context: no identity-based policy allows the action

AWS Secrets Manager > Secrets > ApiNumberVerifyBrando

You successfully stored the secret ApiNumberVerifyBrando. To show it in the list, choose Refresh.
Use the sample code to update your applications to retrieve this secret.

View details | See sample code

ApiNumberVerifyBrando

Secret details

Actions

Encryption key
aws/secretsmanager

Secret name
ApiNumberVerifyBrando

Secret ARN
arn:aws:secretsmanager:us-east-1:654654478122:secret:ApiNumberVerifyBrando-hfloa7

Secret description
-

Secret type
-

Overview | Rotation | Versions | Replication | Tags

Secret value Info

Retrieve and view the secret value.

Retrieve secret value

Resource permissions - optional Info

Add or edit a resource policy to access secrets across AWS accounts.

Edit permissions

Sample code

Use these code samples to retrieve the secret in your application.

Java | JavaScript | C# | Python3 | Ruby | Go | Rust | PHP

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Lambda > Functions > ValidatePhoneNumberBrando

Code source Info

Open in Visual Studio Code | Upload from

ValidatePhoneNumberBrando

EXPLORER
VALIDATEPHONENUMBERBRANDO
index.mjs

DEPLOY Undeployed
Deploy (Ctrl+Shift+U)
Test (Ctrl+Shift+I)

TEST EVENTS [SELECTED: EVENTO1]
Create new test event
Private saved events
evento1

ENVIRONMENT VARIABLES

index.mjs > handler

```
import {
  SecretsManagerClient,
  GetSecretValueCommand,
} from "@aws-sdk/client-secrets-manager";
const secret_name = "ApiNumberVerifyBrando";
const client = new SecretsManagerClient({ region: "us-east-1" });
export const handler = async (event) => {
 console.log('Attempting to retrieve API secret');
 try {
 // Obtener la clave de API de Secrets Manager
    const command = new GetSecretValueCommand({ SecretId: secretName });
    const data = await client.send(command);
    console.log('API secret retrieved successfully');
    const secret = JSON.parse(data.SecretString);
    const accessKey = secret.api_key;
 // Extraer parámetros dinámicos del evento
    const phoneNumber = event.phoneNumber || "14158586273";
    const countryCode = event.countryCode || "";
    const formatParam = event.formatParam || 1;
// Construir la URL de la API
    const apiUrl = `http://apilayer.net/api/validate?access_key=${accessKey}&number=${phoneNumber}&country_c
// Realizar la solicitud HTTP usando fetch
    const response = await fetch(apiUrl);
    const result = await response.json();
```

PROBLEMS | OUTPUT | CODE REFERENCE LOG | TERMINAL

Execution Results

```
Response:
{
  "errorType": "Error",
  "errorMessage": "Cannot find package '@aws-sdk/client\u0002secrets-manager' imported from /var/task/index.mjs",
  "trace": [
```

Undeployed Changes | Amazon Q

Ln 7, Col 42 | Spaces: 3 | UTF-8 | LF | JavaScript | Lambda | Layout: Latin American

Code properties Info

Package size
821 byte

SHA256 hash
y+xfBKLxYb6TEyRon7rltI3s625dU76pkH92U6E3wuQ=

Last modified
10 minutes ago

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Lambda > Functions > ValidatePhoneNumberBrando

Successfully updated the function **ValidatePhoneNumberBrando**.

Successfully deleted function: ValidatePhoneNumberBrando

Code source Info

Open in Visual Studio Code | Upload from

EXPLORER

VALIDATEPHONENUMBERBRANDO

index.mjs

lambda_function.py

DEPLOY ✓ Current

Deploy (Ctrl+Shift+U)

Test (Ctrl+Shift+I)

TEST EVENTS [SELECTED: EVENTO1]

Create new test event

Private saved events

evento1

ENVIRONMENT VARIABLES

lambda_function.py

```python
def get_secret():

def lambda_handler(event, context):
    # 1. Obtener la API Key desde el secreto

    api_key = get_secret()

    # 2. El número a verificar (puedes pasarlo en el evento)
    # Según tu imagen, el endpoint es http://apilayer.net/api/validate
```

PROBLEMS | OUTPUT | CODE REFERENCE LOG | TERMINAL

Execution Results

```
Status: Succeeded
Test Event Name: evento1

Response:
{
  "statusCode": 200,
  "body": {
    "valid": true,
    "number": "14158586273",
    "local_format": "4158586273",
    "international_format": "+14158586273",
    "country_prefix": "+1",
    "country_code": "US",
    "country_name": "United States of America",
    "location": "Novato",
    "carrier": "AT&T Mobility LLC",
    "line_type": "mobile"
  }
}
```

Lambda Deployed | 0 ⚠ 0 | Amazon Q

Ln 40, Col 2 | Spaces: 4 | UTF-8 | LF | Python | Lambda | Layout: US

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences