

# zplugin-install.zsh(1)

## NAME

zplugin-install.zsh - a shell script

## SYNOPSIS

Documentation automatically generated with `zshelldoc`

## FUNCTIONS

```
-zplg-at-eval  
-zplg-compile-plugin  
-zplg-download-file-stdout  
-zplg-download-snippet  
-zplg-forget-completion  
-zplg-get-latest-gh-r-version  
-zplg-handle-binary-file  
-zplg-install-completions  
-zplg-mirror-using-svn  
-zplg-setup-plugin-dir
```

## DETAILS

### Script Body

Has 3 line(s). No functions are called (may set up e.g. a hook, a Zle widget bound to a key, etc.).

Uses feature(s): *source*

### -zplg-at-eval

Has 1 line(s). Doesn't call other functions.

Uses feature(s): *eval*

Called by:

```
-zplg-download-snippet
```

## -zplg-compile-plugin

Compiles given plugin (its main source file, and also an additional "....zsh" file if it exists).

\$1 - plugin spec (4 formats: user---plugin, user/plugin, user, plugin)  
\$2 - plugin (only when \$1 - i.e. user - given)

Has 50 line(s). Calls functions:

```
-zplg-compile-plugin  
|-- zplugin-side.zsh/-zplg-first  
'-- zplugin.zsh/-zplg-any-to-user-plugin
```

Uses feature(s): *eval, zcompile*

Called by:

```
-zplg-setup-plugin-dir  
zplugin-autoload.zsh/-zplg-compile-uncompile-all  
zplugin.zsh/zplugin
```

## -zplg-download-file-stdout

Downloads file to stdout. Supports following backend commands: curl, wget, lftp, lynx. Used by snippet loading.

Has 32 line(s). Calls functions:

```
-zplg-download-file-stdout
```

Uses feature(s): *type*

Called by:

```
-zplg-download-snippet  
-zplg-setup-plugin-dir
```

## -zplg-download-snippet

Downloads snippet – either a file – with curl, wget, lftp or lynx, or a directory, with Subversion – when svn-ICE is active. Github supports Subversion protocol and allows to clone subdirectories. This is used to provide a layer of support for Oh-My-Zsh and Prezto.

Has 233 line(s). Calls functions:

```
-zplg-download-snippet
|-- -zplg-at-eval
|-- -zplg-download-file-stdout
|-- -zplg-install-completions
|   |-- -zplg-forget-completion
|   |-- zplugin-side.zsh/-zplg-any-colorify-as-uspl2
|   |-- zplugin-side.zsh/-zplg-exists-physically-message
|   `-- zplugin.zsh/-zplg-any-to-user-plugin
|-- -zplg-mirror-using-svn
`-- zplugin-side.zsh/-zplg-store-ices
```

Uses feature(s): *eval*, *setopt*, *zcompile*

Called by:

```
zplugin.zsh/-zplg-load-snippet
```

## -zplg-forget-completion

Implements alternation of Zsh state so that already initialized completion stops being visible to Zsh.

\$1 - completion function name, e.g. "\_cp"; can also be "cp"

Has 15 line(s). Doesn't call other functions.

Uses feature(s): *unfunction*

Called by:

```
-zplg-install-completions
zplugin-autoload.zsh/-zplg-compinit
zplugin-autoload.zsh/-zplg-uninstall-completions
zplugin.zsh/zplugin
```

## -zplg-get-latest-gh-r-version

Gets version string of latest release of given Github package. Connects to Github releases page.

Has 14 line(s). Calls functions:

```
-zplg-get-latest-gh-r-version
'-- zplugin.zsh/-zplg-any-to-user-plugin
```

Uses feature(s): *setopt*

Called by:

```
zplugin-autoload.zsh/-zplg-update-or-status
```

## -zplg-handle-binary-file

If the file is an archive, it is extracted by this function. Next stage is scanning of files with the common utility 'file', to detect executables. They are given +x mode. There are also messages to the user on performed actions.

```
$1 - url
$2 - file
```

Has 66 line(s). Doesn't call other functions.

Uses feature(s): *setopt, unfunction*

Called by:

```
-zplg-setup-plugin-dir
```

## -zplg-install-completions

Installs all completions of given plugin. After that they are visible to 'compinit'. Visible completions can be selectively disabled and enabled. User can access completion data with 'clist' or 'completions' subcommand.

\$1 - plugin spec (4 formats: user---plugin, user/plugin, user, plugin)  
\$2 - plugin (only when \$1 - i.e. user - given)  
\$3 - if 1, then reinstall, otherwise only install completions that aren't there

Has 34 line(s). Calls functions:

```
-zplg-install-completions  
|-- -zplg-forget-completion  
|-- zplugin-side.zsh/-zplg-any-colorify-as-uspl2  
|-- zplugin-side.zsh/-zplg-exists-physically-message  
`-- zplugin.zsh/-zplg-any-to-user-plugin
```

Uses feature(s): *setopt*

Called by:

```
-zplg-download-snippet  
-zplg-setup-plugin-dir  
zplugin.zsh/zplugin
```

## -zplg-mirror-using-svn

Used to clone subdirectories from Github. If in update mode (see \$2), then invokes 'svn update', in normal mode invokes 'svn checkout --non-interactive -q <URL>'. In test mode only compares remote and local revision and outputs true if update is needed.

\$1 - URL  
\$2 - mode, "" - normal, "-u" - update, "-t" - test  
\$3 - subdirectory (not path) with working copy, needed for -t and -u

Has 27 line(s). Doesn't call other functions.

Uses feature(s): *setopt*

Called by:

```
-zplg-download-snippet
```

## -zplg-setup-plugin-dir

Clones given plugin into PLUGIN\_DIR. Supports multiple sites (respecting 'from' and 'proto' ice modifiers).  
Invokes compilation of plugin's main file.

\$1 - user  
\$2 - plugin

Has 182 line(s). Calls functions:

```
-zplg-setup-plugin-dir
|-- -zplg-compile-plugin
|   |-- zplugin-side.zsh/-zplg-first
|   `-- zplugin.zsh/-zplg-any-to-user-plugin
|-- -zplg-download-file-stdout
|-- -zplg-handle-binary-file
|-- -zplg-install-completions
|   |-- -zplg-forget-completion
|   |-- zplugin-side.zsh/-zplg-any-colorify-as-uspl2
|   |-- zplugin-side.zsh/-zplg-exists-physically-message
|   `-- zplugin.zsh/-zplg-any-to-user-plugin
|-- zplugin-side.zsh/-zplg-any-colorify-as-uspl2
`-- zplugin-side.zsh/-zplg-store-ices
```

Uses feature(s): *eval*, *setopt*

Called by:

```
zplugin-autoload.zsh/-zplg-update-or-status
zplugin.zsh/-zplg-load
```