

MORE FROM WOOD.



Revision: 02  
Approved: 19.10.2025

Self-Declaration According to ISO14021

## Environmental & Health Data Sheet

EGGER Flooring NatureSense Aqua+

Recipe: 665



LEED  
WELL v2™  
BREEAM International v6  
DGNB  
QNG  
CAM Italy



Our EcoFacts show the environmental impact of our product at a glance.\*



GWP-total\*\*: -6.3 kgCO<sub>2</sub>/m<sup>2</sup>  
GWP-fossil: 4.4 kgCO<sub>2</sub>/m<sup>2</sup>  
GWP-biogenic: -10.6 kgCO<sub>2</sub>/m<sup>2</sup>  
GWP-luluc: 0.01 kgCO<sub>2</sub>/m<sup>2</sup>



33% Primary raw materials\*\*\*\*,  
67% Material from the circular economy:  
0% of which is pre-consumer recycled wood,  
0% of which is post-consumer recycled wood,  
100% of which is by-products from sawmill industry



Recyclable\*\*\*



73% material from renewable resources,  
27% material from fossil resources,  
0% material from mineral resources

\*EcoFacts may differ from EcoFacts on EGGER-Website due to other calculation bases. EcoFacts Circularity and Renewable Resources are based on recipe specific internal calculations.

\*\*Link to EPD provided in chapter "Relevant Documents"

\*\*\*Chapter "End of Life" describes procedures for possible utilization streams

\*\*\*\*Wood from sustainable forestry, specifically thinning wood or roundwood that cannot be sawn, represents the biggest share in this category.



Table of Content

Raw Materials & Primary Products .....2

Wood Origin.....2

Constituent Materials .....2

Product Emissions and Health Aspect.....3

Processing & Use .....4

Safety, Processing and Maintenance Instructions .....4

End of Life – Reuse, Recycling, Incineration .....4

Compliances and Certifications .....5

Production Plants and their Certifications .....5

Compliance with Building Certificates .....5

Relevant Documents for Building Certificates and Ecolabels .....6

Footnotes .....13

Plant Addresses.....13

List of Abbreviations .....13

Raw Materials & Primary Products

Wood Origin

Our plants are certified according to the standard [ISO 38200:2018](#). Further information about our principles for sustainable forest management and wood purchase can be found in our [Manufacturer Declaration on Sustainable Forestry VRG 229](#), for information on our timber origin please refer to our [Manufacturer Declaration on Timber Origin VRG 270](#). Upon request, our products can be listed on our sales documents with additional 3<sup>rd</sup> party certification claims, e.g. PEFC, depending on their availability during production. Links to the certificates can be found in the [relevant documents for building certificates and ecolabels](#).

Constituent Materials

The EGGER NatureSense Aqua+ Flooring products are wood-based floor coverings, consisting of a wood-based core material and an aminoplastic wear layer. The products are declared according to the EN 13329 product standard and are intended for floating installation in residential and commercial areas. Depending on the product type, they are equipped with a waterproof connection system and offer an extended range of applications, including bathrooms, conservatories and kitchens. The table below contains 99.9% of the primary products, measured by dry weight. Listed are the constituent materials for NatureSense Aqua+. Proportions may vary between individual product thicknesses. All chemicals have been evaluated and are disclosed down to 1000 ppm.

| Proportion |   | Function                        | Composition                                           |
|------------|---|---------------------------------|-------------------------------------------------------|
| 70         | % | Dry wood fibres (core board)    | Industrial round wood, sawmill by-products            |
| 20         | % | Glue (core board)               | Urea-Melamine-Formaldehyde Glue (UMF)*                |
| 6          | % | Wear layer and decorative layer | 33 % décor paper<br>67 % melamine-formaldehyde resin* |

| Proportion | Function                        | Composition                        |
|------------|---------------------------------|------------------------------------|
| 2 %        | Hydrophobing agent (core board) | Paraffine wax emulsion             |
| < 1 %      | Pigment color (core board)      | -                                  |
| < 1 %      | Hardener (core board)           | Ammonium-sulphate<br>Chloride-free |

\*During the pressing process, the aminoplastic adhesive/MDI hardens fully.  
Under normal conditions, it is bound to the wood and chemically stable.

## Product Emissions and Health Aspect

The product emits formaldehyde and volatile organic compounds from the used wood. During the NatureSense Aqua+ Flooring product manufacturing processes, heat and pressure is applied in a short cycle press. The used resins are cured in the production process. In the use phase, the product is chemically stable under normal conditions. There are no known health hazards or adverse health effects to be expected under normal conditions, when the product is used as intended.

The product is subjected to annual emission tests within the scope of TÜV PROFiCERT-product Interior surveillance by an independent third party.

Requirements listed as met "via TÜV PROFiCERT" are NOT CERTIFIED stand-alone in this category!

The following table contains an overview of requirements, on which the product has been tested by an independent third party and fulfills the emission requirements. For further information and for emission thresholds, please refer to the "Criteria for Allocation Interior", available at the [PROFiCERT-Website](#).

| Requirements                             | Substance/Indicator                                | Fulfillment | Requirement Details                                                                |
|------------------------------------------|----------------------------------------------------|-------------|------------------------------------------------------------------------------------|
| E1 (E05)                                 | Formaldehyde                                       | ✓           | Formaldehyde class E1, external testing, compliant with REACH already as raw board |
| TSCA Title IV                            | Formaldehyde                                       | ✓           | U.S. Toxic Substances Control Act, external certification (core board)             |
| Finnish M1 classification                | VOC, Formaldehyde, Carcinogens                     | ✓           | -                                                                                  |
| French VOC Regulation, Emission Class A+ | VOC, Formaldehyde                                  | ✓           | -                                                                                  |
| Blue Angel (AgBB) UZ176                  | VOC, Formaldehyde                                  | ✓           | -                                                                                  |
| EU Ecolabel DE/035/003                   | VOC, Formaldehyde, Harmful Substances              | ✓           | -                                                                                  |
| FloorScore                               | VOC, Formaldehyde, Harmful Substances              | ✓           | -                                                                                  |
| AgBB 2024                                | VOC, Carcinogens                                   | ✓           | Via TÜV PROFiCERT-product interior Standard                                        |
| Belgian VOC Regulation                   | VOC                                                | ✓           |                                                                                    |
| CAM Italy                                | VOC, Formaldehyde, Carcinogens, Harmful Substances | ✓           |                                                                                    |
| Austrian Ecolabel, Guideline UZ 07       | VOC                                                | ✓           |                                                                                    |
| ChemVerbotsV E1 DE 2020                  | VOC, Formaldehyde, Carcinogens, Harmful Substances | ✓           |                                                                                    |
| LEED v4 (Outside of North America)       | Formaldehyde                                       | ✓           |                                                                                    |
| BREEAM General Level                     | VOC, Formaldehyde,                                 | ✓           |                                                                                    |

| Requirements                                  | Substance/Indicator                   | Fulfillment | Requirement Details                                    |
|-----------------------------------------------|---------------------------------------|-------------|--------------------------------------------------------|
|                                               | Carcinogens                           |             | Additional with TÜV PROFiCERT-product interior PREMIUM |
| QNG Anforderungskatalog 313, Version 1.3      | Formaldehyde, VOC                     | ✓           |                                                        |
| DGNB                                          | Formaldehyde, VOC                     | ✓           |                                                        |
| BREEAM Exemplary Level                        | VOC, Formaldehyde, Carcinogens        | ✓           |                                                        |
| Austrian Environmental Label, Guideline UZ 07 | VOC                                   | ✓           |                                                        |
| CAM Building Products                         | VOC, Formaldehyde, Harmful Substances | ✓           |                                                        |

## Processing & Use

### Safety, Processing and Maintenance Instructions

This product is not hazardous in the form in which it is shipped by the manufacturer. Downstream activities (e.g. grinding, sanding, cutting or pulverizing) may generate wood dust, which is hazardous. Wear a respiratory mask if using hand tools without a dust extraction device. Observe all liability insurance association regulations for commercial processing operations (e.g. safety goggles).

All relevant information on product performance can be found in the [Declaration of Performance](#), DoP-Nr.: DoP:FL004  
 For further information on safety, processing or maintenance instructions, see:

- [Technical Datasheet EGGER NatureSense Aqua+ Flooring](#)
- [Installation Instructions](#)
- [Cleaning and Care Instructions](#)
- [Guarantee Declaration – Voluntary Manufacturer’s Guarantee](#)

## End of Life – Reuse, Recycling, Incineration

Waste code according to European Waste Catalogue, depending on origin of the waste:

- 17 02 01 Construction & Demolition Waste Wood or
- 03 01 05 Sawdust, Shavings, Cuttings, Wood, Particle Board and Veneer Not Containing Hazardous Substances

The product is not classified as hazardous waste. Used EGGER NatureSense Aqua+ Flooring products can be classified as glued, laminated waste wood without halogenated compounds in the lamination layer and without wood preservatives. See also the documents available for download at [www.egger.com/environment](http://www.egger.com/environment):

- [Manufacturer Declaration on Wood Preservatives](#)
- [Manufacturer Declaration on Halogenated Organic Compounds](#)

|           |                                                                                                                                                                                                                                                                                                                                                                           |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reuse     | During remodeling or at the end of the utilization phase of a building, the product can easily be separated and used again for the same applications, if selective deconstruction is practiced. This is only possible if the product has not been bonded over its entire surface.                                                                                         |
| Recycling | Leftovers which accrue on the construction site as well as those from deconstruction measures should primarily be routed to a material utilization stream (use as post-consumer recycling material). The product can be recycled and used for the same purpose, since waste wood from furniture is a secondary material already used in the production of new chipboards. |



|              |                                                                                                                                                                                                                                                                                                                                                                |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Incineration | After its utilization phase, the product should be separated and routed to an energetic recovery, due to its high calorific value. Upon incineration, kindly observe all locally applicable legal requirements for the correct dimensions, required filter technologies, operating conditions, and legal permissions for burning wood-based panels/chipboards. |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Compliances and Certifications

### Production Plants and their Certifications

The product is manufactured at the following locations. You can find the certifications available for download linked in the column headings of the table below. The plant addresses are available in the [Footnotes](#).

| Plant      | Certification Obtained by This Plant or Product |                                             |                                        |                                             |                                                             |
|------------|-------------------------------------------------|---------------------------------------------|----------------------------------------|---------------------------------------------|-------------------------------------------------------------|
|            | <a href="#">Quality<br/>(ISO 9001)</a>          | <a href="#">Environment<br/>(ISO 14001)</a> | <a href="#">Energy<br/>(ISO 50001)</a> | <a href="#">Wood origin<br/>(ISO 38200)</a> | <a href="#">TÜV<br/>PROFICERT-<br/>Product<br/>Interior</a> |
| Wismar, DE | ✓                                               | ✓                                           | ✓                                      | ✓                                           | ✓                                                           |

### Compliance with Building Certificates

An analysis was carried out for the requirements of the following certificates and we can state that EGGER NatureSense Aqua+ Flooring product is compliant as listed in the tables below. To fulfill some of the requirements of specific building certificates it is necessary to conduct an analysis of all used building products. This means that we cannot ensure the acquiring of points and that an individual assessment is necessary for each project. Also, our product may contribute beyond the listed requirements. If not otherwise mentioned, we can provide you with the necessary documents.

#### General Information:

Some building certificates, for example LEED v4.1 and WELL v2™ certification schemes, demand third party certification for gathering additional points in some of their optimization credits. At this point our product is **not certified** with the following certifications:

- Cradle to Cradle, Declare, Global Green TAG, Health Product Challenge, Living Product Challenge

**In doubt, please refer to the certification program holder themselves.**

**Please note that our products are not certified or validated in any way by the building certification program holder.**

**Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may change product properties and thus invalidate certificate applicability. Fabricators need to test and certify their reworked or manipulated product on their own.**

Click on the desired certificate for easy navigation to detailed information:

[LEED v4.1](#) ✓

[QNG](#) ✓

[BREEAM International v6](#) ✓

[WELL v2™](#) ✓

[DGNB](#) ✓

[CAM Italy](#) ✓

## Relevant Documents for Building Certificates and Ecolabels

Please click on the desired document to be redirected.

| Relevant Documents                                               | LEED | BREEAM | WELL | DGNB | QNG | CAM Italy |
|------------------------------------------------------------------|------|--------|------|------|-----|-----------|
| <a href="#">Environmental Product Declaration (EPD)</a>          | ✓    | ✓      |      | ✓    | ✓   |           |
| <a href="#">TÜV PROFiCERT-interior PREMIUM</a>                   | ✓    | ✓      | ✓    | ✓    | ✓   | ✓         |
| <a href="#">FloorScore Certificate*</a>                          | ✓    |        | ✓    |      |     |           |
| <a href="#">Finnish M1 Classification</a>                        |      |        |      |      |     |           |
| <a href="#">Testing Protocols**</a>                              |      |        |      | ✓    | ✓   |           |
| <a href="#">3<sup>rd</sup> Party Wood Certificate*</a>           | (✓)  | (✓)    |      | (✓)  | (✓) | (✓)       |
| <a href="#">Technical Datasheet NatureSense Aqua+</a>            |      |        |      |      | ✓   |           |
| <a href="#">Declaration of Performance</a>                       |      |        |      |      |     |           |
| <a href="#">Cleaning Instructions</a>                            |      |        |      |      |     |           |
| <a href="#">Installation Instructions</a>                        |      |        |      |      |     |           |
| <a href="#">Guarantee Declaration</a>                            |      |        |      |      |     |           |
| <a href="#">Certificate ISO 38200:2018</a>                       | ✓    | ✓      |      |      | ✓   | ✓         |
| <a href="#">Manufacturer Declaration on Timber Origin</a>        | ✓    |        |      | ✓    | ✓   | ✓         |
| <a href="#">Manufacturer Declaration on Sustainable Forestry</a> |      |        |      |      |     |           |
| <a href="#">Manufacturer Declaration Asbestos</a>                |      |        | ✓    |      |     |           |
| <a href="#">Manufacturer Declaration HFR*</a>                    |      |        | ✓    |      |     |           |
| <a href="#">Manufacturer Declaration PFAS*</a>                   |      |        | ✓    |      |     |           |
| <a href="#">Manufacturer Declaration REACH</a>                   | ✓    |        |      | ✓    | ✓   |           |
| <a href="#">Manufacturer Declaration Wood Preservative</a>       |      |        |      | ✓    |     |           |
| <a href="#">Manufacturer Declaration on Biocides*</a>            |      |        |      | ✓    | ✓   |           |
| <a href="#">Manufacturer Declaration RoHS</a>                    | ✓    |        |      |      |     |           |

✓ : relevant      \* please contact your sales person for document acquiring or via email: [environment@egger.com](mailto:environment@egger.com)

## Compliance with LEED v4.1

The following table shows all LEED credits which are applicable to the usage of our product. As the achievable number of points depends on the attributes of all used materials in the LEED building project and further actions by the constructor, we cannot guarantee to obtain the maximum score.

For full requirement terms see LEED credit library at [USGBC | U.S. Green Building Council](#).

## LEED Projects Outside U.S.

Please note that formaldehyde emission requirements in LEED v4.1 are deviating for projects inside U.S.

### LEED v4.1 Requirements for Building Design + Construction (BD + C)

New Construction, Core and Shell, Schools, Retail, Healthcare, Data Centers, Hospitality, Warehouses and Distribution Centers

### LEED v4.1 Requirements for Interior Design and Construction (ID + C)

Commercial Interiors, Retail, Hospitality

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

| Credit Category              | Credit Name and Description                                                                                                                                                                                                                                                                                                                                                           | Product Contribution                                                                                                                                                                                                                                                      | Maximum Points |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Material and Resources       | <b>Environmental Product Declaration</b><br>Option 1:<br><ul style="list-style-type: none"> <li>Environmental Product Declaration</li> </ul>                                                                                                                                                                                                                                          | This product has a verified <u>Environmental Product Declaration (EPD)</u> according to ISO 14025 and EN 15804 + A2 .                                                                                                                                                     | 1 point        |
|                              | <b>Sourcing of Raw Materials</b><br>Wood products<br><ul style="list-style-type: none"> <li>Wood products must be certified by the Forest Stewardship Council® or USGBC-approved equivalent.</li> </ul> Recycled content<br><ul style="list-style-type: none"> <li>Recycled content is the sum of postconsumer recycled content plus one-half of the preconsumer recycled.</li> </ul> | The product can be purchased in 3rd party certified qualities, e.g. PEFC, <b>on request</b> .<br>Use delivery receipt as evidence document.<br>Please see chapter " <u>Wood Origin</u> " for further information.                                                         | 2 points       |
|                              | <b>Material Ingredient</b><br>Material Inventory<br><ul style="list-style-type: none"> <li>The manufacturer has published complete content inventory of the product to at least 0.1% (1000ppm).</li> </ul>                                                                                                                                                                            | The recycling content of the product depends on the production plant.<br>Check the recycling content percentage as stated in our <u>Manufacturer Declaration on Timber Origin</u> or contact your sales person.                                                           | 1 point        |
|                              | <b>Material Ingredient</b><br>Material Inventory<br><ul style="list-style-type: none"> <li>The manufacturer has published complete content inventory of the product to at least 0.1% (1000ppm).</li> </ul>                                                                                                                                                                            | Please see chapter " <u>Constituent Materials</u> " for content inventory.                                                                                                                                                                                                | 1 point        |
|                              | <b>Furniture and medical Furnishings</b><br>Healthcare<br><ul style="list-style-type: none"> <li>Option 1: Minimal chemical content</li> </ul>                                                                                                                                                                                                                                        | The product is compliant with this credit. Please contact us for document acquiring via <a href="mailto:environment@egger.com">environment@egger.com</a> .                                                                                                                | 1 point        |
| Indoor Environmental Quality | <b>Low-Emitting Materials</b><br>VOC Emissions Evaluation<br>Alternative compliance path:<br><ul style="list-style-type: none"> <li>Compliance with German AgBB Testing and Evaluation Scheme</li> </ul>                                                                                                                                                                              | Product complies with the LCI values of the German AgBB Testing and Evaluation scheme.<br>See chapter " <u>Product Emissions &amp; Health Aspects</u> " above for further information.<br>Use the <u>TÜV PROFiCERT-product interior certificate</u> as evidence document. | Up to 3 points |

## LEED Projects inside U.S.

### LEED v4.1 Requirements for Building Design + Construction (BD + C)

New Construction, Core and Shell, Schools, Retail, Healthcare, Data Centers, Hospitality, Warehouses and Distribution Centers

### LEED v4.1 Requirements for Interior Design and Construction (ID + C)

Commercial Interiors, Retail, Hospitality

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

| Credit Category              | Credit Name and Description                                                                                                                                                  | Product Contribution                                                                                                                                                                                           | Maximum Points |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Material and Resources       | As the requirements are identical for those for projects outside the U.S., please refer to the table for LEED Projects outside U.S. .                                        |                                                                                                                                                                                                                |                |
| Indoor Environmental Quality | <b>Low-Emitting Materials</b> <ul style="list-style-type: none"> <li>VOC Emissions Evaluation</li> </ul> Product has been tested according to CDPH Standard Method v1.2-2017 | The product is compliant with this credit. See chapter " <a href="#">Product Emission &amp; Health Aspects</a> " for further information. Use the <a href="#">FloorScore-certificate</a> as evidence document. | -              |

## Compliance with WELL Building Standard v2™

EGGER NatureSense Aqua+ Flooring product is compliant with the preconditions for use in WELL v2 certified building. Beyond that the usage of this product may contribute to gather additional points within the WELL scoring system. As the actually achievable number of points depends on the attributes of all used materials in the building project and further actions by the constructor, we cannot guarantee to obtain the maximum score.

For full requirement terms please see: [Standard | WELL V2](#)

The following table shows all WELL features which are applicable to the usage of our product.

*Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.*

| Concept                            | Feature and Description                                                                                                                                                                                                                                                                                                                                                                                        | Product Contribution                                                                                                                                                                                                                                                                                                                                                                                        | Maximum Points |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| X01 Material Restrictions          | <b>Part 1: Restrict Asbestos</b>                                                                                                                                                                                                                                                                                                                                                                               | The product complies with this precondition. Use <a href="#">Manufacturer Declaration – Asbestos</a> for evidence.                                                                                                                                                                                                                                                                                          | Precondition   |
| X05 Enhanced Material Restrictions | <b>Part 2: Select Compliant Interior Furnishings and Interior Product</b><br>Ceiling and wall finishes and demountable wall partitions contain 100ppm by weight or less of the following: <ul style="list-style-type: none"> <li>Halogenated flame retardants (HFR)</li> <li>Orthophtalates</li> </ul>                                                                                                         | The product complies with this requirement.<br>No halogenated flame retardants (HFR) are used in this product. In general, no softening agents are used in the production of chipboards, in particular phthalates.<br>See chapter " <a href="#">Constituent Materials</a> " above for your documentation.<br>See <a href="#">Manufacturer Declaration on the Use of Halogenated Compounds</a> for evidence. | 1 point        |
| X06 Volatile Compounds             | <b>Part 2: Restrict VOC Emissions from Furniture, Architectural and Interior Products</b><br>Tested per methods and VOC emission threshold established in one of the following: <ul style="list-style-type: none"> <li>CDPH</li> <li>AgBB</li> <li>2. All Composite wood panels meet one of the following: <ul style="list-style-type: none"> <li>European E1, TSCA, F**** or LEED v4.1</li> </ul> </li> </ul> | Product complies with the LCI values of the German AgBB scheme.<br>The product is tested per EN 717-1:2014 for formaldehyde emissions and complies with emissions class E1E05.<br>See chapter " <a href="#">Product Emissions &amp; Health Aspects</a> " for further information.<br>Use the <a href="#">TÜV PROFiCERT-product interior certificate</a> as evidence document.                               | Up to 4 points |
| X07 Material Transparency          | <b>Part 1: Selects Products with Disclosed Ingredients</b> <ul style="list-style-type: none"> <li>h) A manufacturers inventory down to 1000pm</li> </ul>                                                                                                                                                                                                                                                       | The product is screened to at least 1000ppm and the manufacturer has provided a publicly available inventory within this document.                                                                                                                                                                                                                                                                          | 1 point        |



| Concept                    | Feature and Description                                                                                                           | Product Contribution                                                     | Maximum Points |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----------------|
|                            |                                                                                                                                   | See chapter " <a href="#">Constituent Materials</a> " for documentation. |                |
| X08 Materials Optimization | Our product does not participate in any of the listed programs for this requirement.<br>It does not contribute to achieve points. |                                                                          | 0 points       |

## BREEAM International New Construction Version 6.0

EGGER NatureSense Aqua+ Flooring product is compliant with the preconditions for use in BREEAM v6.0 certified building and fulfills the emission requirements at exemplary level. Beyond that the usage of this product may contribute to gather additional points within the BREEAM scoring system. As the actually achievable number of points depends on the attributes of all used materials in the building project and further actions by the constructor, we cannot guarantee to obtain the maximum score.

For full requirement terms please see [BREEAM | Sustainable Building Certification](#)

The following table shows all BREEAM features which are applicable to the usage of our product.

| Concept                                                 | Feature and Description                                                                                                                                                                                                                                                                                                                             | Product Contribution                                                                                                                                                                                       | Maximum Credits |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| Hea 02<br>Indoor Air Quality                            | <b>Avoidance of asbestos</b>                                                                                                                                                                                                                                                                                                                        | The product complies with this prerequisite.<br>See <a href="#">Manufacturer Declaration – Asbestos</a> as evidence.                                                                                       | Prerequisite    |
|                                                         | <b>Minimizing sources of air pollution – Emissions from building products</b><br>Exemplary level emission criteria <ul style="list-style-type: none"> <li>≤ Formaldehyde 0.01 mg/m<sup>3</sup></li> <li>≤ TVOC 0.3 mg/m<sup>3</sup></li> <li>≤ TSVOG 0.1 mg/m<sup>3</sup></li> <li>Category 1A and 1B carcinogens 0.001 mg/m<sup>3</sup></li> </ul> | Product meets the exemplary level emissions criteria.<br>Use <a href="#">TÜV PROFiCERT - product Interior certificate</a> as evidence document.                                                            | 2 Credits       |
| Mat 01<br>Life Cycle Impacts                            | <b>Environmental Product Declarations</b><br>Products installed by Post-Construction Stage is covered with verified EPD                                                                                                                                                                                                                             | The product has a verified <a href="#">Environmental Product Declaration (EPD)</a> according to ISO 14025 and EN 15804 + A2                                                                                | 1 Credit        |
| Mat 03<br>Responsible Sourcing of Construction Products | <b>All timber based products used on the projects are legally harvested and traded timber.</b>                                                                                                                                                                                                                                                      | The product can be purchased in 3rd party certified qualities, e.g. PEFC, <b>on request</b> .<br>Use delivery receipt as evidence.<br>See chapter " <a href="#">Wood Origin</a> " for further information. | Prerequisite    |

## Compliance with DGNB System Version 2023 International – New Buildings Criteria Set

The DGNB Silver, Gold and Platinum ratings result from the overall level of fulfillment of the building project. Which quality levels EGGER NatureSense Aqua+ Flooring product fulfills according to the DGNB system and where you can find the required verifications can be found in the following table. The contributions to the overall degree of fulfillment resulting from this according to the DGNB point system depend, among other things, on the relevance of the product group for the overall building. We can therefore not guarantee a score to be obtained through the use of EGGER NatureSense Aqua+ Flooring product.

Please note that other criteria are also relevant for the overall rating of the building.

For full requirement terms please see [German Sustainable Building Council | DGNB](#)

*Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.*

| Category                                   | Credit Name and Description                                                                                                                                                                                       | Product Contribution                                                                                                                                                                              | Quality Level       |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| ENV 1.1<br>Climate Action and Energy       | The Building life cycle assessment requires building material data.                                                                                                                                               | The product has a verified <u>Environmental Product Declaration</u> according to ISO 14025 and EN 15804 + A2                                                                                      | General requirement |
| ENV 1.2<br>Local Environmental Impact      | No chemical wood preservative in the interior.                                                                                                                                                                    | The product complies with these criteria. Use <u>Manufacturer Declaration Wood Preservatives</u> as evidence.                                                                                     | General requirement |
|                                            | Only product with SVHC ≤ 0.1% used                                                                                                                                                                                | The product complies with these criteria. See chapter " <u>Constituent Materials</u> " for further information<br>Use <u>Manufacturer Declaration REACH</u> as evidence.                          | General requirement |
|                                            | <b>Criteria matrix No. 47c</b> – Wood-based materials for floor coverings:<br>MMFs with wood materials<br>QS4:<br><ul style="list-style-type: none"> <li>DE-UZ 176 or</li> <li>Formaldehyde ≤ 0.05 ppm</li> </ul> | The product complies with these criteria. Use <u>TÜV PROFiCERT-product Interior certificate</u> as evidence.                                                                                      | 4                   |
| ENV 1.3<br>Sustainable Resource Extraction | <b>It must be demonstrated that at least 50% (by mass) of the permanently installed wood or wood-based materials originate from certified sustainably managed sources.</b>                                        | The product can be purchased in 3rd party certified qualities, e.g. PEFC, <b>on request</b> .<br>Use delivery receipt as evidence.<br>See chapter " <u>Wood Origin</u> " for further information. | General requirement |
| TEC 1.6<br>Circular Construction           | <b>ZE01:</b> Contained hazardous substances<br>The product contains SVHC substances >0.1 mass %                                                                                                                   | See chapter " <u>Constituent Materials</u> " for further information.<br>Use <u>Manufacturer Declaration REACH</u> as evidence                                                                    |                     |
|                                            | <b>ZE02:</b> Post-consumer recycled content                                                                                                                                                                       | See chapter " <u>Wood Origin</u> " for further information.<br>Use <u>Manufacturer Declaration on Timber Origin</u> as source document.                                                           |                     |
|                                            | <b>ZE04:</b> Proportion of renewable raw materials                                                                                                                                                                | See chapter " <u>Constituent Materials</u> " for further information.<br>Use <u>Manufacturer Declaration on Timber Origin</u> as source document.                                                 |                     |
|                                            | <b>ZE05:</b> Biodegradability                                                                                                                                                                                     | The product is not biodegradable.                                                                                                                                                                 | 0 points            |
|                                            | <b>ZE03, ZE06-ZE09</b>                                                                                                                                                                                            | The application of these credits depend heavily on the product use.<br>In case of doubt, please contact your sales person for additional documents.                                               |                     |

## Compliance with Sustainable Building Certification – QNG (Qualitätssiegel nachhaltiges Gebäude)

EGGER NatureSense Aqua+ Flooring product fulfills the requirements placed on construction products according to the QNG Sustainable Building Certification guidelines. As the actually achievable number of points depends on the attributes of all used materials in the building project and further actions by the constructor, we cannot guarantee to obtain the maximum score. Please note that other criteria are also relevant for the overall rating of the building. The QNG guidelines are currently only available in German.

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

| Category                                              | Credit Name and Description                                                                                                                                                                                                      | Product Contribution                                                                                                                                                                                                          |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Anlage 3:<br>Gebäudeanforderungen                     | <b>ANF1: Treibhausgas und Primärenergie</b> <ul style="list-style-type: none"> <li>Berechnung Treibhausgasemissionen im Gebäudelebenszyklus maximal 24kg CO<sub>2</sub> Äqu/m<sup>2</sup>a</li> </ul>                            | The product has a verified <u>Environmental Product Declaration</u> (EPD) according to ISO 14025 and EN 15804 + A2.                                                                                                           |
|                                                       | <b>ANF2: Nachhaltige Materialgewinnung</b> <ul style="list-style-type: none"> <li>Mindestens 50% der neu eingebaute Hölzer/Holzprodukte und/oder Holzwerkstoffe stammen nachweislich aus nachhaltiger Forstwirtschaft</li> </ul> | The product can be purchased in 3rd party certified qualities, e.g. PEFC, <b>on request</b> .<br>Use delivery receipt as evidence.<br>See chapter " <u>Wood Origin</u> " for further information.                             |
| Anhang 3.1.3:<br>Schadstoffvermeidung in Bauprodukten | <b>1.1 Übergreifende Anforderung für die Güte des Gebäudes</b> <ul style="list-style-type: none"> <li>Produktdokumentation und Deklaration enthaltener SVHC &gt;0,10 %</li> </ul>                                                | The product complies with these criteria.<br>See chapter " <u>Constituent Materials</u> " for further information<br>Use <u>Manufacturer Declaration REACH</u> as evidence.                                                   |
|                                                       | <b>8. Imprägnierungen zum Zweck des chemischen Holzschutzes</b> <ul style="list-style-type: none"> <li>In Innenräumen keine Biozide zugelassen</li> </ul>                                                                        | The product complies with these criteria.<br>Use <u>Manufacturer Declaration on Biocides</u> as evidence.                                                                                                                     |
|                                                       | <b>2.3 Bodenbeläge auf Holzwerkstoff-Trägerplatten</b> <ul style="list-style-type: none"> <li>Einhaltung AgBB-Schema</li> </ul>                                                                                                  | The product complies with these criteria.<br>See chapter " <u>Constituent Materials</u> " for further information.<br>Use TÜV PROFiCERT-product Interior – certificate and <u>Manufacturer Declaration REACH</u> as evidence. |

## Compliance with CAM Italy – Minimal Environmental Criteria for Buildings and Interior Furnishing (Mindestumweltkriterien für Gebäude und Inneneinrichtungen)

The product fulfills the requirements placed on construction products according to the *Mindestumweltkriterien für Gebäude*. The *Mindestumweltkriterien für Gebäude* are currently only available in German and Italian. The analysis is based on the *Ministerialdekret 23. Juni 2022*.

For further information, please go to Autonome Provinz Bozen - Website und Hinweise - Rechtsvorschriften

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

| Number        | Credit Name and Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Product Contribution                                                                                                   |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| 2.5.1 & 3.2.8 | <b>Emissionen in geschlossenen Räumen (Luftverschmutzung in Innenräumen)</b><br>Platten für die Innenausstattung<br>Anforderung (Werte nach EN 16516): <ul style="list-style-type: none"> <li>VOC gesamt (28d) &lt;1500 µg/m<sup>3</sup></li> <li>Formaldehyd (28d) &lt;60 µg/m<sup>3</sup></li> </ul> Belohnende Punktezahl: <ul style="list-style-type: none"> <li>VOC gesamt (28d) &lt;1000 µg/m<sup>3</sup></li> <li>Formaldehyd (28d) &lt;10 µg/m<sup>3</sup></li> </ul> Nachweis: AgBB (Deutschland) | Product meets the emissions criteria.<br>Use <u>TÜV PROFiCERT - product Interior certificate</u> as evidence document. |

| Number | Credit Name and Description                                                                                                                                                                                                         | Product Contribution                                                                                                                                                                              |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2.5.6  | <b>Holzprodukte</b> <ul style="list-style-type: none"><li>▪ Alle im Rahmen des Projekts verwendeten Holzprodukte müssen gemäß den Angaben unter Punkt „a“ des Nachweises aus nachhaltig bewirtschafteten Wäldern stammen.</li></ul> | The product can be purchased in 3rd party certified qualities, e.g. PEFC, <b>on request</b> .<br>Use delivery receipt as evidence.<br>See chapter “ <u>Wood Origin</u> ” for further information. |
| 4.3.4  | <b>Nachwachsende Rohstoffe</b>                                                                                                                                                                                                      | The product can contribute to this criterion via this document.                                                                                                                                   |

Footnotes

Plant Addresses

| Production Plant | Address                                                                    |
|------------------|----------------------------------------------------------------------------|
| Wismar, DE       | EGGER Holzwerkstoffe Wismar GmbH & Co. KG, Am Haffeld 1, 23970 Wismar (DE) |

List of Abbreviations

| Abbreviation | Meaning                                                                                        |
|--------------|------------------------------------------------------------------------------------------------|
| SVHC         | Substance of Very High Concern                                                                 |
| TSCA         | Toxic Substances Control Act                                                                   |
| HDF          | High Density Fibreboard                                                                        |
| HFR          | Halogenated Flame Retardants                                                                   |
| PFAS         | Per- and Polyfluoroalkyl Substances                                                            |
| EPD          | Environmental Product Declaration                                                              |
| GWP          | Global Warming Potential                                                                       |
| GWP-Luluc    | Global Warming Potential - Land Use and Land Use Change                                        |
| REACH        | Regulation Concerning the Registration, Evaluation, Authorization and Restriction of Chemicals |
| VOC          | Volatile Organic Compounds                                                                     |