Just random notes

b0th

August 2, 2021

Runtime

Runtime describes software/instructions that are executed while your program is running, especially those instructions that you did not write explicitly, but are necessary for the proper execution of your code.

KISS Keep It simple, stupid

The KISS principle states that most systems work best if they are kept simple rather than made complicated.

Container

Group of namespaces and control groups applied to a process.

Linux kernel namespace

Limit what the process sees, here some namespaces

- \bullet item
- \bullet pid
- net
- mnt
- uts
- ipc
- user

C functions to manage them

- clone()
- unshare()

Linux kernel cgroup Control group

Limit what the process can use, here some cgroups

- memomry
- \bullet CPU
- \bullet network
- \bullet devices
- \bullet pids

C++ inheritance class

Single inheritance

```
class Rectangle: public Shape {
   public:
      int getArea() { return (width * height); }
};
```

Multiple inheritance

```
class Rectangle: public Shape1, Shape2, Shape3 {
    public:
        int getArea() { return (width * height); }
};
```

C++ namespace

Namespaces allow to group entities like classes, objects and functions under a name. Example of declaration

```
namespace myNamespace
{
  int a = 0;
}
```

Usage

cout << myNamespace::a << endl</pre>

C++ cout character out

C++ endl end line