```
misstudent@misstudent:~$ echo $PS1
\[\e]0;\u@\h: \w\a\]${debian_chroot:+($debian_chroot)}\[\033[01;32m\]\u@\h\[\033[00m\]:\[\033[01;34m\]\w\[\033[00m\]\$
misstudent@misstudent:~$ export PS1="\e[01;32mB10523010\e[m:\e[01;34m\w\e[m$ "
B10523010:~$ /etc/rc.d/init.d/sshd start
bash: /etc/rc.d/init.d/sshd: No such file or directory
B10523010:~$ service sshd start
Failed to start sshd.service: Unit sshd.service not found.
B10523010:~$ netstat -tl
Active Internet connections (only servers)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
tcp        0      0 misstudent:domain       *:*                     LISTEN
B10523010:~$ sudo apt-get install openssh-server
[sudo] password for misstudent:
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  ncurses-term openssh-sftp-server ssh-import-id
Suggested packages:
  ssh-askpass rssh molly-guard monkeysphere
The following NEW packages will be installed:
  ncurses-term openssh-server openssh-sftp-server ssh-import-id
0 upgraded, 4 newly installed, 0 to remove and 246 not upgraded.
Need to get 636 kB of archives.
After this operation, 5,145 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://211.73.64.9/ubuntu xenial/main amd64 ncurses-term all 6.0+20160213-1ubuntu1 [249 kB]
Get:2 http://211.73.64.9/ubuntu xenial-updates/main amd64 openssh-sftp-server amd64 1:7.2p2-4ubuntu2.1 [38.8 kB]
Get:3 http://211.73.64.9/ubuntu xenial-updates/main amd64 openssh-server amd64 1:7.2p2-4ubuntu2.1 [338 kB]
Get:4 http://211.73.64.9/ubuntu xenial/main amd64 ssh-import-id all 5.5-0ubuntu1 [10.2 kB]
Fetched 636 kB in 0s (4,634 kB/s)
Preconfiguring packages ...
Selecting previously unselected package ncurses-term.
(Reading database ... 207540 files and directories currently installed.)
Preparing to unpack .../ncurses-term_6.0+20160213-1ubuntu1_all.deb ...
Unpacking ncurses-term (6.0+20160213-1ubuntu1) ...
Selecting previously unselected package openssh-sftp-server.
Preparing to unpack .../openssh-sftp-server_1%3a7.2p2-4ubuntu2.1_amd64.deb ...
Unpacking openssh-sftp-server (1:7.2p2-4ubuntu2.1) ...
Selecting previously unselected package openssh-server.
Preparing to unpack .../openssh-server_1%3a7.2p2-4ubuntu2.1_amd64.deb ...
Unpacking openssh-server (1:7.2p2-4ubuntu2.1) ...
Selecting previously unselected package ssh-import-id.
Preparing to unpack .../ssh-import-id_5.5-0ubuntu1_all.deb ...
Unpacking ssh-import-id (5.5-0ubuntu1) ...
Processing triggers for man-db (2.7.5-1) ...
Processing triggers for systemd (229-4ubuntu10) ...
Processing triggers for ureadahead (0.100.0-19) ...
Processing triggers for ufw (0.35-0ubuntu2) ...
Setting up ncurses-term (6.0+20160213-1ubuntu1) ...
Setting up openssh-sftp-server (1:7.2p2-4ubuntu2.1) ...
Setting up openssh-server (1:7.2p2-4ubuntu2.1) ...
Creating SSH2 RSA key; this may take some time ...
2048 SHA256:5bivJW0GV05ZZhLoENfcdU0diXdfVV7jFKNwO2oEzrc root@misstudent (RSA)
Creating SSH2 DSA key; this may take some time ...
1024 SHA256:wQjgHIBsdz6DJkYXJ8cvXlyK3WtU1mZLDYfg+6Dfelk root@misstudent (DSA)
Creating SSH2 ECDSA key; this may take some time ...
256 SHA256:3jOqznAYYs3cah+4sVU3LVQyTSSbGbVHzz9+VgwRaPQ root@misstudent (ECDSA)
Creating SSH2 ED25519 key; this may take some time ...
256 SHA256:SNUzNJnlPNLoWCyzfD4+b0i+ek9wD+N66tpWBASaTpY root@misstudent (ED25519)
Setting up ssh-import-id (5.5-0ubuntu1) ...
Processing triggers for systemd (229-4ubuntu10) ...
```

```
Do you want to continue? [Y/n] y
Get:1 http://211.73.64.9/ubuntu xenial/main amd64 ncurses-term all 6.0+20160213-1ubuntu1 [249 kB]
Get:2 http://211.73.64.9/ubuntu xenial-updates/main amd64 openssh-sftp-server amd64 1:7.2p2-4ubuntu2.1 [38.8 kB]
Get:3 http://211.73.64.9/ubuntu xenial-updates/main amd64 openssh-server amd64 1:7.2p2-4ubuntu2.1 [338 kB]
Get:4 http://211.73.64.9/ubuntu xenial/main amd64 ssh-import-id all 5.5-0ubuntu1 [10.2 kB]
Fetched 636 kB in 0s (4,634 kB/s)
Preconfiguring packages ...
Selecting previously unselected package ncurses-term.
(Reading database ... 207540 files and directories currently installed.)
Preparing to unpack .../ncurses-term_6.0+20160213-1ubuntu1_all.deb ...
Unpacking ncurses-term (6.0+20160213-1ubuntu1) ...
Selecting previously unselected package openssh-sftp-server.
Preparing to unpack .../openssh-sftp-server_1%3a7.2p2-4ubuntu2.1_amd64.deb ...
Unpacking openssh-sftp-server (1:7.2p2-4ubuntu2.1) ...
Selecting previously unselected package openssh-server.
Preparing to unpack .../openssh-server_1%3a7.2p2-4ubuntu2.1_amd64.deb ...
Unpacking openssh-server (1:7.2p2-4ubuntu2.1) ...
Selecting previously unselected package ssh-import-id.
Preparing to unpack .../ssh-import-id_5.5-0ubuntu1_all.deb ...
Unpacking ssh-import-id (5.5-0ubuntu1) ...
Processing triggers for man-db (2.7.5-1) ...
Processing triggers for systemd (229-4ubuntu10) ...
Processing triggers for ureadahead (0.100.0-19) ...
Processing triggers for ufw (0.35-0ubuntu2) ...
Setting up ncurses-term (6.0+20160213-1ubuntu1) ...
Setting up openssh-sftp-server (1:7.2p2-4ubuntu2.1) ...
Setting up openssh-server (1:7.2p2-4ubuntu2.1) ...
Creating SSH2 RSA key; this may take some time ...
2048 SHA256:5bivJW0GV05ZZhLoENfcdU0diXdfVV7jFKNwO2oEzrc root@misstudent (RSA)
Creating SSH2 DSA key; this may take some time ...
1024 SHA256:wQjgHIBsdz6DJkYXJ8cvXlyK3WtU1mZLDYfg+6Dfelk root@misstudent (DSA)
Creating SSH2 ECDSA key; this may take some time ...
256 SHA256:3jOqznAYYs3cah+4sVU3LVQyTSSbGbVHzz9+VgwRaPQ root@misstudent (ECDSA)
Creating SSH2 ED25519 key; this may take some time ...
256 SHA256:SNUzNJnlPNLoWCyzfD4+b0i+ek9wD+N66tpWBASaTpY root@misstudent (ED25519)
Setting up ssh-import-id (5.5-0ubuntu1) ...
Processing triggers for systemd (229-4ubuntu10) ...
Processing triggers for ureadahead (0.100.0-19) ...
Processing triggers for ufw (0.35-0ubuntu2) ...
B10523010:~$ ps aux | grep ssh
root     17857  0.0  0.1  65520  5404 ?        Ss   09:46   0:00 /usr/sbin/sshd -D
misstud+ 17925  0.0  0.0  14540  1032 pts/1    S+   09:46   0:00 grep --color=auto ssh
B10523010:~$ sudo /etc/init.d/ssh start
[ ok ] Starting ssh (via systemctl): ssh.service.
B10523010:~$ ssh localhost
The authenticity of host 'localhost (127.0.0.1)' can't be established.
ECDSA key fingerprint is SHA256:3jOqznAYYs3cah+4sVU3LVQyTSSbGbVHzz9+VgwRaPQ.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added 'localhost' (ECDSA) to the list of known hosts.
misstudent@localhost's password:
Welcome to Ubuntu 16.04.1 LTS (GNU/Linux 4.4.0-31-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage

245 packages can be updated.
12 updates are security updates.

*** 系統需要重新啟動 ***
Last login: Thu Mar 30 10:07:32 2017
misstudent@misstudent:~$
```

```
245 packages can be updated.
12 updates are security updates.

*** 系統需要重新啟動 ***
Last login: Thu Mar 30 10:07:32 2017
misstudent@misstudent:~$ help
GNU bash, version 4.3.46(1)-release (x86_64-pc-linux-gnu)
These shell commands are defined internally.  Type `help' to see this list.
Type `help name' to find out more about the function `name'.
Use `info bash' to find out more about the shell in general.
Use `man -k' or `info' to find out more about commands not in this list.

A star (*) next to a name means that the command is disabled.

 job_spec [&]                                        history [-c] [-d offset] [n] or history -anrw [filename] >
 (( expression ))                                    if COMMANDS; then COMMANDS; [ elif COMMANDS; then COMMAND>
 . filename [arguments]                              jobs [-lnprs] [jobspec ...] or jobs -x command [args]
 :                                                   kill [-s sigspec | -n signum | -sigspec] pid | jobspec ..>
 [ arg... ]                                          let arg [arg ...]
 [[ expression ]]                                    local [option] name[=value] ...
 alias [-p] [name[=value] ... ]                      logout [n]
 bg [job_spec ...]                                   mapfile [-n count] [-O origin] [-s count] [-t] [-u fd] [->
 bind [-lpsvPSVX] [-m keymap] [-f filename] [-q name] [-u n>  popd [-n] [+N | -N]
 break [n]                                           printf [-v var] format [arguments]
 builtin [shell-builtin [arg ...]]                   pushd [-n] [+N | -N | dir]
 caller [expr]                                       pwd [-LP]
 case WORD in [PATTERN [| PATTERN]...) COMMANDS ;;]... esac>   read [-ers] [-a array] [-d delim] [-i text] [-n nchars] [>
 cd [-L|[-P [-e]] [-@]] [dir]                        readarray [-n count] [-O origin] [-s count] [-t] [-u fd] >
 command [-pVv] command [arg ...]                    readonly [-aAf] [name[=value] ...] or readonly -p
 compgen [-abcdefgjksuv] [-o option]  [-A action] [-G globp>  return [n]
 complete [-abcdefgjksuv] [-pr] [-DE] [-o option] [-A actio>  select NAME [in WORDS ... ;] do COMMANDS; done
 compopt [-o|+o option] [-DE] [name ...]             set [-abefhkmnptuvxBCHP] [-o option-name] [--] [arg ...]
 continue [n]                                        shift [n]
 coproc [NAME] command [redirections]                shopt [-pqsu] [-o] [optname ...]
 declare [-aAfFgilnrtux] [-p] [name[=value] ...]     source filename [arguments]
 dirs [-clpv] [+N] [-N]                              suspend [-f]
 disown [-h] [-ar] [jobspec ...]                     test [expr]
 echo [-neE] [arg ...]                               time [-p] pipeline
 enable [-a] [-dnps] [-f filename] [name ...]        times
 eval [arg ...]                                      trap [-lp] [[arg] signal_spec ...]
 exec [-cl] [-a name] [command [arguments ...]] [redirectio>  true
 exit [n]                                            type [-afptP] name [name ...]
 export [-fn] [name[=value] ...] or export -p        typeset [-aAfFgilrtux] [-p] name[=value] ...
 false                                               ulimit [-SHabcdefilmnpqrstuvxT] [limit]
 fc [-e ename] [-lnr] [first] [last] or fc -s [pat=rep] [co>  umask [-p] [-S] [mode]
 fg [job_spec]                                       unalias [-a] name [name ...]
 for NAME [in WORDS ... ] ; do COMMANDS; done        unset [-f] [-v] [-n] [name ...]
 for (( exp1; exp2; exp3 )); do COMMANDS; done       until COMMANDS; do COMMANDS; done
 function name { COMMANDS ; } or name () { COMMANDS ; }   variables - Names and meanings of some shell variables
 getopts optstring name [arg]                        wait [-n] [id ...]
 hash [-lr] [-p pathname] [-dt] [name ...]           while COMMANDS; do COMMANDS; done
 help [-dms] [pattern ...]                           { COMMANDS ; }
misstudent@misstudent:~$ echo

misstudent@misstudent:~$ time

real    0m0.000s
user    0m0.000s
sys     0m0.000s
misstudent@misstudent:~$ fc

misstudent@misstudent:~$
```



```
misstudent@misstudent:~$ export PS1="\e[01;32mB10523010\e[m:\e[01;34m\w\e[m$ "
B10523010:~$ ssh localhost
misstudent@localhost's password:
Welcome to Ubuntu 16.04.1 LTS (GNU/Linux 4.4.0-31-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage

245 packages can be updated.
12 updates are security updates.

*** 系統需要重新啟動 ***
Last login: Thu Apr 27 10:55:29 2017 from 127.0.0.1
misstudent@misstudent:~$ exit
logout
Connection to localhost closed.
B10523010:~$
```

```
B10523010:~$ find . -name \*.sh -print
B10523010:~$ locate *.c
/lib/firmware/carl9170fw/carlfw/src/cam.c
/lib/firmware/carl9170fw/carlfw/src/cmd.c
/lib/firmware/carl9170fw/carlfw/src/dma.c
/lib/firmware/carl9170fw/carlfw/src/fw.c
/lib/firmware/carl9170fw/carlfw/src/gpio.c
/lib/firmware/carl9170fw/carlfw/src/hostif.c
/lib/firmware/carl9170fw/carlfw/src/main.c
/lib/firmware/carl9170fw/carlfw/src/printf.c
/lib/firmware/carl9170fw/carlfw/src/rf.c
/lib/firmware/carl9170fw/carlfw/src/uart.c
/lib/firmware/carl9170fw/carlfw/src/wlan.c
/lib/firmware/carl9170fw/carlfw/src/wol.c
/lib/firmware/carl9170fw/carlfw/usb/fifo.c
/lib/firmware/carl9170fw/carlfw/usb/main.c
/lib/firmware/carl9170fw/carlfw/usb/usb.c
/lib/firmware/carl9170fw/config/conf.c
/lib/firmware/carl9170fw/config/confdata.c
/lib/firmware/carl9170fw/config/expr.c
/lib/firmware/carl9170fw/config/menu.c
/lib/firmware/carl9170fw/config/symbol.c
/lib/firmware/carl9170fw/config/util.c
/lib/firmware/carl9170fw/tools/carlu/src/cmd.c
/lib/firmware/carl9170fw/tools/carlu/src/debug.c
/lib/firmware/carl9170fw/tools/carlu/src/fw.c
/lib/firmware/carl9170fw/tools/carlu/src/main.c
/lib/firmware/carl9170fw/tools/carlu/src/rx.c
/lib/firmware/carl9170fw/tools/carlu/src/test.c
/lib/firmware/carl9170fw/tools/carlu/src/tx.c
/lib/firmware/carl9170fw/tools/carlu/src/usb.c
/lib/firmware/carl9170fw/tools/lib/carlfw.c
/lib/firmware/carl9170fw/tools/src/checksum.c
/lib/firmware/carl9170fw/tools/src/eeprom_fix.c
/lib/firmware/carl9170fw/tools/src/fwinfo.c
/lib/firmware/carl9170fw/tools/src/miniboot.c
/lib/firmware/carl9170fw/tools/src/wol.c
/lib/firmware/isci/create_fw.c
/usr/share/doc/gdb/contrib/expect-read1.c
/usr/share/doc/libpam-modules/examples/upperLOWER.c
/usr/share/doc/pciutils/examples/example.c
/usr/share/doc/toshset/toshiba-acpi/2.6.26/toshiba_acpi.c
/usr/share/doc/toshset/toshiba-acpi/2.6.28/toshiba_acpi.c
/usr/share/doc/xz-utils/extra/scanlzma/scanlzma.c
/usr/share/gettext/intl/bindtextdom.c
/usr/share/gettext/intl/dcgettext.c
/usr/share/gettext/intl/dcigettext.c
/usr/share/gettext/intl/dcngettext.c
/usr/share/gettext/intl/dgettext.c
/usr/share/gettext/intl/dngettext.c
/usr/share/gettext/intl/explodename.c
/usr/share/gettext/intl/finddomain.c
/usr/share/gettext/intl/gettext.c
/usr/share/gettext/intl/hash-string.c
/usr/share/gettext/intl/intl-compat.c
/usr/share/gettext/intl/intl-exports.c
/usr/share/gettext/intl/l10nflist.c
/usr/share/gettext/intl/langprefs.c
/usr/share/gettext/intl/loadmsgcat.c
/usr/share/gettext/intl/localcharset.c
/usr/share/gettext/intl/localealias.c
/usr/share/gettext/intl/localename.c
```

```
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/gconf.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/images.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/kxgettext.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/mconf.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/menu.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/nconf.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/nconf.gui.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/symbol.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/util.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/zconf.hash.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/zconf.lex.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/zconf.tab.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/lxdialog/checklist.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/lxdialog/inputbox.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/lxdialog/menubox.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/lxdialog/textbox.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/lxdialog/util.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/lxdialog/yesno.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/mod/devicetable-offsets.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/mod/empty.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/mod/file2alias.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/mod/mk_elfconfig.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/mod/modpost.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/mod/sumversion.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/selinux/genheaders/genheaders.c
/usr/src/linux-headers-4.4.0-67-generic/scripts/selinux/mdp/mdp.c
B10523010:~$ locate *.sh
/boot/grub/i386-pc/modinfo.sh
/etc/acpi/asus-keyboard-backlight.sh
/etc/acpi/asus-wireless.sh
/etc/acpi/ibm-wireless.sh
/etc/acpi/powerbtn.sh
/etc/acpi/tosh-wireless.sh
/etc/acpi/undock.sh
/etc/bash_completion.d/libreoffice.sh
/etc/init.d/bootmisc.sh
/etc/init.d/checkfs.sh
/etc/init.d/checkroot-bootclean.sh
/etc/init.d/checkroot.sh
/etc/init.d/hostname.sh
/etc/init.d/hwclock.sh
/etc/init.d/mountall-bootclean.sh
/etc/init.d/mountall.sh
/etc/init.d/mountdevsubfs.sh
/etc/init.d/mountkernfs.sh
/etc/init.d/mountnfs-bootclean.sh
/etc/init.d/mountnfs.sh
/etc/init.d/umountnfs.sh
/etc/libreoffice/soffice.sh
/etc/profile.d/appmenu-qt5.sh
/etc/profile.d/apps-bin-path.sh
/etc/profile.d/bash_completion.sh
/etc/profile.d/cedilla-portuguese.sh
/etc/profile.d/vte-2.91.sh
/etc/rc0.d/K05hwclock.sh
/etc/rc0.d/K05umountnfs.sh
/etc/rc6.d/K05hwclock.sh
/etc/rc6.d/K05umountnfs.sh
/etc/rcS.d/S02hostname.sh
/etc/rcS.d/S02mountkernfs.sh
/etc/rcS.d/S04mountdevsubfs.sh
/etc/rcS.d/S05hwclock.sh
```

```
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/futex/run.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/futex/functional/run.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/lib/printf.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/memfd/run_fuse_test.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/memory-hotplug/mem-on-off-test.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/net/test_bpf.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/config2frag.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/configNR_CPUS.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/configcheck.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/configinit.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/cpus2use.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/functions.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/kvm-build.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/kvm-recheck-lock.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/kvm-recheck-rcu.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/kvm-recheck.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/kvm-test-1-run.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/kvm.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/parse-build.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/parse-console.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/bin/parse-torture.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/configs/lock/ver_functions.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/rcutorture/configs/rcu/ver_functions.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/static_keys/test_static_keys.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/user/test_user_copy.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/x86/check_cc.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/zram/zram.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/zram/zram01.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/zram/zram02.sh
/usr/src/linux-headers-4.4.0-67/tools/testing/selftests/zram/zram_lib.sh
/usr/src/linux-headers-4.4.0-67/tools/time/udelay_test.sh
/usr/src/linux-headers-4.4.0-67/tools/usb/hcd-tests.sh
/usr/src/linux-headers-4.4.0-67/tools/usb/usbip/autogen.sh
/usr/src/linux-headers-4.4.0-67/tools/usb/usbip/cleanup.sh
/usr/src/linux-headers-4.4.0-67/tools/vm/slabinfo-gnuplot.sh
/usr/src/linux-headers-4.4.0-67/zfs/autogen.sh
/usr/src/linux-headers-4.4.0-67/zfs/config/ltmain.sh
/usr/src/linux-headers-4.4.0-67-generic/arch/x86/entry/syscalls/syscallhdr.sh
/usr/src/linux-headers-4.4.0-67-generic/arch/x86/entry/syscalls/syscalltbl.sh
/usr/src/linux-headers-4.4.0-67-generic/arch/x86/tools/calc_run_size.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/check_extable.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/checksyscalls.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/decode_stacktrace.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/depmod.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/gcc-goto.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/gcc-version.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/gcc-x86_32-has-stack-protector.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/gcc-x86_64-has-stack-protector.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/gen_initramfs_list.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/headers.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/headers_install.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/ld-version.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/link-vmlinux.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/mkuboot.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/tags.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/xen-hypercalls.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/xz_wrap.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/check.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/merge_config.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/kconfig/lxdialog/check-lxdialog.sh
/usr/src/linux-headers-4.4.0-67-generic/scripts/selinux/install_policy.sh
B10523010:~$
```

```
-rwxr-sr-x 1 root tty 27368 12月 16 23:40 /usr/bin/wall
B10523010:~$ find / -perm /u=s
find: ‘/root’: Permission denied
find: ‘/etc/cups/ssl’: Permission denied
find: ‘/etc/ssl/private’: Permission denied
find: ‘/etc/polkit-1/localauthority’: Permission denied
find: ‘/sys/kernel/debug’: Permission denied
find: ‘/lost+found’: Permission denied
find: ‘/var/cache/cups’: Permission denied
find: ‘/var/cache/lightdm/dmrc’: Permission denied
find: ‘/var/cache/ldconfig’: Permission denied
find: ‘/var/cache/apt/archives/partial’: Permission denied
find: ‘/var/spool/rsyslog’: Permission denied
find: ‘/var/spool/cups’: Permission denied
find: ‘/var/spool/cron/crontabs’: Permission denied
find: ‘/var/tmp/systemd-private-ec6ba1fb2d1d4ccf91e084c9f8791148-rtkit-daemon.service-JvYsdq’: Permission denied
find: ‘/var/tmp/systemd-private-446201f8c19f48609be6b7587137af9c-rtkit-daemon.service-RwXSEd’: Permission denied
find: ‘/var/tmp/systemd-private-ec6ba1fb2d1d4ccf91e084c9f8791148-colord.service-aa3FHg’: Permission denied
find: ‘/var/tmp/systemd-private-446201f8c19f48609be6b7587137af9c-colord.service-7CoOha’: Permission denied
find: ‘/var/tmp/systemd-private-446201f8c19f48609be6b7587137af9c-systemd-timesyncd.service-eJHfI1’: Permission denied
find: ‘/var/tmp/systemd-private-ec6ba1fb2d1d4ccf91e084c9f8791148-systemd-timesyncd.service-zo7VaW’: Permission denied
find: ‘/var/lib/lightdm’: Permission denied
find: ‘/var/lib/udisks2’: Permission denied
find: ‘/var/lib/lightdm-data/lightdm’: Permission denied
find: ‘/var/lib/polkit-1’: Permission denied
find: ‘/var/lib/colord/.cache’: Permission denied
find: ‘/var/lib/apt/lists/partial’: Permission denied
find: ‘/var/log/speech-dispatcher’: Permission denied
find: ‘/tmp/systemd-private-ec6ba1fb2d1d4ccf91e084c9f8791148-systemd-timesyncd.service-rFhHQW’: Permission denied
find: ‘/tmp/systemd-private-ec6ba1fb2d1d4ccf91e084c9f8791148-rtkit-daemon.service-JkdVG0’: Permission denied
find: ‘/tmp/systemd-private-ec6ba1fb2d1d4ccf91e084c9f8791148-colord.service-F3dysQ’: Permission denied
find: ‘/run/udisks2’: Permission denied
find: ‘/run/lightdm’: Permission denied
find: ‘/run/cups/certs’: Permission denied
find: ‘/run/sudo’: Permission denied
find: ‘/run/systemd/inaccessible’: Permission denied
find: ‘/proc/tty/driver’: Permission denied
find: ‘/proc/1/task/1/fd’: Permission denied
find: ‘/proc/1/task/1/fdinfo’: Permission denied
find: ‘/proc/1/task/1/ns’: Permission denied
find: ‘/proc/1/fd’: Permission denied
find: ‘/proc/1/map_files’: Permission denied
find: ‘/proc/1/fdinfo’: Permission denied
find: ‘/proc/1/ns’: Permission denied
find: ‘/proc/2/task/2/fd’: Permission denied
find: ‘/proc/2/task/2/fdinfo’: Permission denied
find: ‘/proc/2/task/2/ns’: Permission denied
find: ‘/proc/2/fd’: Permission denied
find: ‘/proc/2/map_files’: Permission denied
find: ‘/proc/2/fdinfo’: Permission denied
find: ‘/proc/2/ns’: Permission denied
find: ‘/proc/3/task/3/fd’: Permission denied
find: ‘/proc/3/task/3/fdinfo’: Permission denied
find: ‘/proc/3/task/3/ns’: Permission denied
find: ‘/proc/3/fd’: Permission denied
find: ‘/proc/3/map_files’: Permission denied
find: ‘/proc/3/fdinfo’: Permission denied
find: ‘/proc/3/ns’: Permission denied
find: ‘/proc/4/task/4/fd’: Permission denied
find: ‘/proc/4/task/4/fdinfo’: Permission denied
find: ‘/proc/4/task/4/ns’: Permission denied
find: ‘/proc/4/fd’: Permission denied
```

```
find: ‘/proc/2658/ns’: Permission denied
find: ‘/proc/2667/task/2667/fd’: Permission denied
find: ‘/proc/2667/task/2667/fdinfo’: Permission denied
find: ‘/proc/2667/task/2667/ns’: Permission denied
find: ‘/proc/2667/fd’: Permission denied
find: ‘/proc/2667/map_files’: Permission denied
find: ‘/proc/2667/fdinfo’: Permission denied
find: ‘/proc/2667/ns’: Permission denied
find: ‘/proc/2738/task/2738/fd’: Permission denied
find: ‘/proc/2738/task/2738/fdinfo’: Permission denied
find: ‘/proc/2738/task/2738/ns’: Permission denied
find: ‘/proc/2738/fd’: Permission denied
find: ‘/proc/2738/map_files’: Permission denied
find: ‘/proc/2738/fdinfo’: Permission denied
find: ‘/proc/2738/ns’: Permission denied
find: ‘/proc/2837/task/2837/fd’: Permission denied
find: ‘/proc/2837/task/2837/fdinfo’: Permission denied
find: ‘/proc/2837/task/2837/ns’: Permission denied
find: ‘/proc/2837/fd’: Permission denied
find: ‘/proc/2837/map_files’: Permission denied
find: ‘/proc/2837/fdinfo’: Permission denied
find: ‘/proc/2837/ns’: Permission denied
find: ‘/proc/2871/task/2871/fd’: Permission denied
find: ‘/proc/2871/task/2871/fdinfo’: Permission denied
find: ‘/proc/2871/task/2871/ns’: Permission denied
find: ‘/proc/2871/fd’: Permission denied
find: ‘/proc/2871/map_files’: Permission denied
find: ‘/proc/2871/fdinfo’: Permission denied
find: ‘/proc/2871/ns’: Permission denied
find: ‘/proc/2878/task/2878/fd’: Permission denied
find: ‘/proc/2878/task/2878/fdinfo’: Permission denied
find: ‘/proc/2878/task/2878/ns’: Permission denied
find: ‘/proc/2878/fd’: Permission denied
find: ‘/proc/2878/map_files’: Permission denied
find: ‘/proc/2878/fdinfo’: Permission denied
find: ‘/proc/2878/ns’: Permission denied
find: ‘/proc/2916/task/2916/fd/6’: No such file or directory
find: ‘/proc/2916/task/2916/fdinfo/6’: No such file or directory
find: ‘/proc/2916/fd/5’: No such file or directory
find: ‘/proc/2916/fdinfo/5’: No such file or directory
/bin/su
/bin/ping6
/bin/ping
/bin/ntfs-3g
/bin/fusermount
/bin/umount
/bin/mount
/usr/sbin/pppd
/usr/lib/policykit-1/polkit-agent-helper-1
/usr/lib/eject/dmcrypt-get-device
/usr/lib/snapd/snap-confine
/usr/lib/dbus-1.0/dbus-daemon-launch-helper
/usr/lib/openssh/ssh-keysign
/usr/lib/x86_64-linux-gnu/oxide-qt/chrome-sandbox
/usr/bin/newgrp
/usr/bin/chfn
/usr/bin/pkexec
/usr/bin/passwd
/usr/bin/sudo
/usr/bin/chsh
/usr/bin/gpasswd
B10523010:~$
```