

American International University-Bangladesh Department of Computer Science and Engineering Dhaka, Bangladesh

$00892~\mathrm{ADVANCE}~\mathrm{DATABASE}~\mathrm{MANAGEMENT}~\mathrm{SYSTEM}$

PROJECT Report

 $[\mathrm{B}][\mathrm{SUMMER}\ 22\text{-}23]$

E-Sports Management System

Submitted by

Names of Students	ID
AJRAN HOSSAIN	19-39334-1
SHARIF HADI MAHATAB	20-43625-2
MD. SARAFAT ALI ADIR	20-41926-1
MEDHA CHOWDHURY	20-41930-1

Date of Submission

July 9, 2023

Submitted to JUENA AHMED NOSHIN

Assistant Professor, Faculty
Department of Computer Science and Engineering
American International University-Bangladesh

Contribution

	AJRAN HOSSAIN	SHARIF HADI MAHATAB	MD. SARAFAT ALI ADIR	MEDHA CHOWDHURY	Contribution (%)
	19-39334-1	20-43625-2	20-41926-1	20-41930-1	
Diagram	10%	10%	0%	0%	20(%)
UI Design	50%	0%	0%	0%	50(%)
Normalization	0%	70%	0%	0%	70(%)
SQL Query	0%	0%	0%	0%	0(%)
Relational Algebra	0%	0%	0%	0%	0(%)
Report Writing	30%	30%	0%	0%	60(%)

Contents

1	Introduction						
	1.1	Project Proposal					
		1.1.1 Purposes					
		1.1.2 Methodology					
	1.2	Project Scenario					
2	Dia	grams 4					
4	2.1	ER Diagram					
	$\frac{2.1}{2.2}$	Class Diagram					
	2.3	Use Case Diagram					
	$\frac{2.3}{2.4}$						
	2.4	Activity Diagram					
3	\mathbf{Use}	r Interface 8					
	3.1	Technologies Used					
		3.1.1 Login Page					
		3.1.2 Home Page					
		3.1.3 Tournament Page					
		3.1.4 Team Page					
		3.1.5 Game Page					
4	NF	and Schema					
4	4.1	Manage branch					
	4.1	$4.1.1 (Admin \rightarrow Manager) \dots \dots$					
		· · · · · · · · · · · · · · · · · · ·					
		(8)					
		4.1.3 (Manager \rightarrow Teams)					
	1.0	$4.1.4$ (SocialMedia \rightarrow ContentCreator)					
	4.2	Pay branch					
		4.2.1 (Finance \rightarrow SocialMedia)					
	4.0	4.2.2 (Finance \rightarrow organization)					
	4.3	Formed branch					
		4.3.1 (Teams \rightarrow Player)					
	4.4	Has branch					
		4.4.1 (Record \rightarrow Tournament)					
		4.4.2 (Tournament \rightarrow Game)					
	4.5	Participate branch					
		$4.5.1$ (Teams \rightarrow Game)					
	4.6	Host branch					
		4.6.1 (Organizer \rightarrow Tournament)					
	4.7	Sponsor branch					
		4.7.1 (Companies \rightarrow Organization)					
	4.8	Schema Diagram					
5	SOI	Queries 25					
J	5.1	Sequence					
	5.1	Table Creation					
	5.3	Data Insertion					
	5.4	Data Selection					
	5.5	Data Update					

	5.6	Data I	Deletion	. 26			
	5.7	5.7 Functions and Joins					
		5.7.1	Single Row Functions	. 26			
		5.7.2	Group Functions	. 26			
		5.7.3	Joins	. 26			
6			Algebra	27			
	6.1 Selection						
7	Con	clusio	1	28			

Introduction

Esports Management System is an innovative platform that will revolutionize the management and organization of esports teams, participants, tournaments, and sponsors. This system seeks to provide users with an efficient and user-friendly way to search for their preferred professional esports players.

A user-friendly interface is at the core of the Esports Management System, allowing users to seamlessly navigate and explore the realm of professional esports. With only a few clicks, users can search for potential professional athletes and teams, as well as access valuable information such as their winning records and accomplishments. This enables fans and enthusiasts to remain up-to-date on their preferred players and teams, nurturing a stronger connection within the esports community.

The Esports Management System's ability to facilitate sponsorships is a crucial feature. Numerous organizations and businesses can engage in sponsorship activities, whether for the purpose of supporting tournaments or individual athletes. The system serves as a centralized repository where the information and details of these sponsors can be efficiently stored and managed. This facilitates the sponsorship process and ensures that sponsors and the esports industry collaborate effectively.

There are specialized administrators within the Esports Management System who play crucial roles in managing and enhancing the overall experience. The social media manager is among these supervisors; he or she supervises the organization's online presence and engagement on various social media platforms. In addition, the content creator/VFX/GFX team assures the creation of visually stunning and captivating content that enhances the overall esports experience.

Dynamic features and functionalities make the Esports Management System an indispensable instrument for the esports industry. It makes it easier for fans to discover and connect with professional esports players, allowing them to remain informed and engaged. It enhances collaboration between organizations and the esports community by providing a centralized platform for sponsorship management. In addition, the system enables administrators to enhance the organization's online presence and develop visually appealing content, ensuring that all stakeholders have an engaging experience.

In the following sections, we will delve deeper into the features, functionalities, and innovative aspects of the Esports Management System, demonstrating its potential to revolutionize the management and celebration of esports teams, players, tournaments, and sponsors.

1.1 Project Proposal

This proposal for the development and implementation of an Esports Management System is presented with pleasure. This revolutionary platform seeks to transform the management and organization of esports teams, players, tournaments, and sponsors. The Esports Management System will improve the user experience, encourage community engagement, and expedite operations within the esports industry by leveraging advanced technology and comprehensive functionalities.

1.1.1 Purposes

- Create an intuitive web-based platform that serves as the central hub for esports administration, catering to the requirements of teams, players, tournament organizers, and sponsors.
- Implement a sophisticated matching algorithm to facilitate the search and discovery of favored professional esports players, thereby enhancing the fan experience and fostering esports community connections.
- Provide efficient sponsorship administration capabilities, enabling organizations and businesses to support tournaments or individual athletes through sponsorship activities.
- Enhance the organization's online presence by supervising social media platforms and having the content creator/VFX/GFX team produce visually spectacular and engaging content.

1.1.2 Methodology

System Development:

- Conduct exhaustive investigation on the necessary requirements and features of an effective Esports Management System.
- Utilize industry-standard programming languages and technologies to create a scalable and secure web-based platform.
- Implement a user-friendly interface with intuitive navigation in order to provide a seamless and enjoyable user experience.

Matching Algorithm

- Collaboration with data scientists and psychologists to create a matching algorithm based on personality traits, values, and beliefs.
- Integrate the matching algorithm into the system to recommend professional esports players compatible with the user's preferences.

Sponsorship Management

- Create an all-encompassing sponsorship management module to facilitate collaborations between organizations and the esports industry.
- Provide a centralized repository for sponsor information to facilitate communication and sponsorship efficiency.

Online Presence Enhancement

- Appoint a social media manager to supervise the organization's online presence and interact with the esports community.
- Appoint a social media manager to supervise the organization's online presence and interact with the esports community.

1.2 Project Scenario

Imagine an eSports organization called "eSports FTW" that manages various teams and tournaments in the gaming industry. The organization is led by an Admin who oversees the operations. The Admin entity contains attributes such as email, picture, password, name, and a unique ID.

Under the Admin, there are multiple Managers responsible for different departments. Each Manager has attributes including hire date, picture, salary, email, name, department ID, and a unique ID. One Manager specifically manages the Finance department, ensuring financial stability and handling the accounts for the organization. The Finance entity consists of attributes such as a unique ID, account number, and balance.

In addition to managing the finances, each Manager is in charge of a specific team. The Teams entity includes details such as the team's established date, country, name, team ID, team icon, winning numbers, and total prize money. Each team has a unique Manager assigned to it, ensuring proper coordination and organization. The Manager entity is linked to the Teams entity through the Manager ID attribute.

Within each team, there are multiple Players who represent the organization in various games. The Players entity contains attributes such as name, player ID, picture, salary, winning prize money, total hours played, phone number, and address (including country, city, zip code, and road number). Additionally, players have links to their social media profiles on platforms like Facebook, Instagram, Twitter, and YouTube.

The organization hosts tournaments, bringing together teams from different games. The Tournament entity consists of attributes such as tournament ID, name, prize pool, starting date, and ending date. Each tournament features various games such as Valorant, Mobile Legends: Bang Bang (MLBB), and Rainbow Six Siege. The Game entity contains attributes like name, release date, genre, game picture, publisher, platform, game ID, and prize pool. Each tournament may have different games associated with it, creating diverse competitive environments.

To support the teams and tournaments financially, eSports FTW seeks sponsorships from different companies. The Companies entity includes attributes such as name, company ID, location, sponsor date, and phone number. Multiple companies can sponsor both teams and tournaments, forming a many-to-many relationship between the Companies, Teams, and Tournament entities.

Additionally, eSports FTW employs a Social Media Manager responsible for managing the organization's online presence. The Social Media Manager entity contains attributes such as name, picture, email, manager ID, hire date, salary, phone number, and social media links (Facebook, Instagram, Twitter, YouTube). The Social Media Manager oversees the VFX/GFX and Content Creator teams, ensuring engaging content creation and visual effects. The VFX/GFX and Content Creator entities include attributes like name, picture, VFX/GFX ID, email, phone number, salary, and address (country, city, zip code, and road number).

Diagrams

2.1 ER Diagram



ER Diagram

2.2 Class Diagram



Class Diagram

2.3 Use Case Diagram



Use Case Diagram

2.4 Activity Diagram



Activity Diagram

User Interface

3.1 Technologies Used

- SvelteKit
- Tailwind CSS

3.1.1 Login Page



3.1.2 Home Page



3.1.3 Tournament Page



3.1.4 Team Page



3.1.5 Game Page



Normalization and Schema Design

4.1 Manage branch

$4.1.1 \quad (Admin \rightarrow Manager)$

UNF

(<u>Admin_ID</u>, Admin_Name, Admin_Email, Admin_Password, Admin_Picture, <u>Manager_ID</u>, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone)

1NF

Phone is multi-valued attribute.

• (<u>Admin_ID</u>, Admin_Name, Admin_Email, Admin_Password, Admin_Picture, <u>Manager_ID</u>, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, <u>Manager_Hiredate</u>, Manager_Phone)

2NF

- Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture
- Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone

3NF

No transitive dependencies found. Same as 2NF

- Manager (Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate)
- Admin (<u>Admin_ID</u>, Admin_Name, Admin_Email, Admin_Password, Admin_Picture, Manager_ID)
- Manager_Phone (Mp_ID, Manager_ID, Manager_Phone)

4.1.2 (Manager \rightarrow Finance)

$\underline{\mathbf{UNF}}$

(<u>Manager_ID</u>, Manager_Name, Manager_Email, Manager_Password,Manager_Picture, Manager_Hiredate, Manager_Phone, <u>Finance_ID</u>, Finance_Account_Number, Finance_Balance)

1NF

Phone is multi-valued attribute.

• (<u>Manager_ID</u>, Manager_Name, Manager_Email, Manager_Password,Manager_Picture, Manager_Hiredate, Manager_Phone, <u>Finance_ID</u>, Finance_Account_Number, Finance_Balance)

2NF

- Manager_Manager_ID, Manager_Name, Manager_Email, Manager_Password,Manager_Picture, Manager_Hiredate, Manager_Phone)
- Finance(Finance_ID, Finance_Account_Number, Finance_Balance)

3NF

No transitive dependency found. Same as 2NF.

- Manager(Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate)
- Finance(Finance_ID, Finance_Account_Number, Finance_Balance, Manager_ID)
- Manager_Phone (Mp_ID, Manager_ID, Manager_Phone)

4.1.3 (Manager \rightarrow Teams)

$\underline{\mathbf{UNF}}$

(<u>Manager_ID</u>, Manager_Name, Manager_Email, Manager_Password,Manager_Picture, Manager_Hiredate, Manager_Phone, <u>Team_ID</u>, Team_Name,Team_Icon, Team_established_date, Team_country,Total_Price_Money,Team_Winnig)

1NF

Winning & Phone are multi-valued attribute.

• (<u>Manager_ID</u>, Manager_Name, Manager_Email, Manager_Password,Manager_Picture, Manager_Hiredate, Manager_Phone, <u>Team_ID</u>, Team_Name,Team_Icon, Team_established_date, Team_country,Team_Total_Price_Money,Team_Winnig)

2NF

- Manager_Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone)
- Team(Team_ID, Team_Name, Team_Icon, Team_established_date, Total_Price_Money, Team_country

3NF

No transitive dependency found. Same as 2NF.

- Manager(Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate)
- **Team**(<u>Team_ID</u>, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Price_Money, **Manager_ID**
- Team_Winnig(Tw_ID, Team_ID, Team_Winnig)
- Manager_Phone (Mp_ID, Manager_ID, Manager_Phone)

4.1.4 (SocialMedia \rightarrow ContentCreator)

UNF

(<u>SocialMedia_ID</u>, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone, SocialMedia_Hiredate, SocialMedia_Salary, <u>ContentCreator_ID</u>, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture, ContentCreator_Phone, ContentCreator_Hiredate, ContentCreator_Salary, ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link, ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)

1NF

Phone is multi-valued attribute.

• (<u>SocialMedia_ID</u>, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone, SocialMedia_Hiredate, SocialMedia_Salary, <u>ContentCreator_ID</u>, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture, ContentCreator_Phone, ContentCreator_Hiredate, ContentCreator_Salary, ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_ator_

 $Instagram_Link, ContentCreator_Youtube_Link \,,\, ContentCreator_Country, ContentCreator_City, \, ContentCreator_Street, \, ContentCreator_Zip_Code)$

2NF

- SocialMedia (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone, SocialMedia_Hiredate, SocialMedia_Salary)
- ContentCreator (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture, ContentCreator_Phone, ContentCreator_Hiredate, ContentCreator_Salary, ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Unstagram_Link_ContentCreator_Voutube_Link_ContentCreator_Country_Country_ContentCreator_Country_Countr

Instagram_Link, ContentCreator_Youtube_Link, ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)

3NF

- SocialMedia SocialMedia ID, SocialMedia Name, SocialMedia Email, SocialMedia Password, SocialMedia Picture, SocialMedia Hiredate, SocialMedia Salary)
- ContentCreator <u>ContentCreator_ID</u>, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture, ContentCreator_Hiredate, ContentCreator_Salary)
- ContentCreator_SocialMedia (ContentCreator_ID, SocialMedia_ID, ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link)
- ContentCreator_Address (ContentCreator_ID, ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)

- SocialMedia (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Hiredate, SocialMedia_Salary)
- ContentCreator (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture, ContentCreator_Hiredate, ContentCreator_Salary)
- ContentCreator_SocialMedia (<u>Ccs_ID</u>,ContentCreator_ID, ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_ Instagram_Link, ContentCreator_Youtube_Link)
- ContentCreator_Address (<u>Cca_ID</u>, ContentCreator_ID, ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
- ContentCreator_Phone (Ccp_ID, ContentCreator_ID, ContentCreator_Phone)
- SocialMedia_Phone (Smp_ID, SocialMedia_ID, SocialMedia_Phone)
- ContentCreator_SocialMedia_Phone (<u>Ccp_ID</u>, ContentCreator_ID, ContentCreator_Phone)

4.2 Pay branch

4.2.1 (Finance \rightarrow SocialMedia)

$\overline{\text{UNF}}$

(<u>Finance_ID</u>, Finance_Account_Number, Finance_Balance, <u>SocialMedia_ID</u>, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone, SocialMedia_Hiredate, SocialMedia_Salary)

1NF

Phone is multi-valued attribute.

• (<u>Finance_ID</u>, Finance_Account_Number, Finance_Balance, <u>SocialMedia_ID</u>, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone, SocialMedia_Hiredate, SocialMedia_Salary)

2NF

- Finance(Finance_ID, Finance_Account_Number, Finance_Balance)
- SocialMedia (SocialMedia ID, SocialMedia Name, SocialMedia Email, SocialMedia Password, SocialMedia Picture, SocialMedia Phone, SocialMedia Hiredate, SocialMedia Salary)

3NF

No transitive dependency found. Same as 2NF.

- Finance(Finance_ID, Finance_Account_Number, Finance_Balance)
- SocialMedia(SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Hiredate, SocialMedia_Salary, Finance_ID)
- SocialMedia_Phone (Smp_ID, SocialMedia_ID, SocialMedia_Phone)

4.2.2 (Finance \rightarrow organization)

UNF

(<u>Finance_ID</u>, Finance_Account_Number, Finance_Balance, <u>Organization_ID</u>, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

1NF

Phone is multi-valued attribute.

• (<u>Finance_ID</u>, Finance_Account_Number, Finance_Balance, <u>Organization_ID</u>, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

2NF

- Finance(Finance_ID, Finance_Account_Number, Finance_Balance)
- Organization(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

3NF

No transitive dependency found. Same as 2NF.

- Finance(Finance_ID, Finance_Account_Number, Finance_Balance)
- Organization(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone, Finance_ID)
- Organization_Phone (Op_ID, Organization_ID,Organization_Phone)

4.3 Formed branch

$4.3.1 \quad ({ m Teams} ightarrow { m Player})$

$\overline{ ext{UNF}}$

(<u>Team_ID</u>, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning,

Team_Winnig, <u>Player_ID</u>, <u>Player_Name</u>, <u>Player_Email</u>, <u>Player_Password</u>, <u>Player_Picture</u>, <u>Player_JoinDate Player_Phone</u>, <u>Player_Salary</u>, <u>Player_Winnig_Money</u>, <u>Player_Play_Hours</u>, <u>Player_country</u>, <u>Player_City</u>, <u>Player_Street</u>, <u>Player_Zip_Code</u>, <u>Player_DOB</u>, <u>Player_Facebook_Link</u>, <u>Player_Instagram_Link</u>, <u>Player_Twitter_Link</u>, <u>Player_Youtube_Link</u>)

1NF

Phone & Wining number are multi-valued attribute.

• (<u>Team_ID</u>, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig, <u>Player_ID</u>, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Phone, Player_Salary, Player_Winnig_Money, Player_Play_Hours, Player_country, Player_City, Player_Street, Player_Zip_Code, Player_DOB, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)

2NF

- **Team**(<u>Team_ID</u>, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- Player_Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Salary, Player_Winnig_Money, Player_Play_Hours, Player_country, Player_City, Player_Street, Player_Zip_Code, Player_DOB, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)

3NF

- **Team**(<u>Team_ID</u>, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Salary, Player_Winnig_Money, Player_Play_Hours, Player_DOB)
- Player_Address (<u>Pa_ID</u>, Player_ID, Player_country, Player_City, Player_Street, Player_Zip_Code)
- Player_Social_Link (Psl_ID, Player_ID, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)

- **Team**(<u>Team_ID</u>, <u>Team_Name</u>, <u>Team_Icon</u>, <u>Team_established_date</u>, <u>Team_country</u>, <u>Total_Earning</u>, <u>Team_Winnig</u>)
- Player(Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)

- Player_Address (Pa_ID, Player_ID, Player_country, Player_City, Player_Street, Player_Zip_Code)
- Player_Social_Link (<u>Psl_ID</u>, Player_ID, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
- Player_Phone (Pp_ID, Player_ID, Player_Phone)
- Player_Wining (Pw_ID, Player_ID, Player_Winnig)
- $\bullet \ \, \mathbf{Player_Team} \ (\underline{\mathrm{Pt_ID}}, \, \mathbf{Player_ID}, \, \mathbf{Team_ID})$

4.4 Has branch

$\textbf{4.4.1} \quad (\textbf{Record} \rightarrow \textbf{Tournament})$

$\underline{\mathbf{UNF}}$

(<u>Record_ID</u>, Record_Date, Record_Price_Pool, <u>Tournament_ID</u>, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)

1NF

• (<u>Record_ID</u>, Record_Date, Record_Price_Pool, <u>Tournament_ID</u>, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)

2NF

- Record(Record_ID, Record_Date, Record_Price_Pool, Tournament_ID)
- Tournament_ID, Tournament_Name, Tournament_StartingDate,Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)

3NF

No transitive dependency found. Same as 2NF.

- Record(Record_ID, Record_Date, Record_Price_Pool, Tournament_ID)
- Tournament_ID, Tournament_Name, Tournament_StartingDate,Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)

4.4.2 (Tournament \rightarrow Game)

$\underline{\mathbf{UNF}}$

(<u>Tournament_ID</u>, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, <u>Game_ID</u>, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

1NF

• (<u>Tournament_ID</u>, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, <u>Game_ID</u>, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

2NF

- **Tournament**_ID, Tournament_Name, Tournament_StartingDate,Tournament_Ending Tournament_Location, Tournament_Prize_Pool)
- Game(<u>Game_ID</u>, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

3NF

No transitive dependency found. Same as 2NF.

- Tournament_ID, Tournament_Name, Tournament_StartingDate,Tournament_Ending Tournament_Location, Tournament_Prize_Pool)
- Game(Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)
- Tournament_Game(Tournament_ID, Game_ID)

4.5 Participate branch

$4.5.1 \quad (\text{Teams} \rightarrow \text{Game})$

UNF

(<u>Team_ID</u>, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig, <u>Game_ID</u>, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool Game_Genre, Game_Publisher))

1NF

• (<u>Team_ID</u>, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig, <u>Game_ID</u>, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

2NF

- **Team**(<u>Team_ID</u>, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- Game(<u>Game_ID</u>, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

3NF

No transitive dependency found. Same as 2NF.

- **Team**(<u>Team_ID</u>, <u>Team_Name</u>, <u>Team_Icon</u>, <u>Team_established_date</u>, <u>Team_country</u>, <u>Total_Earning</u>, <u>Team_Winnig</u>)
- Game(<u>Game_ID</u>, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)
- Team_Game(Team_ID, Game_ID)

4.6 Host branch

4.6.1 (Organizer \rightarrow Tournament)

UNF

(<u>Tournament_ID</u>, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, <u>Organization_ID</u>, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

1NF

Phone is a multi-vale attribute.

• (<u>Tournament_ID</u>, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, <u>Organization_ID</u>, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

2NF

- Tournament_ID, Tournament_Name, Tournament_StartingDate,Tournament_Ending Tournament_Location, Tournament_Prize_Pool, Organization_ID)
- Organization(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

3NF

No transitive dependency found. Same as 2NF.

- Tournament_ID, Tournament_Name, Tournament_StartingDate,Tournament_Ending Tournament_Location, Tournament_Prize_Pool, Organization_ID)
- Organization (Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture)
- Organization_Phone(Organization_ID, Organization_Phone)
- Organization_Tournament(Organization_ID, <u>Tournament_ID</u>)

4.7 Sponsor branch

4.7.1 (Companies \rightarrow Organization)

UNF

(<u>Organization_ID</u>, Organization_Name, Organization_Email, Organization_Picture, Organization_Phone, <u>Company_ID</u>, Company_Name, Company_Email, Company_Picture, Company_Phone, location)

1NF

phone is a multi-value attribute.

• (<u>Organization_ID</u>, <u>Organization_Name</u>, <u>Organization_Email</u>, <u>Organization_Picture</u>, <u>Organization_Phone</u>, <u>Company_ID</u>, <u>Company_Name</u>, <u>Company_Email</u>, <u>Company_Picture</u>, <u>Company_Phone</u>, <u>location</u>)

2NF


- Organization(Organization_ID, Organization_Name, Organization_Email, Organization_Picture, Organization_Phone, Company_ID)
- Company (Company_ID, Company_Name, Company_Email, Company_Picture, Company_Phone, location)

3NF

No transitive dependency found. Same as 2NF.

- Organization(Organization_ID, Organization_Name, Organization_Email, Organization_Picture, Company_ID)
- Organization_Phone(Organization_ID, Organization_Phone)
- Company (Company_ID, Company_Name, Company_Email, Company_Picture, Company_Phone, location)
- Company_Phone(Company_ID, Company_Phone)
- Organization_Company(Organization_ID, Company_ID)

4.8 Schema Diagram



Schema Diagram

SQL Queries

5.1 Sequence

```
-- A Sample query for Creating a Sequence
CREATE SEQUENCE sequence_name
START WITH 1000
INCREMENT BY 1
NOCACHE
NOCYCLE;
```

Sample Sequence

5.2 Table Creation

```
-- A Sample query for Creating a table
CREATE TABLE table_name (

column1 datatype,

column2 datatype,

column3 datatype,

....

);
```

Sample one Table

5.3 Data Insertion

```
-- A Sample query for Inserting data into a table
INSERT INTO table_name (column1, column2, column3, ...)
VALUES (value1, value2, value3, ...);
```

Sample one Table

5.4 Data Selection

Sample one Table

5.5 Data Update

Sample one Table

5.6 Data Deletion

Sample one Table

5.7 Functions and Joins

5.7.1 Single Row Functions

```
-- A Sample query for Single Row Functions
SELECT function_name(column_name)
FROM table_name;
```

Sample one Table

5.7.2 Group Functions

```
-- A Sample query for Group Functions

SELECT function_name(column_name)

FROM table_name

WHERE condition

GROUP BY column_name;
```

Sample one Table

5.7.3 Joins

```
-- A Sample query for Joins
SELECT table1.column1, table2.column2...
FROM table1, table2
WHERE table1.column_name = table2.column_name;
```

Sample one Table

Relational Algebra

6.1 Selection

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Conclusion

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.