

A
a. Biological process (GO-BP)
external encapsulating structure organization
extracellular structure organization
extracellular matrix organization
cell chemotaxis
taxis
chemotaxis
leukocyte chemotaxis
positive regulation of inflammatory response
regulation of inflammatory response
response to wounding
b. Cellular component (GO-CC)
external encapsulating structure
extracellular matrix
interstitial matrix
gel phase of interstitial matrix
vesicle lumen
cytoplasmic vesicle lumen
secretory granule lumen
basement membrane
external side of plasma membrane
platelet alpha granule lumen
c. Molecular function (GO-MF)
extracellular matrix structural constituent
heparin binding
glycosaminoglycan binding
extracellular matrix structural constituent conferring compression resistance
peptidase inhibitor activity
sulfur compound binding
peptidase regulator activity
endopeptidase inhibitor activity
collagen binding
integrin binding
0.05
0.10
0.15
0.20
Gene ratio
B
Malaria
Chagas disease
Phagocytosis
Complement and coagulation cascades
Drug metabolism - cytochrome P450
Inflammatory bowel disease
Systemic lupus erythematosus
Hematopoietic cell lineage
Rheumatoid arthritis
Toll-like receptor signaling pathway
0.06
0.08
0.10
Gene ratio
− log10 Padj
3.5
3.0
2.5
2.0
1.5
Gene count
10
15
C
Hallmark GSEA overview: top 5 activated / top 5 suppressed (GSE57338)
INTERFERON ALPHA RESPONSE
EPITHELIAL MESENCHYMAL TRANSITION
INTERFERON GAMMA RESPONSE
UV RESPONSE DN
ALLOGRAFT REJECTION
UV RESPONSE UP
INFLAMMATORY RESPONSE
MTORC1 SIGNALING
MYC TARGETS V2
IL6 JAK STAT3 SIGNALING
1.94
1.71
1.68
1.43
1.38
-1.85
-1.86
-1.93
-2.05
-2.14
-2
-1
0
1
2
Normalized enrichment score (NES)
NES
2
1
0
-1
-2
− log10 Padj
2
3
4
5
D
(a) MTORC1 SIGNALING
NES = -1.93, padj = 7.9e-06
(b) IL6 JAK STAT3 SIGNALING
NES = -2.14, padj = 1.0e-05
(c) INFLAMMATORY RESPONSE
NES = -1.86, padj = 1.2e-05
(d) MYC TARGETS V2
NES = -2.05, padj = 6.6e-05
(e) UV RESPONSE UP
NES = -1.85, padj = 8.8e-05
Running ES
log2FC
Gene rank (log2FC, decreasing; 1 - 17,403)