



University of Information Technology & Sciences

WAD Lab Report

Course Title : Web Application Design Lab

Course Code : CSE0613124

Lab no. : 02

Topic : Using List and Table Tags

Submitted to:

Teacher's Name : Most. Thasin Sabira (MTS)

Designation : Lecturer

Submitted by:

Student Name : Gaus Saraf Murady

Student ID : 0432410005101088

Semester : Spring, 2025

Batch : 55

Department : CSE

Date of Submission: 16.02.25

Introduction:

This is a lab report for the Lab-2 of Web Application Design Lab. In this Labwork, we learned about some additional HTML tags compared to what we learned on lab-1.

for example:

- . <head> tag: we learned that the <head> Is used for content that are not directly show on the output page. Such as the <tole> element Is visible only as the browsen tab name and no where Inside the actual webpage.
- · <a>> tag: The anchor tag is used ton links In the html document. The element looks 19ke where a valled website lank replaces # which is a temporary / empty link.
- · List tags: We learned about three types of last tags: 1) ordered 2) un ordered 3) definition. Respectively they use

 Respectively they use
 < tags for @ and @ and</pre>

 < 111> < 111> < 111> < 1dd> tags for @ and @ and

 < dt> < dt> < 1dt> < dd> < 1dd > < dd> < 1dd > < dd.</p>
 < dl.> < dt.> < dt.</p>
 < and < dt.</p>
 < dt.</p>

Lab Work Code

(Final HTML code that we have covered in lab 2)

```
<!DOCTYPE HTML>
                                       <hr>>
<html>
                                       <br>
                                       <h2>TASK-1</h2>
<head>
                                       <br>><br>>
 <title>
                                       <h3>University List:</h3>
Web Application Lab
                                       <ul>
                                         Dhaka
 </title>
                                         <ol>
</head>
                                           DUET
<body>
                                           BUET
 <h1> Welcome to Lab 2</h1>
                                           BUTEX
 This is < br > a < i > < b > paragraph < / b > < / i > 
                                         <\!\!0\!\!>
<a href = "
                                       </1i>
https://www.w3schools.com/html/">TUTORIAL</a>
                                       Comilla
<br/>br><h3>unordered list:</h3>
                                         < 01 >
<u1>
                                           KUET
Coffee
                                           ???
Tea
                                           <|i>???</|i>
milk
                                         <\!\!/ol\!\!>
                                       <br>
<h3>definition list:</h3>
                                       < dl>
<dt> HSC</dt><dd> Higher School Certificate</dd>
<dt> SSC</dt><dd> Secondary School
Certificate</dd>
                                       <br><br><br><br><br><
</d1>
                                       </body>
                                       </html>
<br>
<h3>Table:</h3>
Name
 ID 
 District
Gaus
  088 
 Dhaka
Saraf
 999
 Dhaka
```

Lab Task Code

(This section includes code for the attached webpage)

```
<!DOCTYPE HTML>
                                 <h2>..List of shopping mall outside dhaka..</h2>
<html>
                                    <b>Sylhet</b>
<head>
 <title>
                                    <ul>
   Web Application Lab
                                      Sylhet City Center
 </title>
                                      Elegant Shopping Mall
 <style>
                                    <b>Comilla</b>
   ul {
    font-size: 20px;
                                    <u1>
                                      Comilla New Market
                                      Comilla Tower Shopping Complex
                                    ol {
    font-size: 20px;
                                  <h2>.. product Price and availability..</h2>
   d1 {
                                 font-size: 20px;
                                 <b> Product name</b>
                                  <b>price <br > <i>(in BDT) </i> 
   table {
    font-size: 20px;
                                  <b> stock</b>
                                  <b> available stock</b>
                                 </style>
</head>
                                 T shirt
<body>
                                    1000 
 <h1> <u>Create an Unordered, Ordered List
                                   10 
of Shopping Store</u></h1>
                                  2
                                 <h2>List of Shopping Centers in Dhaka</h2>
                                 <u1>
                                   shoe
   Sashundhara City Shopping
                                  1500
Center
                                  Jamuna Future Park
                                  7
   Gulshan Shoppoing Center
                                 <h2>... Available item list in the shopping
                                  hoodie
mall...</h2>
                                  < 01 >
                                  8
   Clothing
                                  Grocery
                                 Books
 <\!\!/ol\!\!>
                                 </body>
                                 </html>
```

Lab Task Output

(This section contains Image of my created webpage for the code)

