

How to create a New Line in PHP ?

Last Updated : 26 Aug, 2024



New Line helps the page to look better and presentable. We will learn to insert a new line in PHP using 3 ways.

Table of Content

- [Using Line Breaks as in HTML](#)
- [Using new line Tags](#)
- [Using nl2br\(\) Function in PHP](#)

Using Line Breaks as in HTML

The
 tag in HTML is used to give the single-line break. It is an empty tag, so it does not contain an end tag.

Syntax:

```
</br>
```

Example:

```
<?php  
echo "Akshit ". "<br>". "Loves GeeksForGeeks";  
?>
```



Output

```
Akshit  
Loves GeeksForGeeks
```

Using new line Tags

Newline characters `\n` or `\r\n` can be used to create a new line inside the source code.

Syntax:

```
"\n"
```

Example 1:

```
<?php
echo "Akshit " . "\n" . "Loves GeeksForGeeks";
?>
```



Output

```
Akshit
Loves GeeksForGeeks
```

Syntax:

```
"\r\n"
```

Example 2:

```
<?php
echo "Akshit " . "\r\n" . "Loves GeeksForGeeks";
?>
```



Output

```
Akshit
Loves GeeksForGeeks
```

Using nl2br() Function in PHP

The `nl2br()` function in PHP converts newline characters (like `\n`) into HTML line breaks (`
`), making it useful when you want to preserve the formatting of text when displaying it on a web page.

Syntax:

```
nl2br(string $string, bool $is_xhtml = true): string
```

Example:

```
<?php
$text = "Hello\nWorld!";
```



```
echo nl2br($text);  
?>
```

Output

```
Hello<br />  
World!
```

How to create a New Line in PHP ?

[Comment](#)[More info](#) ▼[Advertise with us](#)[Next Article >](#)[How to Create a New Line in JavaScript ?](#)

Similar Reads

How to create a New Line in PHP ?

New Line helps the page to look better and presentable. We will learn to insert a new line in PHP using 3 ways. Table of Content Using Line Breaks as in HTML Using new line Tags Using nl2br() Function in...

🕒 1 min read

How to Create a New Line in JavaScript ?

A new line can be made in JavaScript using the below-discussed methods. Using Escape Sequence
`\\n` The `\\n` escape sequence represents a newline character in JavaScript strings and it can be used to render...

🕒 3 min read

How to insert a line break in PHP string ?

In this article, we will discuss how to insert a line break in a PHP string. We will get it by using the nl2br() function. This function is used to give a new line break wherever '\\n' is placed. Syntax: nl2br("string...)

🕒 2 min read

How to add new line in Ruby?

In Ruby, newlines (line breaks) play a crucial role in formatting and separating your code. Whether you're crafting clear error messages or building readable output, knowing how to add newlines is essential...

🕒 2 min read

How to add a new line in the alert box ?

Sometimes we need to show more than one line in an alert box so that we can convey our message in a great form. These are the following methods: Table of Content Using "\n" escape characterUsing "\r"...

🕒 2 min read

How to Add New Line in Dictionary in Python

Dictionaries are key-value stores that do not inherently support formatting like new lines within their structure. However, when dealing with strings as dictionary values or when outputting the dictionary in ...

🕒 3 min read

How to Insert a New Element in an Array in PHP ?

In PHP, an array is a type of data structure that allows us to store similar types of data under a single variable. The array is helpful to create a list of elements of similar types, which can be accessed using...

🕒 5 min read

How To Add Line Break in CSS?

CSS provides flexible options to add or manage line breaks in your content. Here are some effective techniques: 1. Using the white-space PropertyThe white-space property allows controlling how text...

🕒 2 min read

How to make a complex line in pure CSS ?

In this article, we will learn how to make a complex line in Pure CSS. We can achieve this task by creating the CSS border property around the HTML div element. Property Used: width: This property is used to...

🕒 2 min read

How to read a Large File Line by Line in PHP ?

We will use some file operations to read a large file line by line and display it. Read a file: We will read the file by using fopen() function. This function is used to read and open a file. Syntax: fopen("filename",...

🕒 2 min read

