




No.	Time	Source	Destination	Protocol	Length	Info
→ 202	55.131293239	192.168.23.128	8.8.8.8	ICMP	98	Echo (ping) request id=0x7b4b, seq=1/256, ttl=64 (reply in 203)
← 203	55.184119485	8.8.8.8	192.168.23.128	ICMP	98	Echo (ping) reply id=0x7b4b, seq=1/256, ttl=128 (request in 202)
204	56.131976401	192.168.23.128	8.8.8.8	ICMP	98	Echo (ping) request id=0x7b4b, seq=2/512, ttl=64 (reply in 205)
205	56.182091872	8.8.8.8	192.168.23.128	ICMP	98	Echo (ping) reply id=0x7b4b, seq=2/512, ttl=128 (request in 204)
206	57.131801941	192.168.23.128	8.8.8.8	ICMP	98	Echo (ping) request id=0x7b4b, seq=3/768, ttl=64 (reply in 207)
207	57.181910510	8.8.8.8	192.168.23.128	ICMP	98	Echo (ping) reply id=0x7b4b, seq=3/768, ttl=128 (request in 206)
208	58.132049900	192.168.23.128	8.8.8.8	ICMP	98	Echo (ping) request id=0x7b4b, seq=4/1024, ttl=64 (reply in 209)
209	58.181959589	8.8.8.8	192.168.23.128	ICMP	98	Echo (ping) reply id=0x7b4b, seq=4/1024, ttl=128 (request in 208)

<pre> ▶ Frame 202: Packet, 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface et ▶ Ethernet II, Src: VMware_34:10:b5 (00:0c:29:34:10:b5), Dst: VMware_f4:66:cc (00:50:56:f4:66: ▶ Internet Protocol Version 4, Src: 192.168.23.128, Dst: 8.8.8.8 ▶ Internet Control Message Protocol </pre>	<pre> 0000 00 50 56 f4 66 cc 00 0c 29 34 10 b5 08 00 45 00 .PV.f...)4...E. 0010 00 54 22 9b 40 00 40 01 2f d6 c0 a8 17 80 08 08 .T".@@./..... 0020 08 08 08 00 92 7e 7b 4b 00 01 e4 30 a5 6a 00 00 ~{K...0j.. 0030 00 00 95 c6 0c 00 00 00 00 00 10 11 12 13 14 15 !"#\$\$% 0040 16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25 &'()*+,-./012345 0050 26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35 67 0060 36 37 </pre>
---	---

FileEditViewVMTabHelp

Library

My Computer

kali-linux-2026.2-vmwar...

kali-linux-2026.2-vmware...

1234

7:33

Home

Editing CyberSecurityLab

github.com/b1tranger/CyberSecurityLabCodes/edit/main/

Kali DocsKali ForumsKali NetHunterExploit-DB

Cancel changesCommit changes...

Capturing from eth0

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

dns

No.	Time	Source	Destination	Protocol	Length	Info
22	32.088581058	192.168.23.128	192.168.23.2	DNS	83	Standard query 0x7895 A github.githubassets.com
23	32.088632874	192.168.23.128	192.168.23.2	DNS	83	Standard query 0x02ab AAAA github.githubassets.com
24	32.089307066	192.168.23.2	192.168.23.128	DNS	170	Standard query response 0x7895 A github.githubassets.com
25	32.089307361	192.168.23.2	192.168.23.128	DNS	218	Standard query response 0x02ab AAAA github.githubassets.com
56	32.390217071	192.168.23.128	192.168.23.2	DNS	70	Standard query 0xc3ce A github.com
57	32.390268917	192.168.23.128	192.168.23.2	DNS	70	Standard query 0x26cf AAAA github.com
58	32.390353140	192.168.23.128	192.168.23.2	DNS	70	Standard query 0xb5bd A github.com
63	32.442317892	192.168.23.2	192.168.23.128	DNS	96	Standard query response 0xc3ce A github.com
64	32.442318305	192.168.23.2	192.168.23.128	DNS	96	Standard query response 0xb5bd A github.com
93	32.534098375	192.168.23.2	192.168.23.128	DNS	145	Standard query response 0x26cf AAAA github.com
118	37.971965668	192.168.23.128	192.168.23.2	DNS	80	Standard query 0x5434 A collector.github.com
119	37.972015363	192.168.23.128	192.168.23.2	DNS	80	Standard query 0xaa35 AAAA collector.github.com
120	37.972100794	192.168.23.128	192.168.23.2	DNS	80	Standard query 0xad53 A collector.github.com
121	38.074361569	192.168.23.2	192.168.23.128	DNS	149	Standard query response 0x5434 A collector.github.com

Frame 124: Packet, 155 bytes on wire (1240 bits), 155 bytes captured (1240 bits) on interface eth0

Ethernet II, Src: VMware_f4:66:cc (00:50:56:f4:66:cc), Dst: 08:00:27:00:00:00

Internet Protocol Version 4, Src: 192.168.23.2, Dst: 192.168.23.128

User Datagram Protocol, Src Port: 53, Dst Port: 50864

Domain Name System (response)

0000 00 0c 29 34 10 b5 00 50 56 f4 66 cc 08 00 45 00

0010 00 8d 1c 32 00 00 80 11 6e 5b c0 a8 17 02 c0 a8

0020 17 80 00 35 c6 b0 00 79 aa ee aa 35 81 80 00 01

0030 00 00 00 01 00 00 09 63 6f 6c 6c 65 63 74 6f 72

0040 06 67 69 74 68 75 62 03 63 6f 6d 00 00 1c 00 01

0050 06 67 69 74 68 75 62 03 63 6f 6d 00 00 06 00 01

0060 00 00 00 05 00 35 04 64 6e 73 31 03 70 30 38 05

0070 6e 73 6f 6e 65 03 6e 65 74 00 0a 68 6f 73 74 6d

0080 61 73 74 65 72 c0 45 62 bb b2 37 00 00 a8 c0 00

0090 00 1c 20 00 12 75 00 00 00 0e 10

Domain Name System: ProtocolPackets: 2867 · Displayed: 146 (5.1%)Profile: Default

kali@kali: ~

Session Actions Edit View Help

PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data:

64 bytes from 8.8.8.8: icmp_seq=1 ttl=128 time=52.8 ms

64 bytes from 8.8.8.8: icmp_seq=2 ttl=128 time=50.1 ms

64 bytes from 8.8.8.8: icmp_seq=3 ttl=128 time=50.1 ms

64 bytes from 8.8.8.8: icmp_seq=4 ttl=128 time=49.9 ms

— 8.8.8.8 ping statistics —

4 packets transmitted, 4 received, 0% packet loss, time 3057ms

rtt min/avg/max/mdev = 49.939/50.765/52.843/1.202 ms

(kali@kali)~

\$ nslookup example.com

Server: 192.168.23.2

Address: 192.168.23.2#53

Non-authoritative answer:

Name: example.com

Address: 104.20.23.154

Name: example.com

Address: 172.66.147.243

Name: example.com

Address: 2606:4700:10::ac42:93f3

Name: example.com

Address: 2606:4700:10::6814:179a


(kali@kali)~

\$

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

Use Control + Shift + m to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.

Attach files by dragging & dropping, selecting or pasting them.



kali-linux-2026.2-vmware-amd64 - VMware Workstation

File Edit View VM Tabs Help

Library

Type here to search

My Computer

kali-linux-2026.2-vmware...

kali-linux-2026.2-vmware...

Home

Capturing from eth0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tls.handshake.type == 1

No.	Time	Destination	Protocol	Length	Info
28	20.205.243.168	20.205.243.168	TLSv1.3	2124	Client Hello (SNI=api.github.com)
28	140.82.114.22	140.82.114.22	TLSv1.3	2142	Client Hello (SNI=api.individual.githubcopilot.com)
28	140.82.114.22	140.82.114.22	TLSv1.3	2142	Client Hello (SNI=api.individual.githubcopilot.com)
28	140.82.114.25	140.82.114.25	TLSv1.3	2126	Client Hello (SNI=alive.github.com)
28	140.82.114.25	140.82.114.25	TLSv1.3	2126	Client Hello (SNI=alive.github.com)
28	34.107.243.93	34.107.243.93	TLSv1.3	2579	Client Hello (SNI=push.services.mozilla.com)
28	34.107.243.93	34.107.243.93	TLSv1.3	1304	Client Hello (SNI=push.services.mozilla.com)
28	151.101.65.91	151.101.65.91	TLSv1.2	276	Client Hello (SNI=firefox.settings.services.mozilla.com)
28	151.101.129.91	151.101.129.91	TLSv1.3	2401	Client Hello (SNI=ads.mozilla.org)
28	34.107.243.93	34.107.243.93	TLSv1.3	2579	Client Hello (SNI=push.services.mozilla.com)
28	34.107.243.93	34.107.243.93	TLSv1.3	1304	Client Hello (SNI=push.services.mozilla.com)
28	151.101.65.91	151.101.65.91	TLSv1.2	571	Client Hello (SNI=firefox.settings.services.mozilla.com)
28	34.107.243.93	34.107.243.93	TLSv1.3	2579	Client Hello (SNI=push.services.mozilla.com)
28	34.107.243.93	34.107.243.93	TLSv1.3	1304	Client Hello (SNI=push.services.mozilla.com)
28	151.101.65.91	151.101.65.91	TLSv1.2	276	Client Hello (SNI=firefox.settings.services.mozilla.com)

Frame 1220: Packet, 276 bytes on wire (2208 bits), : 0000 00 50 56 f4 66 cc 00 0c 29 34 10 b5 08 00 45
Ethernet II, Src: VMware_34:10:b5 (00:0c:29:34:10:b5), Dst: 0010 01 06 74 c8 40 00 40 06 14 41 c0 a8 17 80 97
Internet Protocol Version 4, Src: 192.168.23.128, Dst: 0020 41 5b 9f 74 01 bb 00 27 b5 bb 2d 5e 04 a0 50
Transmission Control Protocol, Src Port: 40820, Dst Port: 0030 fa f0 b1 e1 00 00 16 03 01 00 d9 01 00 00 d5
Transport Layer Security, Src: 192.168.23.128, Dst: 151.101.65.91, 0040 03 29 08 d3 63 ad 78 64 57 d0 8e f9 4f 8a 28
0050 d0 cb df 22 1a 88 be ef 7e 9b 03 14 46 b1 d8
0060 f2 00 00 1c c0 2b c0 2f cc a9 cc a8 c0 2c c0
0070 c0 0a c0 09 c0 13 c0 14 00 9c 00 9d 00 2f 00
0080 01 00 00 90 00 00 00 2a 00 28 00 00 25 66 69
0090 65 66 6f 78 2e 73 65 74 74 69 6e 67 73 2e 73
00a0 72 76 69 63 65 73 2e 6d 6f 7a 69 6c 6c 61 2e
00b0 6f 6d 00 17 00 00 ff 01 00 01 00 00 0a 00 0a
00c0 08 00 1d 00 17 00 18 00 19 00 0b 00 02 01 00
00d0 23 00 00 00 10 00 0e 00 0c 02 68 32 08 68 74
00e0 70 2f 31 2e 31 00 05 00 05 01 00 00 00 00 00
00f0 00 00 00 0d 00 18 00 16 04 03 05 03 06 03 08


wireshark_eth0Y4KLV3.pcapng


Packets: 8222 · Displayed: 75 (0.9%) · Profile: Default

tls-v1-2.badssl.com

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

ENG 5:51 PM





FileEditViewVMTabHelp

Library

My Computer

kali-linux-2026.2-vmwar

kali-linux-2026.2-vmware...

Home

Capturing from eth0

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

dns

No.	Time	Source	Destination	Protocol	Length	Info
22	32.088581058	192.168.23.128	192.168.23.2	DNS	83	Standard query
23	32.088632874	192.168.23.128	192.168.23.2	DNS	83	Standard query
24	32.089307066	192.168.23.2	192.168.23.128	DNS	170	Standard query
25	32.089307361	192.168.23.2	192.168.23.128	DNS	218	Standard query
56	32.390217071	192.168.23.128	192.168.23.2	DNS	70	Standard query
57	32.390268917	192.168.23.128	192.168.23.2	DNS	70	Standard query
58	32.390353140	192.168.23.128	192.168.23.2	DNS	70	Standard query
63	32.442317892	192.168.23.2	192.168.23.128	DNS	96	Standard query
64	32.442318305	192.168.23.2	192.168.23.128	DNS	96	Standard query
93	32.534098375	192.168.23.2	192.168.23.128	DNS	145	Standard query
118	37.971965668	192.168.23.128	192.168.23.2	DNS	80	Standard query
119	37.972015363	192.168.23.128	192.168.23.2	DNS	80	Standard query
120	37.972100794	192.168.23.128	192.168.23.2	DNS	80	Standard query
121	38.074361569	192.168.23.2	192.168.23.128	DNS	149	Standard query

Frame 124: Packet, 155 bytes on wire (1240 bits), 155 bytes Ethernet II, Src: VMware_f4:66:cc (00:50:56:f4:66:cc), Dst: Internet Protocol Version 4, Src: 192.168.23.2, Dst: 192.168 User Datagram Protocol, Src Port: 53, Dst Port: 50864 Domain Name System (response)

0000 00 0c 29 34 10 b5 00 50
0010 00 8d 1c 32 00 00 80 11
0020 17 80 00 35 c6 b0 00 79
0030 00 00 00 01 00 00 09 63
0040 06 67 69 74 68 75 62 03
0050 06 67 69 74 68 75 62 03
0060 00 00 00 05 00 35 04 64
0070 6e 73 6f 6e 65 03 6e 65
0080 61 73 74 65 72 c0 45 62
0090 00 1c 20 00 12 75 00 00

Domain Name System: ProtocolPackets: 6652 · Display

CyberSecurityLabCo xNew TabSettings

http://testphp.vulnweb.com/login.php

OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DB

Firefox

Search the web

b1trangerCyberSecurityLabCodes...WikipediaYouTubeRedditAdd-ons for Firefox

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

ENG5:39 PM

[Home](#)

Capturing from eth0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

```
tls.handshake.type == 2
```

	Destination	Protocol	Length	Info
66	192.168.23.128	TLSv1.3	1514	Server Hello, Change Cipher Spec, Application Data
68	192.168.23.128	TLSv1.3	1514	Server Hello, Change Cipher Spec, Application Data
2	192.168.23.128	TLSv1.3	1514	Server Hello, Change Cipher Spec, Application Data
2	192.168.23.128	TLSv1.3	1514	Server Hello, Change Cipher Spec, Application Data
5	192.168.23.128	TLSv1.3	1514	Server Hello, Change Cipher Spec, Application Data
5	192.168.23.128	TLSv1.3	1514	Server Hello, Change Cipher Spec, Application Data
3	192.168.23.128	TLSv1.3	266	Server Hello, Change Cipher Spec, Application Data
3	192.168.23.128	TLSv1.3	272	Server Hello, Change Cipher Spec, Application Data
1	192.168.23.128	TLSv1.2	1514	Server Hello
91	192.168.23.128	TLSv1.3	1514	Server Hello, Change Cipher Spec, Application Data
3	192.168.23.128	TLSv1.3	266	Server Hello, Change Cipher Spec, Application Data
3	192.168.23.128	TLSv1.3	272	Server Hello, Change Cipher Spec, Application Data
1	192.168.23.128	TLSv1.2	210	Server Hello, Change Cipher Spec, Encrypted Handsh
3	192.168.23.128	TLSv1.3	266	Server Hello, Change Cipher Spec, Application Data
2	192.168.23.128	TLSv1.3	272	Server Hello, Change Cipher Spec, Application Data

```

Frame 1204: Packet, 272 bytes on wire (2176 bits), : 0000 00 0c 29 34 10 b5 00 50 56 f4 66
Ethernet II, Src: VMware_f4:66:cc (00:50:56:f4:66:cc) 0010 01 02 9e a8 00 00 80 06 ad 5c 22
Internet Protocol Version 4, Src: 34.107.243.93, Dst: 0020 17 80 01 bb e2 88 4c 20 3d b5 14
Transmission Control Protocol, Src Port: 443, Dst Port: 0030 fa f0 05 ff 00 00 16 03 03 00 80
Transport Layer Security 0040 03 ec 1f 97 4b 3c c0 a6 25 ec 25
0050 1b f0 1e f5 90 be 65 1e 62 ea cb
0060 6e 20 5a ec 8e ec e6 d4 7a e8 1d
0070 e0 b2 a2 60 38 0e fb 33 50 67 09
0080 69 44 13 01 00 00 34 00 29 00 02
0090 24 00 1d 00 20 71 f5 89 5c 35 d3
00a0 36 bb 25 41 a1 41 38 06 15 fa 9e
00b0 97 e6 2f 75 31 00 2b 00 02 03 04
00c0 01 17 03 03 00 4a d8 51 9e 0a 74
00d0 50 28 98 c3 1c a8 ae 6d 58 79 ee
00e0 ae 5f 39 eb 56 ac e8 07 b0 56 a9
00f0 68 6b 49 f1 d4 ed b4 d1 89 74 20

```

wireshark_eth0Y4KLV3.pcapng

Packets: 8392 · Displayed: 81 (1.0%)

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.

