

ASCII Table

Reference to ASCII Table of Windows-1252

ASCII, stands for **American Standard Code for Information Interchange**. It is a **7-bit** character code where each individual bit represents a unique character. This page shows the **extended ASCII** table which is **based on the Windows-1252** character set which is an **8 bit** ASCII table with 256 characters and symbols. It includes all ASCII codes from standard ASCII, and it is a superset of **ISO 8859-1** in terms of printable characters. In the range 128 to 159 (hex 80 to 9F), ISO/IEC 8859-1 has invisible control characters, while Windows-1252 has writable characters. Windows-1252 is probably the most-used 8-bit character encoding in the world.

ASCII control characters (character code 0-31)

The first 32 characters in the ASCII-table are unprintable control codes and are used to control peripherals such as printers.

DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
0	000	00	00000000	NUL	�		Null character
1	001	01	00000001	SOH			Start of Heading
2	002	02	00000010	STX			Start of Text
3	003	03	00000011	ETX			End of Text
4	004	04	00000100	EOT			End of Transmission
5	005	05	00000101	ENQ			Enquiry
6	006	06	00000110	ACK			Acknowledge
7	007	07	00000111	BEL			Bell, Alert
8	010	08	00001000	BS			Backspace
9	011	09	00001001	HT				Horizontal Tab
10	012	0A	00001010	LF	
		Line Feed
11	013	0B	00001011	VT			Vertical Tabulation
12	014	0C	00001100	FF			Form Feed
13	015	0D	00001101	CR			Carriage Return
14	016	0E	00001110	SO			Shift Out
15	017	0F	00001111	SI			Shift In
16	020	10	00010000	DLE			Data Link Escape
17	021	11	00010001	DC1			Device Control One (XON)
18	022	12	00010010	DC2			Device Control Two
19	023	13	00010011	DC3			Device Control Three (XOFF)
20	024	14	00010100	DC4			Device Control Four
21	025	15	00010101	NAK			Negative Acknowledge
22	026	16	00010110	SYN			Synchronous Idle
23	027	17	00010111	ETB			End of Transmission Block
24	030	18	00011000	CAN			Cancel
25	031	19	00011001	EM			End of medium
26	032	1A	00011010	SUB			Substitute
27	033	1B	00011011	ESC			Escape
28	034	1C	00011100	FS			File Separator
29	035	1D	00011101	GS			Group Separator
30	036	1E	00011110	RS			Record Separator
31	037	1F	00011111	US			Unit Separator

ASCII printable characters (character code 32-127)

Codes 32-127 are common for all the different variations of the ASCII table, they are called printable characters, represent letters, digits, punctuation marks, and a few miscellaneous symbols. You will find almost every character on your keyboard. Character 127 represents the command DEL.

DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
32	040	20	00100000	SP	 		Space
33	041	21	00100001	!	!	!	Exclamation mark
34	042	22	00100010	"	"	"	Double quotes (or speech marks)
35	043	23	00100011	#	#	#	Number sign
36	044	24	00100100	\$	$	$	Dollar
37	045	25	00100101	%	%	%	Per cent sign
38	046	26	00100110	&	&	&	Ampersand
39	047	27	00100111	'	'	'	Single quote
40	050	28	00101000	(	(	&lparen;	Open parenthesis (or open bracket)
41	051	29	00101001	)	)	&rparen;	Close parenthesis (or close bracket)
42	052	2A	00101010	*	*	*	Asterisk
43	053	2B	00101011	+	+	+	Plus
44	054	2C	00101100	,	,	,	Comma
45	055	2D	00101101	-	-		Hyphen-minus
46	056	2E	00101110	.	.	.	Period, dot or full stop
47	057	2F	00101111	/	/	/	Slash or divide
48	060	30	00110000	0	0		Zero
49	061	31	00110001	1	1		One
50	062	32	00110010	2	2		Two
51	063	33	00110011	3	3		Three
52	064	34	00110100	4	4		Four
53	065	35	00110101	5	5		Five
54	066	36	00110110	6	6		Six
55	067	37	00110111	7	7		Seven
56	070	38	00111000	8	8		Eight
57	071	39	00111001	9	9		Nine
58	072	3A	00111010	:	:	:	Colon
59	073	3B	00111011	;	;	;	Semicolon
60	074	3C	00111100	<	<	<	Less than (or open angled bracket)
61	075	3D	00111101	=	=	=	Equals
62	076	3E	00111110	>	>	>	Greater than (or close angled bracket)
63	077	3F	00111111	?	?	?	Question mark
64	100	40	01000000	@	@	@	At sign
65	101	41	01000001	A	A		Uppercase A
66	102	42	01000010	B	B		Uppercase B
67	103	43	01000011	C	C		Uppercase C
68	104	44	01000100	D	D		Uppercase D
69	105	45	01000101	E	E		Uppercase E
70	106	46	01000110	F	F		Uppercase F
71	107	47	01000111	G	G		Uppercase G
72	110	48	01001000	H	H		Uppercase H
73	111	49	01001001	I	I		Uppercase I
74	112	4A	01001010	J	J		Uppercase J
75	113	4B	01001011	K	K		Uppercase K

	DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
	76	114	4C	01001100	L	L		Uppercase L
	77	115	4D	01001101	M	M		Uppercase M
	78	116	4E	01001110	N	N		Uppercase N
	79	117	4F	01001111	O	O		Uppercase O
	80	120	50	01010000	P	P		Uppercase P
	81	121	51	01010001	Q	Q		Uppercase Q
	82	122	52	01010010	R	R		Uppercase R
	83	123	53	01010011	S	S		Uppercase S
	84	124	54	01010100	T	T		Uppercase T
	85	125	55	01010101	U	U		Uppercase U
	86	126	56	01010110	V	V		Uppercase V
	87	127	57	01010111	W	W		Uppercase W
	88	130	58	01011000	X	X		Uppercase X
	89	131	59	01011001	Y	Y		Uppercase Y
	90	132	5A	01011010	Z	Z		Uppercase Z
	91	133	5B	01011011	[	[	[	Opening bracket
	92	134	5C	01011100	\	\	\	Backslash
	93	135	5D	01011101	]	]	]	Closing bracket
	94	136	5E	01011110	^	^	^	Caret - circumflex
	95	137	5F	01011111	_	_	_	Underscore
	96	140	60	01100000	`	`	`	Grave accent
	97	141	61	01100001	a	a		Lowercase a
	98	142	62	01100010	b	b		Lowercase b
	99	143	63	01100011	c	c		Lowercase c
	100	144	64	01100100	d	d		Lowercase d
	101	145	65	01100101	e	e		Lowercase e
	102	146	66	01100110	f	f		Lowercase f
	103	147	67	01100111	g	g		Lowercase g
	104	150	68	01101000	h	h		Lowercase h
	105	151	69	01101001	i	i		Lowercase i
	106	152	6A	01101010	j	j		Lowercase j
	107	153	6B	01101011	k	k		Lowercase k
	108	154	6C	01101100	l	l		Lowercase l
	109	155	6D	01101101	m	m		Lowercase m
	110	156	6E	01101110	n	n		Lowercase n
	111	157	6F	01101111	o	o		Lowercase o
	112	160	70	01110000	p	p		Lowercase p
	113	161	71	01110001	q	q		Lowercase q
	114	162	72	01110010	r	r		Lowercase r
	115	163	73	01110011	s	s		Lowercase s
	116	164	74	01110100	t	t		Lowercase t
	117	165	75	01110101	u	u		Lowercase u
	118	166	76	01110110	v	v		Lowercase v
	119	167	77	01110111	w	w		Lowercase w
	120	170	78	01111000	x	x		Lowercase x
	121	171	79	01111001	y	y		Lowercase y
	122	172	7A	01111010	z	z		Lowercase z
	123	173	7B	01111011	{	{	{	Opening brace

DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
124	174	7C	01111100		|	|	Vertical bar
125	175	7D	01111101	}	}	}	Closing brace
126	176	7E	01111110	~	~	˜	Equivalency sign - tilde
127	177	7F	01111111	DEL			Delete

The extended ASCII codes (character code 128-255)

There are several different variations of the 8-bit ASCII table. The table below is according to Windows-1252 (CP-1252) which is a superset of ISO 8859-1, also called ISO Latin-1, in terms of printable characters, but differs from the IANA's ISO-8859-1 by using displayable characters rather than control characters in the 128 to 159 range. Characters that differ from ISO-8859-1 is marked by light blue color.

DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
128	200	80	10000000	€	€	€	Euro sign
129	201	81	10000001				<i>Unused</i>
130	202	82	10000010	,	‚	‚	Single low-9 quotation mark
131	203	83	10000011	f	ƒ	ƒ	Latin small letter f with hook
132	204	84	10000100	„	„	„	Double low-9 quotation mark
133	205	85	10000101	...	…	…	Horizontal ellipsis
134	206	86	10000110	†	†	†	Dagger
135	207	87	10000111	‡	‡	‡	Double dagger
136	210	88	10001000	^	ˆ	ˆ	Modifier letter circumflex accent
137	211	89	10001001	‰	‰	‰	Per mille sign
138	212	8A	10001010	Š	Š	Š	Latin capital letter S with caron
139	213	8B	10001011	‹	‹	‹	Single left-pointing angle quotation
140	214	8C	10001100	Œ	Œ	Œ	Latin capital ligature OE
141	215	8D	10001101				<i>Unused</i>
142	216	8E	10001110	Ž	Ž	Ž	Latin capital letter Z with caron
143	217	8F	10001111				<i>Unused</i>
144	220	90	10010000				<i>Unused</i>
145	221	91	10010001	‘	‘	‘	Left single quotation mark
146	222	92	10010010	’	’	’	Right single quotation mark
147	223	93	10010011	“	“	“	Left double quotation mark
148	224	94	10010100	”	”	”	Right double quotation mark
149	225	95	10010101	•	•	•	Bullet
150	226	96	10010110	—	–	–	En dash
151	227	97	10010111	—	—	—	Em dash
152	230	98	10011000	~	˜	˜	Small tilde
153	231	99	10011001	™	™	™	Trade mark sign
154	232	9A	10011010	š	š	š	Latin small letter S with caron
155	233	9B	10011011	›	›	›	Single right-pointing angle quotation mark
156	234	9C	10011100	œ	œ	œ	Latin small ligature oe
157	235	9D	10011101				<i>Unused</i>
158	236	9E	10011110	ž	ž	ž	Latin small letter z with caron
159	237	9F	10011111	ÿ	Ÿ	Ÿ	Latin capital letter Y with diaeresis
160	240	A0	10100000	NBSP	 	 	Non-breaking space
161	241	A1	10100001	¡	¡	¡	Inverted exclamation mark
162	242	A2	10100010	¢	¢	¢	Cent sign
163	243	A3	10100011	£	£	£	Pound sign
164	244	A4	10100100	¤	¤	¤	Currency sign
165	245	A5	10100101	¥	¥	¥	Yen sign
166	246	A6	10100110		¦	¦	Pipe, broken vertical bar
167	247	A7	10100111	§	§	§	Section sign
168	250	A8	10101000	¨	¨	¨	Spacing diaeresis - umlaut
169	251	A9	10101001	©	©	©	Copyright sign

	DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
	170	252	AA	10101010	ª	ª	ª	Feminine ordinal indicator
	171	253	AB	10101011	«	«	«	Left double angle quotes
	172	254	AC	10101100	¬	¬	¬	Negation
	173	255	AD	10101101	SHY	­	­	Soft hyphen
	174	256	AE	10101110	®	®	®	Registered trade mark sign
	175	257	AF	10101111	¯	¯	¯	Spacing macron - overline
	176	260	B0	10110000	°	°	°	Degree sign
	177	261	B1	10110001	±	±	±	Plus-or-minus sign
	178	262	B2	10110010	²	²	²	Superscript two - squared
	179	263	B3	10110011	³	³	³	Superscript three - cubed
	180	264	B4	10110100	´	´	´	Acute accent - spacing acute
	181	265	B5	10110101	μ	µ	µ	Micro sign
	182	266	B6	10110110	¶	¶	¶	Pilcrow sign - paragraph sign
	183	267	B7	10110111	·	·	·	Middle dot - Georgian comma
	184	270	B8	10111000	¸	¸	¸	Spacing cedilla
	185	271	B9	10111001	¹	¹	¹	Superscript one
	186	272	BA	10111010	º	º	º	Masculine ordinal indicator
	187	273	BB	10111011	»	»	»	Right double angle quotes
	188	274	BC	10111100	¼	¼	¼	Fraction one quarter
	189	275	BD	10111101	½	½	½	Fraction one half
	190	276	BE	10111110	¾	¾	¾	Fraction three quarters
	191	277	BF	10111111	¿	¿	?	Inverted question mark
	192	300	C0	11000000	À	À	À	Latin capital letter A with grave
	193	301	C1	11000001	Á	Á	Á	Latin capital letter A with acute
	194	302	C2	11000010	Â	Â	Â	Latin capital letter A with circumflex
	195	303	C3	11000011	Ã	Ã	Ã	Latin capital letter A with tilde
	196	304	C4	11000100	Ä	Ä	Ä	Latin capital letter A with diaeresis
	197	305	C5	11000101	Å	Å	Å	Latin capital letter A with ring above
	198	306	C6	11000110	Æ	Æ	Æ	Latin capital letter AE
	199	307	C7	11000111	Ç	Ç	Ç	Latin capital letter C with cedilla
	200	310	C8	11001000	È	È	È	Latin capital letter E with grave
	201	311	C9	11001001	É	É	É	Latin capital letter E with acute
	202	312	CA	11001010	Ê	Ê	Ê	Latin capital letter E with circumflex
	203	313	CB	11001011	Ë	Ë	Ë	Latin capital letter E with diaeresis
	204	314	CC	11001100	Ì	Ì	Ì	Latin capital letter I with grave
	205	315	CD	11001101	Í	Í	Í	Latin capital letter I with acute
	206	316	CE	11001110	Î	Î	Î	Latin capital letter I with circumflex
	207	317	CF	11001111	Ï	Ï	Ï	Latin capital letter I with diaeresis
	208	320	D0	11010000	Ð	Ð	Ð	Latin capital letter ETH
	209	321	D1	11010001	Ñ	Ñ	Ñ	Latin capital letter N with tilde
	210	322	D2	11010010	Ò	Ò	Ò	Latin capital letter O with grave
	211	323	D3	11010011	Ó	Ó	Ó	Latin capital letter O with acute
	212	324	D4	11010100	Ô	Ô	Ô	Latin capital letter O with circumflex
	213	325	D5	11010101	Õ	Õ	Õ	Latin capital letter O with tilde
	214	326	D6	11010110	Ö	Ö	Ö	Latin capital letter O with diaeresis
	215	327	D7	11010111	×	×	×	Multiplication sign
	216	330	D8	11011000	Ø	Ø	Ø	Latin capital letter O with slash
	217	331	D9	11011001	Ù	Ù	Ù	Latin capital letter U with grave

DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
218	332	DA	11011010	Ú	Ú	Ú	Latin capital letter U with acute
219	333	DB	11011011	Û	Û	Û	Latin capital letter U with circumflex
220	334	DC	11011100	Ü	Ü	Ü	Latin capital letter U with diaeresis
221	335	DD	11011101	Ý	Ý	Ý	Latin capital letter Y with acute
222	336	DE	11011110	Þ	Þ	Þ	Latin capital letter THORN
223	337	DF	11011111	ß	ß	ß	Latin small letter sharp s - ess-zed
224	340	E0	11100000	à	à	à	Latin small letter a with grave
225	341	E1	11100001	á	á	á	Latin small letter a with acute
226	342	E2	11100010	â	â	â	Latin small letter a with circumflex
227	343	E3	11100011	ã	ã	ã	Latin small letter a with tilde
228	344	E4	11100100	ä	ä	ä	Latin small letter a with diaeresis
229	345	E5	11100101	å	å	å	Latin small letter a with ring above
230	346	E6	11100110	æ	æ	æ	Latin small letter ae
231	347	E7	11100111	ç	ç	ç	Latin small letter c with cedilla
232	350	E8	11101000	è	è	è	Latin small letter e with grave
233	351	E9	11101001	é	é	é	Latin small letter e with acute
234	352	EA	11101010	ê	ê	ê	Latin small letter e with circumflex
235	353	EB	11101011	ë	ë	ë	Latin small letter e with diaeresis
236	354	EC	11101100	ì	ì	ì	Latin small letter i with grave
237	355	ED	11101101	í	í	í	Latin small letter i with acute
238	356	EE	11101110	î	î	î	Latin small letter i with circumflex
239	357	EF	11101111	ï	ï	ï	Latin small letter i with diaeresis
240	360	F0	11110000	ð	ð	ð	Latin small letter eth
241	361	F1	11110001	ñ	ñ	ñ	Latin small letter n with tilde
242	362	F2	11110010	ò	ò	ò	Latin small letter o with grave
243	363	F3	11110011	ó	ó	ó	Latin small letter o with acute
244	364	F4	11110100	ô	ô	ô	Latin small letter o with circumflex
245	365	F5	11110101	õ	õ	õ	Latin small letter o with tilde
246	366	F6	11110110	ö	ö	ö	Latin small letter o with diaeresis
247	367	F7	11110111	÷	÷	÷	Division sign
248	370	F8	11111000	ø	ø	ø	Latin small letter o with slash
249	371	F9	11111001	ù	ù	ù	Latin small letter u with grave
250	372	FA	11111010	ú	ú	ú	Latin small letter u with acute
251	373	FB	11111011	û	û	û	Latin small letter u with circumflex
252	374	FC	11111100	ü	ü	ü	Latin small letter u with diaeresis
253	375	FD	11111101	ý	ý	ý	Latin small letter y with acute
254	376	FE	11111110	þ	þ	þ	Latin small letter thorn
255	377	FF	11111111	ÿ	ÿ	ÿ	Latin small letter y with diaeresis