

print vs println in Java

Last Updated : 20 Nov, 2024



`print()` and `println()` are the methods of `System.out` class in Java which are used to print the output on the console. The major difference between these two is that **`print()` method will print the output on the same line while `println()` method will print the output on a new line.**

- **`println()` method** can be called without arguments. **Calling without arguments will prints a blank line and move the cursor to the next line.**
- **`print()` method** will only work with arguments else it will give a syntax error.

Example:

Java



```
1 // Java program to show the difference between
2 // print() and println() method
3 import java.io.*;
4
5 class GFG {
6     public static void main(String[] args)
7     {
8
9         // using print method
10        System.out.print("Hello");
11
12        // using println method
13        System.out.println(" Geeks!");
14
15        // using print method
16        System.out.print("How are you?");
17
18        // using println method
19        System.out.println(" I'm fine.");
20    }
21 }
```

Output

```
Hello Geeks!  
How are you? I'm fine.
```

print() Method

print() method in Java is used to display a text on the console. This text is passed as the parameter to this method in the form of String. This method prints the text on the console and the cursor remains at the end of the text at the console. The next printing takes place from just here.

- void **print(boolean b)** – Prints a boolean value.
- void **print(char c)** – Prints a character.
- void **print(char[] s)** – Prints an array of characters.
- void **print(double d)** – Prints a double-precision floating-point number.
- void **print(float f)** – Prints a floating-point number.
- void **print(int i)** – Prints an integer.
- void **print(long l)** – Prints a long integer.
- void **print(Object obj)** – Prints an object.
- void **print(String s)** – Prints a string.

Example:

Java

```
1 // Java program to show the  
2 // use of print method  
3 import java.io.*;  
4  
5 class GFG {  
6     public static void main(String[] args)  
7     {  
8  
9         // The cursor will remain  
10        // just after the 1  
11        System.out.print("GfG1");  
12
```

```
13         // This will be printed
14         // just after the GfG2
15         System.out.print("Gf2");
16     }
17 }
```

Output

GfG1GfG2

println() Method

println() method in Java is also used to display a text on the console. This text is passed as the parameter to this method in the form of String. This method prints the text on the console and the cursor remains at the start of the next line at the console. The next printing takes place from next line.

- void **println()** – Terminates the current line by writing the line separator string.
- void **println(boolean x)** – Prints a boolean and then terminate the line.
- void **println(char x)** – Prints a character and then terminate the line.
- void **println(char[] x)** – Prints an array of characters and then terminate the line.
- void **println(double x)** – Prints a double and then terminate the line.
- void **println(float x)** – Prints a float and then terminate the line.
- void **println(int x)** – Prints an integer and then terminate the line.
- void **println(long x)** – Prints a long and then terminate the line.
- void **println(Object x)** – Prints an Object and then terminate the line.
- void **println(String x)** – Prints a String and then terminate the line.

Example:

Java

```
1 // Java program to show the
2 // use of println method
3 import java.io.*;
4
5 class GFG {
```

```
6      public static void main(String[] args)
7      {
8
9          // The cursor will after GfG1
10         // will at the start
11         // of the next line
12         System.out.println("GfG1");
13
14         // This will be printed at the
15         // start of the next line
16         System.out.println("GfG2");
17     }
18 }
```

Output

```
GfG1
GfG2
```

 Comment

More info 

Next Article 

[System.out.println in Java](#)

Similar Reads

print vs println in Java

print() and println() are the methods of System.out class in Java which are used to print the output on the console. The major difference between these two is that print() method will print the output on the sam...

 3 min read

System.out.println in Java

Java System.out.println() is used to print an argument that is passed to it. Parts of System.out.println() The statement can be broken into 3 parts which can be understood separately: System: It is a final class...

 5 min read

Formatted Output in Java using printf()

Sometimes in programming, it is essential to print the output in a given specified format. Most users are familiar with the printf function in C. Let us discuss how we can Formatting Output with printf() in Java i...

🕒 5 min read

Java.io.PrintWriter class in Java | Set 2

Java.io.PrintWriter class in Java | Set 1 More methods: PrintWriter printf(Locale l, String format, Object... args) : A convenience method to write a formatted string to this writer using the specified format string...

🕒 7 min read

Java.io.PrintWriter class in Java | Set 1

Java PrintWriter class gives Prints formatted representations of objects to a text-output stream. It implements all of the print methods found in PrintStream. It does not contain methods for writing raw...

🕒 5 min read

PrintStream println() method in Java with Examples

The println() method of PrintStream Class in Java is used to break the line in the stream. This method do not accepts any parameter or return any value. Syntax: public void println() Parameters: This method do...

🕒 2 min read

PrintWriter println() method in Java with Examples

The println() method of PrintWriter Class in Java is used to break the line in the stream. This method do not accepts any parameter or return any value. Syntax: public void println() Parameters: This method do...

🕒 2 min read

Printing Integer between Strings in Java

Try to figure out the output of this code: public class Test { public static void main(String[] args) { System.out.println(45+5 + "=" +45+5); } } Output: 50=455 The reason behind this is - Initially the intege...

🕒 1 min read

PrintWriter print(String) method in Java with Examples

The print(String) method of PrintWriter Class in Java is used to print the specified String value on the stream. This String value is taken as a parameter. Syntax: public void print(String StringValue)...

🕒 2 min read

PrintStream print(String) method in Java with Examples

The print(String) method of PrintStream Class in Java is used to print the specified String value on the stream. This String value is taken as a parameter. Syntax: public void print(String StringValue)...

Simplest Method to Print Array in Java

`Arrays.toString()` Method of `java.util.Arrays` class is the simplest method to print an array in Java. This method takes an array as a parameter and returns a string representation of the array and it can work...

🕒 1 min read

Jump Statements in Java

Jumping statements are control statements that transfer execution control from one point to another point in the program. There are three Jump statements that are provided in the Java programming...

🕒 5 min read

PrintWriter print(int) method in Java with Examples

The `print(int)` method of `PrintWriter` Class in Java is used to print the specified `int` value on the stream. This `int` value is taken as a parameter. Syntax: `public void print(int intValue)` Parameters: This method...

🕒 2 min read

PrintStream print(int) method in Java with Examples

The `print(int)` method of `PrintStream` Class in Java is used to print the specified `int` value on the stream. This `int` value is taken as a parameter. Syntax: `public void print(int intValue)` Parameters: This method...

🕒 2 min read

PrintWriter println(String) method in Java with Examples

The `println(String)` method of `PrintWriter` Class in Java is used to print the specified `String` on the stream and then break the line. This `String` is taken as a parameter. Syntax: `public void println(String string)`...

🕒 2 min read

PrintWriter println(int) method in Java with Examples

The `println(int)` method of `PrintWriter` Class in Java is used to print the specified `int` value on the stream and then break the line. This `int` value is taken as a parameter. Syntax: `public void println(int intValue)`...

🕒 2 min read

PrintStream println(int) method in Java with Examples

The `println(int)` method of `PrintStream` Class in Java is used to print the specified `int` value on the stream and then break the line. This `int` value is taken as a parameter. Syntax: `public void println(int intValue)`...

🕒 2 min read

PrintStream println(String) method in Java with Examples

The `println(String)` method of `PrintStream` Class in Java is used to print the specified `String` on the stream and then break the line. This `String` is taken as a parameter. Syntax: `public void println(String string)...`

🕒 2 min read

PrintStream print(char) method in Java with Examples

The `print(char)` method of `PrintStream` Class in Java is used to print the specified `char` value on the stream. This `char` value is taken as a parameter. Syntax: `public void print(char charValue)` Parameters: Th...

🕒 2 min read

Article Tags :

[Java](#)[School Programming](#)[Technical Scripter](#)[java-basics](#)[+1 More](#)

Practice Tags :

[Java](#)