

Code issue fix

1. what is wrong with this code? It outputs infinite series when Submit button is pressed. But when entered 5 and pressed Enter on keyboard, it shows the correct series of 5 digits:

```
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Document</title> <?php $input1 = $_GET['input1']; $count = $input1; $n = 1; $k = 2; $d = 3; ?> </head> <body> <div style="width: 50vw;border: 1px solid black;padding:4rem;margin:auto;margin-top:20vh;"> <form method="GET"> <label for="input1">Input : &nbsp;&nbsp;&nbsp;</label>.....
```

2.



1. what is wrong with this code? It outputs infinite series when Submit button is pressed. But when entered 5 and pressed Enter on keyboard, it shows the correct series of 5 digits:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <?php

    $input1 = $_GET['input1'];
    $count = $input1;
    $n = 1;
    $k = 2;
    $d = 3;

    ?>

</head>

<body>
  <div style="width: 50vw;border: 1px solid black;padding:4rem;margin:auto;margin-top:20vh;">
    <form method="GET">
      <label for="input1">Input : &nbsp;&nbsp; </label>
      <input type="number" name="input1" value="<?php echo $input1 ?>">
      <br>
      <br>
      <p>Output :</p>
      <div style="border: 1px solid black;width:180px;height: 20px;text-align:center;">

        <?php

          for($i = 0; $i < $count;$i++){
            echo $n." ";
            $n = $n + $d;
          }
          ?>

      </div>
```

```

        <br>
        <br>

        <input type="submit" name="input1">
    </form>

</div>

</body>

</html>

```

Ah, I see what's happening 👍

The problem is with this line:

```

html

<input type="submit" name="input1">

```

You're giving your **submit button the same** `name="input1"` **as your input field.**

So when you press the **Submit button**, the form sends something like this in the query string:

```

ruby

?input1=5&input1=Submit

```

PHP takes the **last occurrence** of `input1`, so instead of `$input1 = 5`, it becomes:

```

php

$input1 = "Submit";

```

Then in your loop:

```

php

for($i = 0; $i < $count; $i++){

```

`$count = "Submit"`, and since `"Submit"` is converted to `0` in a numeric context **but not strictly** (depending on PHP version/config), the loop condition may misbehave and run infinitely, causing the endless series you noticed.

✓ Fix: Give your submit button a different name (or none at all):

```
html

<input type="submit" value="Generate">
```

That way only your number field uses `name="input1"`, and the query string will be:

```
ruby

?input1=5
```

Corrected code snippet:

```
html

<form method="GET">
  <label for="input1">Input : &nbsp;&nbsp; </label>
  <input type="number" name="input1" value="<?php echo $input1 ?>">
  <br><br>
  <p>Output :</p>
  <div style="border: 1px solid black;width:180px;height: 20px;text-align:center;">
    <?php
      for($i = 0; $i < $count; $i++){
        echo $n . " ";
        $n = $n + $d;
      }
    ?>
  </div>
  <br><br>
  <input type="submit" value="Generate">
</form>
```

👉 That's why pressing **Enter** worked fine (it submitted only `input1=5`), but pressing **Submit button** overwrote it with `input1=Submit`.

Do you want me to also show you how to **prevent errors if someone submits an empty input** (like no number entered)?