```
1: < doctype html>
2: <html lang="ja">
3:
 4: <head>
     <meta charset="utf-8">
     <meta name="viewport" content="width=device-width, initial-scale=1">
    <link href="https://cdn.isdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"</pre>
   rel="stylesheet"
   integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9NaoOYz1ztcQTwFspd3vD65VohhpuuCOmLASiC"
   crossorigin="anonymous">
    <title>world watch</title>
10: </head>
11:
12: <body>
13:
     <header>
14:
      <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
15:
        <div class="container">
          <a class="navbar-brand" href="#">Navbar</a>
16:
   17:
   aria-expanded="false" aria-label="Toggle
   navigation">
            <span class="navbar-toggler-icon"></span>
18:
19:
          </button>
          <div class="collapse navbar-collapse" id="navbarSupportedContent">
20:
21:
            22:
              <!i class="nav-item">
23:
               <a class="nav-link active" aria-current="page" href="#">Home</a>
24:
              25:
              cli class="nav-item">
26:
               <a class="nav-link" href="#">Link</a>
27:

class="nav-item dropdown">
28:
               <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"</pre>
29:
   role="button" data-bs-toggle="dropdown"
   aria-expanded="false">
30:
                 Dropdown
31:
                \langle a \rangle
32:
               <!i><a class="dropdown-item" href="#">Action</a>
33:
34:
                 <!i><a class="dropdown-item" href="#">Another action</a>
```



world watch







```
35:
                    <1 i>>
36:
                      <hr class="dropdown-divider">
37:
38:
                    <!i>\(\in\) a class="dropdown-item" href="\pm">Something else here</a>
39:
                  \langle u \rangle
40:
                (li class="nav-item">
41:
42:
                  <a class="nav-link disabled" href="#" tabindex="-1"</pre>
    aria-disabled="true">Disabled</a>
                43:
              44:
45:
              <form class="d-flex">
                <input class="form-control me-2" type="search" placeholder="Search"</pre>
    aria-label="Search">
47:
                <button class="btn btn-outline-success" type="submit">Search</button>
48:
              </form>
49:
            \langle div \rangle
          \langle div \rangle
50:
51:
       </nav>
52:
     </header>
53:
54:
      <main>
55:
        <section>
          <div id="carouselExampleCaptions" class="carousel slide carousel-dark"</pre>
56:
    data-bs-ride="carousel"
57:
            data-bs-pause="false">
58:
            <div class="carousel-indicators">
   59:
    1"></button>
60:
              <button type="button" data-bs-target="#carouselExampleCaptions"</pre>
    data-bs-slide-to="1" aria-label="Slide
    2"></button>
61:
              <button type="button" data-bs-target="#carouse|ExampleCaptions"</pre>
    data-bs-slide-to="2" aria-label="Slide
    3"></button>
62:
            \langle div \rangle
63:
            <div class="carousel-inner">
64:
              <div class="carousel-item active">
                <img src="images/slide_watch_01.jpg" class="d-block w-100" alt="...">
65:
                <div class="carousel-caption">
66:
                  <h5>First slide label</h5>
67:
```



world watch







```
68:
                 Some representative placeholder content for
    the first
    slide. 
               </div>
69:
70:
              \langle div \rangle
71:
             <div class="carousel-item">
72:
               <img src="images/slide_watch_02.jpg" class="d-block w-100" alt="...">
               <div class="carousel-caption">
73:
74:
                 <h5>Second slide label</h5>
                 Some representative placeholder content for
75:
    the second
    slide. 
76:
               </div>
77:
              \langle div \rangle
             <div class="carousel-item">
78:
79:
               <img src="images/slide_watch_03.jpg" class="d-block w-100" alt="...">
:08
               <div class="carousel-caption">
81:
                 <h5>Third slide label</h5>
                 Some representative placeholder content for
82:
    the third
    slide. \langle p \rangle
83:
               </div>
84:
             \langle div \rangle
85:
            </div>
86:
            <button class="carousel-control-prev" type="button"</pre>
   data-bs-target="#carouselExampleCaptions"
data-bs-slide="prev">
87:
             <span class="carousel-control-prev-icon" aria-hidden="true"></span>
88:
             <span class="visually-hidden">Previous</span>
89:
            90:
    data-bs-target="#carouse|ExampleCaptions"
    data-bs-slide="next">
91:
             <span class="carousel-control-next-icon" aria-hidden="true"></span>
92:
             <span class="visually-hidden">Next</span>
93:
            </button>
94:
          \langle \text{vib} \rangle
95:
       </section>
96:
97:
        <section>
         <div class="container">
98:
           <h2 class="display-4 py-5 text-center">world watch</h2>
99:
```



world watch

















```
100:
             <div class="row">
101:
               <div class="col-6 col-md-3 g-3">
                 <img src="images/item_01.jpg" alt="" class="img-fluid">
102:
103:
               </div>
               <div class="col-6 col-md-3 g-3">
104:
                 <img src="images/item_02.jpg" alt="" class="img-fluid">
105:
106:
               </div>
107:
               <div class="col-6 col-md-3 g-3">
                 <img src="images/item_03.jpg" alt="" class="img-fluid">
108:
109:
               \langle div \rangle
110:
               <div class="col-6 col-md-3 g-3">
                 <img src="images/item_04.jpg" alt="" class="img-fluid">
111:
112:
               </div>
113:
               <div class="col-6 col-md-3 g-3">
                 <img src="images/item_05.jpg" alt="" class="img-fluid">
114:
115:
               \langle div \rangle
116:
               <div class="col-6 col-md-3 g-3">
                 <img src="images/item 06. jpg" alt="" class="img-fluid">
117:
118:
               </div>
             \langle div \rangle
119:
120:
           \langle div \rangle
121:
         </section>
122:
123:
         <section>
124:
           <div class="container">
             <div class="bg-danger text-white p-5 my-5 rounded">
125:
               〈h1 class="display-4"〉時計の世界オンライン〈/h1〉
126:
               \langle p \ c \ | ass = " | ead" \rangle これはヒーローユニット(ジャンボトロン)のコンポーネントです。
127:
     \langle q \rangle
128:
               より大きなコンテナの範囲内でコンテンツに空間をあけるため、文字の体裁と空白
     ユーティリティクラスを使用している。
     129:
               <button type="button" class="btn btn-dark btn-lg" data-bs-toggle="modal"</pre>
     data-bs-target="#exampleModal">
                 申し込む
130:
               </button>
131:
132:
                <!-- Modal -->
               <div class="modal fade" id="exampleModal" tabindex="-1"</pre>
133:
     aria-labelledby="exampleModalLabel"
     aria-hidden="true">
134:
                 <div class="modal-dialog">
                   <div class="modal-content text-dark">
135:
```



world watch







```
136:
                      <div class="modal-header">
137:
                        <h5 class="modal-title" id="exampleModalLabel">Modal title</h5>
                        138:
     aria-label="Close"></button>
139:
                      \langle div \rangle
140:
                      <div class="modal-body">
141:
                        <form>
142:
                          <div class="mb-3">
143:
                            <label for="exampleInputEmail1" class="form-label">Email
     address</label>
                            <input type="email" class="form-control" id="exampleInputEmail1"</pre>
144:
     aria-describedby="emailHelp">
145:
                            <div id="emailHelp" class="form-text">We'll never share your
     email with anyone
     else.
146:
                            \langle div \rangle
147:
                           \langle div \rangle
148:
                          <div class="mb-3">
149:
                            <label for="exampleInputPassword1"</pre>
     class="form-label">Password</label>
                            <input type="password" class="form-control"</pre>
150:
     id="exampleInputPassword1">
151:
                          \langle div \rangle
152:
                          <div class="mb-3 form-check">
153:
                            <input type="checkbox" class="form-check-input"</pre>
     id="exampleCheck1">
154:
                            <label class="form-check-label" for="exampleCheck1">Check me
     out</label>
155:
                          \langle div \rangle
156:
                          157:
                        </form>
158:
                      \langle div \rangle
                      <div class="modal-footer">
159:
                        <button type="button" class="btn btn-secondary"</pre>
160:
     data-bs-dismiss="modal">Close</button>
                        <button type="button" class="btn btn-primary">Save changes</button>
161:
162:
                      \langle div \rangle
163:
                    </div>
                  \langle div \rangle
164:
165:
               \langle div \rangle
166:
              \langle div \rangle
167:
           \langle div \rangle
```



world watch

















```
168:
           </section>
169:
        </main>
170:
171:
        <footer>
172:
           <div class="bg-dark text-white p-5 text-center">
              (h3)時計の世界
(h3)
(h3)
(img src="images/logo.png" alt="")
(p) 〒860-8601熊本市中央区手取本町1番1号
173:
174:
175:
176:
           </div>
177:
        </footer>
178:
179: <script
      src="https://cdn. jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-MrcW6ZMFYIzcLA8NI+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
      crossorigin="anonymous"></script>
180:
181: </body>
182:
183: </html>
```