№10

vi

.

, ,

ľ

-03-23

■ vi

Linux. - vi,

 \sim /work/os/lab06.

```
omturaeva@dk3n35 ~ $ cd work
omturaeva@dk3n35 ~/work $ mkdir os
```

. 1:

```
omturaeva@dk3n35 ~/work $ cd os
omturaeva@dk3n35 ~/work/os $ mkdir lab10
omturaeva@dk3n35 ~/work/os $
```

. 2: cd

vi hello.sh

```
omturaeva@dk3n35 ~/work/os $ cd lab10 omturaeva@dk3n35 ~/work/os/lab10 $ vi hello.sh
```

. **3:** vi

```
#!/bin/bash
HELL=Hello
function hello {
  LOCAL HELLO=World
  echo $HELLO
}
echo $HELLO
fello
--
--
```

. 4:

Esc

.

:

```
HELL=Hello
 LOCAL HELLO=World
 echo $HELLO
echo $HELLO
hello
```

```
w( ) q( ),
                                        Enter
                    #!/bin/bash
                    HELL=Hello
                    LOCAL HELLO=World
                    echo $HELLO
                    echo $HELLO
                   hello
```

. **7**: chmod

2.

vi

HELL

```
#!/bin/bash
HELU=Hello
function hello {
  LOCAL HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
```

. 8: HELL

```
HELLO. Esc - .
```

```
#!/bin/bash
HELLO=Hello
function hello {
   LOCAL HELLO=World
   echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
```

. 9: HELLO

HELLO=Hello

LOCAL.

```
LOCAL HELLO=World
 echo $HELLO
echo $HELLO
hello
HELLO=Hello
 HELLO=World
 echo $HELLO
echo $HELLO
hello
```

: local, Esc

```
#!/bin/bash
HELLO=Hello
function hello {
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
```

. 10: local

HELLO=Hello

hello

echo \$HELLO

. : echo \$HELLO.

```
local HELLO=World
 echo $HELLO
echo $HELLO
hello
HELLO=Hello
 local HELLO=World
 echo $HELLO
echo $HELLO
```

Esc

```
#!/bin/bash
HELLO=Hello
function hello {
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
```


. 11:

```
HELLO=Hello
 echo $HELLO
echo $HELLO
hello
echo $HELLO
```

u

21/23

: vi.



Linux. vi,

23/23