


2.BUBBLE SORT:

```
#include <stdio.h>

int main()
{
    int a[20], n, i, j, temp;
    printf("Enter the number of elements: ");
    scanf("%d", &n);
    printf("Enter the elements:\n");
    for(i = 0; i < n; i++)
    {
        scanf("%d", &a[i]);
    }
    for(i = 0; i < n - 1; i++)
    {
        for(j = 0; j < n - i - 1; j++)
        {
            if(a[j] > a[j + 1])
            {
                temp = a[j];
                a[j] = a[j + 1];
                a[j + 1] = temp;
            }
        }
    }
    printf("Sorted array:\n");
    for(i = 0; i < n; i++)
    {
        printf("%d ", a[i]);
    }
```

```
    return 0;
}
```

OUTPUT:



The screenshot shows a C code editor with a file named `main.c`. The code implements a bubble sort algorithm. It prompts the user to enter the number of elements (7) and then the elements themselves (22 33 44 1 2 67 8). The output shows the sorted array: 1 2 8 22 33 44 67. The code execution was successful.

```
main.c
1 #include <stdio.h>
2
3 int main()
4 {
5     int a[20], n, i, j, temp;
6
7     printf("Enter the number of elements: ");
8     scanf("%d", &n);
9
10    printf("Enter the elements:\n");
11    for(i = 0; i < n; i++)
12    {
13        scanf("%d", &a[i]);
14    }
15
16    for(i = 0; i < n - 1; i++)
17    {
18        for(j = 0; j < n - i - 1; j++)
19        {
20            if(a[j] > a[j + 1])
21            {
22                temp = a[j];
```

Output

```
Enter the number of elements: 7
Enter the elements:
22 33 44 1 2 67 8
Sorted array:
1 2 8 22 33 44 67

=== Code Execution Successful ===
```