



Kristianstad  
University  
Sweden

Kristianstad University  
SE-291 88 Kristianstad  
Sweden  
+46 44 250 30 00  
[www.hkr.se](http://www.hkr.se)

## **Agile Working - Project idea Pineapple Planner**

**Max Sellick, Varvara Aladyina, Deinoras Krasauskas, Azhaf Kahn, Simon Ostini**

**February 2025**

**Title**

Agile Working - Project idea

**Programme**

Software Development

**Authors**

Max Sellick, Varvara Aladyina, Deinoras Krasauskas, Azhaf Khan, Simon Ostini

**Keywords**

Agile, Scrum, Project idea

**Contents**

|          |                   |          |
|----------|-------------------|----------|
| <b>1</b> | <b>Task 1</b>     | <b>4</b> |
| <b>2</b> | <b>Task 2</b>     | <b>4</b> |
| <b>3</b> | <b>Task 3</b>     | <b>4</b> |
| <b>4</b> | <b>Task 4</b>     | <b>6</b> |
| <b>5</b> | <b>Task 5</b>     | <b>7</b> |
| <b>6</b> | <b>References</b> | <b>8</b> |

## 1 Task 1

This report focuses on our task management project "Pineapple Planner". It is a task management tool with integrated calendar, todo list which aims to minimize stress in order to help completing daily tasks and improves personal productivity. We are going to build a desktop application. Our application aims to contribute to structure peoples lives and to help them achieve their daily goals.

## 2 Task 2

Considering ethical aspects and social responsibility in the development of the Pineapple Planner desktop application is crucial to ensure fairness, accessibility, and user trust. Ethical principles help create a product that respects user privacy and promotes inclusivity.

One key consideration is data privacy and security. Task management applications often store sensitive personal information, so implementing strong data protection measures aligns with ethical guidelines such as the General Data Protection Regulation. Ensuring that user data is stored securely in a Firebase store and not exploited for commercial gain fosters trust and transparency. [1]

Additionally, our application should avoid manipulative design and addictive features that pressure users. Dark patterns, such as misleading notifications, excessive reminders, or barriers to account deletion, must be eliminated to ensure user control. Instead, the design should promote productivity without fostering dependency. To support ethical use, the application should offer customizable notifications, break reminders, and transparent data policies. Clearly explaining data usage and providing simple consent options will reinforce trust and align with ethical standards. [2]

## 3 Task 3

- a) We plan to develop the Pineapple Planner app with scalability and usability in mind. By using Domain-Driven Design (DDD) with C#, WPF, and Blazor, the system will be modular and easy to maintain, allowing the integration of new features over time if required. The combination of WPF for desktop and Blazor for web components will ensure a user-friendly and responsive interface. Technically, our infrastructure allows easy migration to cross-platform usage. With C#'s strong type safety and GitHub's CI/CD pipelines, the app will maintain data integrity and deliver stable updates. Lastly, we will strongly profit from JIRA's structured project and task management.
- b) We intend to build a C# WPF application that integrates a Blazor web application as an external assembly. The Blazor app accesses data from a database through queries and commands (CQRS) which are implemented in the application layer assembly. The application layer accesses our entities that are defined in the domain layer. Generally, it can be said that we plan to use a microservice architecture according to the Domain-Driven-Design (DDD) infrastructure pattern also known as the *Onion architecture*.




Figure 1: Infrastructure proposal

## 4 Task 4

R2.

D2. .

R3. The user link their task data to their account.

| Nr | Requirement item                                   | Priority (High/Medium/Low) |
|----|--|----------------------------|
| R1 | The user shall be able to inspect their tasks.     | High                       |
| R2 | The user shall be able to manage their tasks.      | High                       |
| R3 | The user link their task data to their account.    | High                       |
| R4 | The user shall be able to prioritize tasks.        | Medium                     |
| R5 | The user shall be able to set recurring tasks.     | Medium                     |
| R6 | The user shall be able to set reminders for tasks. | Low                        |

Table 1: Requirement items

| Nr | Requirement item   | Priority (High/Medium/Low) |
|----|--|----------------------------|
| D1 | Task items are listed in a todo list view and visible in a calendar view.  | High                       |
| D2 | A task form allows the users to create, edit and delete their tasks.   | High                       |
| D3 | The application saves a users' tasks in a database   | High                       |
| D4 | Tasks can be assigned priority levels (e.g., High-/Medium/Low) with visual indicators (e.g. color-coding) in the todo list and calendar views. | High                       |
| D5 | Tasks can be set to repeat daily, weekly, monthly, or custom intervals.  | Medium                     |
| D6 | A notification system alerts users via desktop notifications.  | Low                        |

Table 2: Design items

## 5 Task 5

| Sprint              | Sprint 1                     | Sprint 2                     | Sprint 3                     | Sprint 4                     |
|---------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| <b>Scrum master</b> | Varvara Alady-<br>ina        | Deinoras<br>Krasauskas       | Azhaf Khan                   | Max Sellick,<br>Simon Ostini |
| <b>Developers</b>   | Max Sellick,<br>Simon Ostini | Varvara Alady-<br>ina        | Deinoras<br>Krasauskas       | Azhaf Khan                   |
| <b>Tester</b>       | Deinoras<br>Krasauskas       | Azhaf Khan                   | Max Sellick,<br>Simon Ostini | Varvara Alady-<br>ina        |
| <b>Support</b>      | Azhaf Khan                   | Max Sellick,<br>Simon Ostini | Varvara Alady-<br>ina        | Deinoras<br>Krasauskas       |

Table 3: Sprint role planning

## 6 References

- [1] C. J. Hoofnagle, B. Van Der Sloot, and F. Z. Borgesius, “The european union general data protection regulation: What it is and what it means,” *Information & Communications Technology Law*, vol. 28, no. 1, pp. 65–98, 2019.
- [2] C. Montag, B. Lachmann, M. Herrlich, and K. Zweig, “Addictive features of social media/messenger platforms and freemium games against the background of psychological and economic theories,” *International journal of environmental research and public health*, vol. 16, no. 14, p. 2612, 2019.