

# OO6 Upgrade do framework



Melhorando a funcionalidade

### hx-exec

126



```
var VERBS = ['get', 'post', 'put', 'delete', 'patch', 'exec'];
            var VERB SELECTOR = VERBS.map(function(verb){
127
               return "[hx-" + verb + "], [data-hx-" + verb + "]"
128
129
            }).join(", ");
3307
            // Métodos do "xhr"
             if( verb != "exec" ){
3308
3309
               xhr.open(verb.toUpperCase(), finalPath, true);
3310
               xhr.overrideMimeType("text/html");
3311
               xhr.withCredentials = requestConfig.withCredentials;
               xhr.timeout = requestConfig.timeout;
3312
```

## hx-exec



```
3244
               var requestConfig = {
3245
                 boosted: eltlsBoosted,
3246
                 useUrlParams: useUrlParams,
3247
                 parameters: filteredParameters,
                 unfilteredParameters: allParameters
3248
3249
                 headers:headers,
3250
                 target:target,
3251
                 verb:verb.
3252
                 errors:errors,
                 withCredentials: etc.credentials || requestAttrValues.credentials || htmx.config.withCredential
3253
3254
                 timeout: etc.timeout || requestAttrValues.timeout || htmx.config.timeout,
3255
                 path:path,
3256
                 triggeringEvent:event
3257
```

### hx-exec



```
3410
               return promise;
3411
3412
            } else {
3413
            var tgSwap = target.getAttribute("hx-swap");
3414
            var tgExec = target.getAttribute("hx-exec");
3415
            var cmd = "target."+tgSwap+" = "+tgExec;
3416
            console.log(cmd);
3417
            var x = eval(cmd);
3418
```

# hx-exec (Html)



<div hx-exec="mostra('Vim do mostra')" hx-swap="innerHTML" hx-trigger="load">
Vai carregar conte&uacute; do do javascript.

</div>