

User.php

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0" />

  <title>Digital Discovery for Seniors</title>

  <link rel="shortcut icon" href="xFiles/xlogo.jpg" />

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

  <link rel="stylesheet" href="css/index.css">

  <!-- CDN (Content Delivery Network) -->

  <!-- Intro.js CDN -->

  <link rel="stylesheet" href="https://unpkg.com/intro.js/minified/introjs.min.css">

  <script src="https://unpkg.com/intro.js/minified/intro.min.js"></script>

</head>

<body>

  <div class="container">

    <!-- Header -->

    <header id="home">

      <div class="header-top" data-step="2"

        data-intro="Here you can see the Logo, Name and Menu of our website. This is what we call the
        HEADER.<br><br> <hr> Dinhi po makikita itun Logo, ngaran, ngan Menu hitun amun website. Tinatawag po ine
        natun nga HEADER">

        <div class="logo">

          

        </div>

        <h1>DIGITAL DISCOVERY FOR ELDERLY PEOPLE</h1>

        <nav class="navbar" id="navbar" data-step="3"

          data-intro="Use this Navigation Bar to choose where you want to go in our website.<br><br> <hr>
          Gamita ine nga Navigation Bar para mag pili kun hain mo karuyag kumadto ha am website">

            <a href="#home"><span data-step="4"

              data-intro="Click here when you want to go back to start.<br><br> <hr>Pinduta ine kun
              karuyag mo hibalik ha katinikangan."><i

                class="fas fa-home"></i>Home</span></a>
```

<span data-step="5"

data-intro="Click here when you want to know the developers.

 <hr>Pinduta ine kun karuyag mo hibaro mahitungod han nag himo hine."><i

class="fas fa-question"></i>About Us

<span data-step="6"

data-intro="Click here when you're ready to learn.

 <hr>Pinduta ine kun karuyag mo na mag tikang mag aram."><i

class="fas fa-graduation-cap"></i>Lessons

</nav>

</div>

</header>

<!-- Hero Section -->

<section class="home-grid" data-step="7"

data-intro="This is the information or explanation about our website

 <hr>Asya po ine itun haliputay nga impormasyon o eksplinasyon mahitungod han amun website">

<div class="text">

<div class="btttn" data-step="1"

data-intro="Here you can choose whether you want to be guided or you want to be directed to start learning.

 <hr>Didi puydi ka po mag Pili kun karuyag mo mag pa alalay o kun karuyag mo deritso mag aram">

<button onclick="introJs().start()"

<i class="fas fa-user"></i> GUIDE ME
 Alalayi ako

</button>

<button><i class="fas fa-play"></i> START LEARNING
Tikangi Pag-aram</button>

</div>

<blockquote>

Digital Discovery for Elders is an interactive learning platform
designed to help Filipino senior citizens build confidence, improve digital skills, and stay safe
online.

Learn at your own pace with easy-to-use lessons made just for you.

</blockquote>

<blockquote class="waray">

An Digital Discovery para ha mga elders amo an usa nga interactive nga plataporma na ginhimo para
mabuligan an mga Pilipino nga senior citizen nga magka may ada kumpiyansa, mapa-uswag an ira
digital nga mga abilidad, ngan magin talwas ha paggamit han internet.

Mag-aram ha imo kalugaringon nga
oras pinaagi han gin pasayon nga mga leksyon nga gin-andam para ha imo.

</blockquote>

</div>

<div class="image">

</div>

</section>

<?php

\$data = file_get_contents("data.json");

\$modules = json_decode(\$data, true);

?>

<section id="courses" class="courses" data-step="8"

data-intro="Here you can see the learning modules.
-Dinhi naman makikita an kada modyul.">

<div class="box-container" id="lessonsContainer">

<?php foreach (\$modules as \$item): ?>

<div class="box">

<a href="<?= \$item['video_url'] ?>" class="button-link">

 Icon">

<?= \$item['modules'] ?>

<?= \$item['modules'] > 1 ? 'modules' : 'video' ?>

<h3>

<?= \$item['title'] ?>

</h3>

<hr>

<?= \$item['description'] ?>

</div>

<?php endforeach; ?>

</div>

<!-- Floating Comment Box -->

<div id="comment-container">

<div id="comment-button">

<i class="fas fa-comment-dots"></i>

</div>

```
<div id="comment-window">

  <div id="comment-header">

    <span>Suggestions & Comments</span>

    <button id="comment-close">&times;</button>

  </div>

  <div id="comment-form">

    <form id="suggestion-form" action="save_comment.php" method="POST">

      <div class="form-group">

        <label for="name">Your Name:</label>

        <input type="text" id="name" name="name" required>

      </div>

      <div class="form-group">

        <label for="comment">Your Comment/Suggestion:</label>

        <textarea id="comment" name="comment" rows="4" required></textarea>

      </div>

      <div class="form-group">

        <button type="submit" class="submit-btn">Submit</button>

      </div>

    </form>

  </div>

  <div id="comment-thanks" style="display: none;">

    <div class="thank-you-message">

      <i class="fas fa-check-circle"></i>

      <h3>Thank You!</h3>

      <p>Your comment has been submitted successfully.</p>

      <button id="new-comment-btn">Submit Another Comment</button>

    </div>

  </div>

</div>

</div>
```

```
<style>

#comment-container {

  position: fixed;

  bottom: 20px;

  right: 20px;

  z-index: 1000;
```

```
font-family: Arial, sans-serif;

}
```

```
#comment-button {

  width: 60px;

  height: 60px;

  background-color: #258300;

  border-radius: 50%;

  display: flex;

  justify-content: center;

  align-items: center;

  cursor: pointer;

  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.2);

  color: white;

  font-size: 24px;

}
```

```
#comment-window {

  position: absolute;

  bottom: 70px;

  right: 0;

  width: 350px;

  background-color: white;

  border-radius: 10px;

  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.2);

  display: none;

  flex-direction: column;

}
```

```
#comment-header {

  background-color: #a86c3e;

  color: white;

  padding: 10px 15px;

  border-radius: 10px 10px 0 0;

  display: flex;

  justify-content: space-between;

  align-items: center;
```

```
}
```

```
#comment-close {  
    background: none;  
    border: none;  
    color: white;  
    font-size: 20px;  
    cursor: pointer;  
}
```

```
#comment-form {  
    padding: 15px;  
}
```

```
.form-group {  
    margin-bottom: 15px;  
}
```

```
.form-group label {  
    display: block;  
    margin-bottom: 5px;  
    font-weight: bold;  
}
```

```
.form-group input,  
.form-group textarea {  
    width: 100%;  
    padding: 8px;  
    border: 1px solid #ddd;  
    border-radius: 4px;  
    box-sizing: border-box;  
}
```

```
.submit-btn {  
    background-color: #258300;  
    color: white;  
    border: none;
```

```
padding: 10px 15px;

border-radius: 4px;

cursor: pointer;

width: 100%;

font-size: 16px;

}
```

```
.submit-btn:hover {

background-color: #7c4f2c;

}
```

```
.thank-you-message {

text-align: center;

padding: 20px;

}
```

```
.thank-you-message i {

font-size: 48px;

color: #258300;

margin-bottom: 15px;

}
```

```
.thank-you-message h3 {

margin-bottom: 10px;

}
```

```
#new-comment-btn {

background-color: #258300;

color: white;

border: none;

padding: 8px 15px;

border-radius: 4px;

cursor: pointer;

margin-top: 15px;

}
```

```
</style>
```

```
<script>
```

```
document.addEventListener('DOMContentLoaded', function() {

    const commentButton = document.getElementById('comment-button');
    const commentWindow = document.getElementById('comment-window');
    const commentClose = document.getElementById('comment-close');
    const commentForm = document.getElementById('suggestion-form');
    const commentThanks = document.getElementById('comment-thanks');
    const newCommentBtn = document.getElementById('new-comment-btn');


    // Toggle comment window
    commentButton.addEventListener('click', function() {

        commentWindow.style.display = commentWindow.style.display === 'flex' ? 'none' : 'flex';

    });


    commentClose.addEventListener('click', function() {

        commentWindow.style.display = 'none';

    });


    // Handle form submission
    commentForm.addEventListener('submit', function(e) {

        e.preventDefault();


        // Get form data
        const formData = new FormData(commentForm);


        // Send data to server
        fetch('save_comment.php', {

            method: 'POST',

            body: formData

        })

        .then(response => response.json())

        .then(data => {

            if (data.success) {

                // Show thank you message

                commentForm.style.display = 'none';

                commentThanks.style.display = 'block';
```



```
        // Reset form
        commentForm.reset();
    } else {
        alert('Error submitting comment. Please try again.');
```



```
    }
})
.catch(error => {
    console.error('Error:', error);
    alert('Error submitting comment. Please try again.');
```



```
});
});

// Reset form for new comment
newCommentBtn.addEventListener('click', function() {
    commentForm.style.display = 'block';
    commentThanks.style.display = 'none';
});
});
</script>

</section>

<!-- Footer -->

<footer>

    © 2025 DIGITAL DISCOVERY FOR ELDERLY PEOPLE

</footer>

</body>

</html>
```

User_Banks.php

```
<?php
$content = json_decode(file_get_contents("banks.json"), true);
?>

<!DOCTYPE html>

<html lang="en">
```

```
<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<title><?php echo $content['title']; ?></title>

<link rel="shortcut icon" href="<?php echo $content['logo']; ?>" />

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

<link rel="stylesheet" href="css/cyber.css">

</head>

<body>

<div class="container">

    <!-- Header -->

    <header id="home">

        <div class="header-top">

            <div class="logo"></div>

            <h1><?php echo $content['header']; ?></h1>

            <nav class="navbar" id="navbar">

                <a href="user.php"><span><i class="fas fa-home"></i> Home</span></a>

                <a href="about.html"><span><i class="fas fa-question"></i> About Us</span></a>

                <a href="user.php#courses"><span><i class="fas fa-graduation-cap"></i> Lessons</span></a>

            </nav>

        </div>

    </header>

    <a href="user.php" class="btnn1" title="Return to Home">

        <button><i class="fas fa-arrow-left"></i></button>

    </a>

    <!-- Description -->

    <section class="playlist-details">

        <div class="column">

            <h3><?php echo $content['description']['title']; ?></h3>

            <p><?php echo $content['description']['english']; ?><br>

            <em><?php echo $content['description']['waray']; ?></em></p>

        </div>

    </section>

    <!-- Lessons -->
```

```
<section class="playlist-videos">

    <h1 class="heading">Lesson Videos</h1>

    <div class="box-container">

        <?php foreach($content['lessons'] as $lesson): ?>

            <a class="box" href="<?php echo $lesson['link']; ?>">

                <i class="fas fa-play"></i>

                ">

                <h3><?php echo $lesson['title']; ?></h3><br>

                <hr>

                <em><?php echo $lesson['waray']; ?></em>

            </a>

        <?php endforeach; ?>

    </div>

</section>
```

```
<footer class="footer">

    &copy; 2025 <?php echo $content['header']; ?>

</footer>
```

```
</div>

</body>

</html>
```

User_Cyber.php

```
<?php

$content = json_decode(file_get_contents("cyber.json"), true);

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<title><?php echo $content['title']; ?></title>

<link rel="shortcut icon" href="<?php echo $content['logo']; ?>" />

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

<link rel="stylesheet" href="css/cyber.css">

</head>

<body>
```

```
<div class="container">

    <!-- Header -->

    <header id="home">

        <div class="header-top">

            <div class="logo">

                

            </div>

            <h1><?php echo $content['header']; ?></h1>

            <nav class="navbar" id="navbar">

                <?php foreach($content['nav'] as $nav): ?>

                    <a href="<?php echo $nav['href']; ?>">

                        <span><i class="<?php echo $nav['icon']; ?>"></i><?php echo $nav['label']; ?></span>

                    </a>

                <?php endforeach; ?>

            </nav>

        </div>

    </header>
```

```
<a href="user.php#courses" class="btn1" title="Return to Home">

    <button><i class="fas fa-arrow-left"></i></button>

</a>
```

```
<?php if(isset($content['contents'])): ?>

    <?php foreach($content['contents'] as $block): ?>

        <!-- Video Section -->

        <section class="watch-video">

            <div class="video-wrapper">

                <iframe

src="<?php echo $block['video']['src']; ?>"

width="800"

height="450"

allow="autoplay"

allowfullscreen>

                </iframe>

                <h3 class="main-vid-title">

                    <?php echo $block['video']['title']; ?> <br>
```

```

        <em><?php echo $block['video']['subtitle']; ?></em>

    </h3>

</div>

</section>

```

```

<!-- Description Section -->

<section class="content-section">

    <div class="content">

        <h2><?php echo $block['description']['title']; ?></h2>

        <p class="english"><?php echo $block['description']['english']; ?></p>

        <p class="waray"><em><?php echo $block['description']['waray']; ?></em></p>
    
```

```

<h3>Simple Tips for Cybersecurity</h3>

<?php if(isset($block['tips'])): ?>

    <?php foreach($block['tips'] as $tip): ?>

        <div class="tip">

            <?php if(isset($tip['img'])): ?>

                

            <?php endif; ?>

            <p class="english"><?php echo $tip['english']; ?></p>

            <p class="waray"><em><?php echo $tip['waray']; ?></em></p>

        </div>

    <?php endforeach; ?>

<?php endif; ?>

```

```

<h3>🎯 Key Point</h3>

<p class="english"><?php echo $block['keypoint']['english']; ?></p>

<p class="waray"><em><?php echo $block['keypoint']['waray']; ?></em></p>

</div>

```

```

</section>

<?php endforeach; ?>

<?php endif; ?>

```

```

<!-- Footer -->

<footer>

    &copy; 2025 <?php echo $content['header']; ?>

</footer>

```

```
</div>

</body>

</html>
```

User_Device.php

```
<?php

$content = json_decode(file_get_contents("device.json"), true);

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<title><?php echo $content['title']; ?></title>

<link rel="shortcut icon" href="<?php echo $content['logo']; ?>" />

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

<link rel="stylesheet" href="css/cyber.css">

</head>

<body>

<div class="container">

    <!-- Header -->

    <header id="home">

        <div class="header-top">

            <div class="logo"></div>

            <h1><?php echo $content['header']; ?></h1>

            <nav class="navbar" id="navbar">

                <a href="user.php"><span><i class="fas fa-home"></i> Home</span></a>

                <a href="about.html"><span><i class="fas fa-question"></i> About Us</span></a>

                <a href="user.php#courses"><span><i class="fas fa-graduation-cap"></i> Lessons</span></a>

            </nav>

        </div>

    </header>

    <a href="user.php" class="btnn1" title="Return to Home">

        <button><i class="fas fa-arrow-left"></i></button>

    </a>
```

```
<!-- Description -->

<section class="playlist-details">

    <div class="column">

        <h3><?php echo $content['description']['title']; ?></h3>

        <p><?php echo $content['description']['english']; ?><br>

        <em><?php echo $content['description']['waray']; ?></em></p>

    </div>

</section>


<!-- Lessons -->

<section class="playlist-videos">

    <h1 class="heading">Lesson Videos</h1>

    <div class="box-container">

        <?php foreach($content['lessons'] as $lesson): ?>

            <a class="box" href="<?php echo $lesson['link']; ?>">

                ">

                <h3><?php echo $lesson['title']; ?></h3><br>

                <hr>

                <em><?php echo $lesson['waray']; ?></em>

            </a>

        <?php endforeach; ?>

    </div>

</section>


<!-- Footer -->

<footer>

    &copy; 2025 <?php echo $content['header']; ?>

</footer>

</div>

</body>

</html>
```

User_Social.php

```
<?php

$content = json_decode(file_get_contents("device.json"), true);

?>

<!DOCTYPE html>
```

```
<html lang="en">

<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<title><?php echo $content['title']; ?></title>

<link rel="shortcut icon" href="<?php echo $content['logo']; ?>" />

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

<link rel="stylesheet" href="css/cyber.css">

</head>

<body>

<div class="container">

    <!-- Header -->

    <header id="home">

        <div class="header-top">

            <div class="logo"></div>

            <h1><?php echo $content['header']; ?></h1>

            <nav class="navbar" id="navbar">

                <a href="user.php"><span><i class="fas fa-home"></i> Home</span></a>

                <a href="about.html"><span><i class="fas fa-question"></i> About Us</span></a>

                <a href="user.php#courses"><span><i class="fas fa-graduation-cap"></i> Lessons</span></a>

            </nav>

        </div>

    </header>

    <a href="user.php" class="btnn1" title="Return to Home">

        <button><i class="fas fa-arrow-left"></i></button>

    </a>

    <!-- Description -->

    <section class="playlist-details">

        <div class="column">

            <h3><?php echo $content['description']['title']; ?></h3>

            <p><?php echo $content['description']['english']; ?><br>

            <em><?php echo $content['description']['waray']; ?></em></p>

        </div>

    </section>
```



```
<!-- Lessons -->

<section class="playlist-videos">

    <h1 class="heading">Lesson Videos</h1>

    <div class="box-container">

        <?php foreach($content['lessons'] as $lesson): ?>

            <a class="box" href="<?php echo $lesson['link']; ?>">

                ">

                <h3><?php echo $lesson['title']; ?></h3><br>

                <hr>

                <em><?php echo $lesson['waray']; ?></em>

            </a>

        <?php endforeach; ?>

    </div>

</section>


<!-- Footer -->

<footer>

    &copy; 2025 <?php echo $content['header']; ?>

</footer>

</div>

</body>

</html>
```

Modules.php

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <title>Digital Discovery for Seniors</title>

    <link rel="shortcut icon" href="xFiles/xlogo.jpg" />

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css" />

    <link rel="stylesheet" href="css/index.css">

    <!-- CDN (Content Delivery Network) -->

    <!-- Intro.js CDN -->

    <link rel="stylesheet" href="https://unpkg.com/intro.js/minified/introjs.min.css">

    <script src="https://unpkg.com/intro.js/minified/intro.min.js"></script>
```

```
<style>

/* Additional styles for delete and add functionality */

:root {

  --bgcol: #a86c3e;

  --hov: #7c4f2c;

  --accent-color: #A3C1AD;

  --waray: #258300;

}


#courses h2 {

  margin-bottom: 30px;

  color: var(--hov);

  position: relative;

  padding-bottom: 10px;

}


#courses h2::after {

  content: "";

  position: absolute;

  bottom: 0;

  left: 0;

  width: 80px;

  height: 4px;

  background-color: var(--accent-color);

  border-radius: 2px;

}


.add-module-box {

  display: flex;

  align-items: center;

  justify-content: center;

  background: rgba(168, 108, 62, 0.1);

  border: 2px dashed var(--bgcol);

  border-radius: 10px;

  min-height: 200px;

  cursor: pointer;

  transition: all 0.3s ease;
```

```
}
```

```
.add-module-box:hover {  
  background: rgba(168, 108, 62, 0.2);  
  transform: translateY(-5px);  
}
```

```
.add-module-box i {  
  font-size: 3rem;  
  color: var(--bgcol);  
}
```

```
.box {  
  position: relative;  
  transition: all 0.3s ease;  
}
```

```
.box:hover {  
  transform: translateY(-5px);  
  box-shadow: 0 10px 20px rgba(0,0,0,0.1);  
}
```

```
.box form {  
  position: absolute;  
  bottom: 10px;  
  right: 10px;  
  opacity: 0;  
  transition: opacity 0.3s ease;  
}
```

```
.box:hover form {  
  opacity: 1;  
}
```

```
.box form button {  
  background: #e74c3c;  
  color: white;
```

```
border: none;

padding: 5px 10px;

border-radius: 5px;

cursor: pointer;

font-size: 14px;

transition: all 0.3s ease;
}
```

```
.box form button:hover {

  background: #c0392b;

  transform: scale(1.05);
}
```

```
#addForm {

  background: white;

  border-radius: 10px;

  padding: 15px;

  margin-top: 20px;

  box-shadow: 0 5px 15px rgba(0,0,0,0.1);

  border: 1px solid var(--accent-color);

  animation: fadeIn 0.5s ease;

  max-width: 500px;

  margin-left: auto;

  margin-right: auto;
}
```

```
#addForm h3 {

  color: var(--hov);

  margin-bottom: 15px;

  font-size: 1.2rem;

  position: relative;

  padding-bottom: 8px;
}
```

```
#addForm h3::after {

  content: "";

  position: absolute;
```

```
    bottom: 0;

    left: 0;

    width: 60px;

    height: 3px;

    background-color: var(--accent-color);

    border-radius: 2px;
}
```

```
#addForm form {

    display: flex;

    flex-direction: column;

    gap: 10px;
}
```

```
#addForm input {

    padding: 8px 12px;

    border: 2px solid #f0f0f0;

    border-radius: 8px;

    font-size: 14px;

    transition: all 0.3s ease;
}
```

```
#addForm input:focus {

    outline: none;

    border-color: var(--accent-color);

    box-shadow: 0 0 0 3px rgba(163, 193, 173, 0.2);
}
```

```
#addForm button[type="submit"] {

    background: var(--bgcol);

    color: white;

    border: none;

    padding: 10px 15px;

    border-radius: 8px;

    font-size: 14px;

    font-weight: 600;

    cursor: pointer;
}
```

```
    transition: all 0.3s ease;

    margin-top: 5px;
}

#addForm button[type="submit"]:hover {

    background: var(--hov);

    transform: translateY(-2px);

    box-shadow: 0 5px 10px rgba(0,0,0,0.1);
}
```

```
@keyframes fadeIn {

    from { opacity: 0; transform: translateY(20px); }

    to { opacity: 1; transform: translateY(0); }

}
```

```
@media (max-width: 768px) {

    #addForm {

        padding: 15px;

        max-width: 100%;

    }

}
```

</style>

</head>

<body>

<div class="container">

<?php

\$data = file_get_contents("data.json");

\$modules = json_decode(\$data, true);

?>

<section id="courses" class="courses">

<h2>Learning Modules</h2>

<div class="box-container" id="lessonsContainer">

<?php foreach (\$modules as \$item): ?>

<div class="box">

<a href="<?= \$item['video_url'] ?>" class="button-link">

 Icon">

<?= \$item['modules'] ?> <?= \$item['modules'] > 1 ? 'modules' : 'video' ?>

```
<h3><?= $item['title'] ?></h3><br>

<hr>

<span><?= $item['description'] ?></span>

</a>

<!-- Delete Button -->

<form method="POST" action="delete_module.php">

    <input type="hidden" name="title" value="<?= $item['title'] ?>">

    <button type="submit" title="Delete Module"><i class="fas fa-trash-alt"></i></button>

</form>

</div>

<?php endforeach; ?>

<!-- Add Module Box -->

<div class="box add-module-box" id="addModuleBox">

    <i class="fas fa-plus"></i>

</div>

</div>

</section>

<!-- Hidden Form -->

<div id="addForm" style="display:none;">

    <h3>Add New Module</h3>

    <form method="POST" action="save_module.php">

        <input type="text" name="title" placeholder="Title" required>

        <input type="text" name="description" placeholder="Description" required>

        <input type="text" name="video_url" placeholder="Video URL" required>

        <input type="text" name="icon" placeholder="Icon (image path)" required>

        <input type="number" name="modules" placeholder="Number of modules/videos" required>

        <button type="submit">Save Module</button>

    </form>

</div>

</div>

<script>

document.getElementById("addModuleBox").addEventListener("click", function(){

    let form = document.getElementById("addForm");

    form.style.display = (form.style.display === "none") ? "block" : "none";

    // Scroll to form when opened
```

```
if (form.style.display === "block") {  
    form.scrollIntoView({ behavior: 'smooth', block: 'center' });  
}  
});  
</script>  
</body>  
</html>
```

Login.php

```
<?php  
session_start();  
include("config.php");  
if(isset($_SESSION['admin'])) {  
    header("Location: adminpanel.php");  
    exit;  
}  
  
// Register  
if(isset($_POST['register'])) {  
    $username = $conn->real_escape_string($_POST['username']);  
    $password = password_hash($_POST['password'], PASSWORD_DEFAULT);  
    $check = $conn->query("SELECT * FROM admins WHERE username='$username'");  
    if($check->num_rows > 0) {  
        $error = "Username already exists!";  
    } else {  
        $conn->query("INSERT INTO admins (username,password) VALUES ('$username','$password')");  
        $success = "Registration successful! You can now login.";  
    }  
}  
  
// Login  
if(isset($_POST['login'])) {  
    $username = $conn->real_escape_string($_POST['username']);  
    $password = $_POST['password'];  
    $res = $conn->query("SELECT * FROM admins WHERE username='$username'");  
    if($res->num_rows == 1) {  
        $row = $res->fetch_assoc();  
        if(password_verify($password, $row['password'])) {  
            $_SESSION['admin'] = $username;  
        }  
    }  
}
```



```
        header("Location: adminpanel.php");

        exit;

    } else {

        $error = "Incorrect password!";

    }

} else {

    $error = "User not found!";

}

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Admin Login/Register</title>

<style>

:root {

    --bgcol: #a86c3e;

    --hov: #7c4f2c;

    /* header */

    --accent-color: #A3C1AD;

    /* soft green */

    --waray: #258300;

}

* {

    margin: 0;

    padding: 0;

    box-sizing: border-box;

    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;

}

body {

    background: linear-gradient(135deg, #a86c3e, #c18f60);

    min-height: 100vh;

    display: flex;
```

```
    justify-content: center;

    align-items: center;

    perspective: 1000px;
}
```

```
.container {

    width: 400px;

    height: 500px;

    position: relative;
}
```

```
.card {

    width: 100%;

    height: 100%;

    position: absolute;

    transform-style: preserve-3d;

    transition: transform 0.8s cubic-bezier(0.175, 0.885, 0.32, 1.275);

    border-radius: 15px;

    box-shadow: 0 20px 40px rgba(0, 0, 0, 0.3);
}
```

```
.card.flipped {

    transform: rotateY(180deg);
}
```

```
.card-face {

    position: absolute;

    width: 100%;

    height: 100%;

    backface-visibility: hidden;

    background: rgba(255, 255, 255, 0.95);

    border-radius: 15px;

    padding: 30px;

    display: flex;

    flex-direction: column;

    justify-content: center;
}
```

```
.card-back {  
  transform: rotateY(180deg);  
}
```

```
h2 {  
  text-align: center;  
  margin-bottom: 30px;  
  color: #a86c3e;  
  font-weight: 600;  
}
```

```
.form-group {  
  margin-bottom: 20px;  
  position: relative;  
}
```

```
input {  
  width: 100%;  
  padding: 15px;  
  border-radius: 8px;  
  border: 1px solid #ddd;  
  background: #f9f9f9;  
  transition: all 0.3s ease;  
  font-size: 16px;  
}
```

```
input:focus {  
  outline: none;  
  border-color: #8E2DE2;  
  background: #fff;  
  box-shadow: 0 0 0 2px rgba(142, 45, 226, 0.2);  
}
```

```
button {  
  width: 100%;  
  padding: 15px;
```

```
background: #a86c3e;

color: white;

border: none;

border-radius: 8px;

cursor: pointer;

font-size: 16px;

font-weight: 600;

transition: all 0.3s ease;

margin-top: 10px;
}
```

```
button:hover {

  transform: translateY(-2px);

  box-shadow: 0 5px 15px rgba(142, 45, 226, 0.4);
}
```

```
button:active {

  transform: translateY(0);
}
```

```
.error, .success {

  padding: 12px;

  border-radius: 8px;

  text-align: center;

  margin-bottom: 20px;

  animation: fadeIn 0.5s ease;
}
```

```
.error {

  color: #d32f2f;

  background: rgba(211, 47, 47, 0.1);

  border: 1px solid rgba(211, 47, 47, 0.3);
}
```

```
.success {

  color: #388e3c;

  background: rgba(56, 142, 60, 0.1);
}
```

```
border: 1px solid rgba(56, 142, 60, 0.3);  
}
```

```
.flip-btn {  
  background: none;  
  border: none;  
  color: #8E2DE2;  
  text-align: center;  
  margin-top: 20px;  
  cursor: pointer;  
  font-size: 14px;  
  text-decoration: underline;  
  padding: 5px;  
  width: auto;  
}
```

```
.flip-btn:hover {  
  transform: none;  
  box-shadow: none;  
  color: #4A00E0;  
}
```

```
@keyframes fadeIn {  
  from { opacity: 0; transform: translateY(-10px); }  
  to { opacity: 1; transform: translateY(0); }  
}
```

```
@media (max-width: 480px) {  
  .container {  
    width: 90%;  
    height: auto;  
    min-height: 500px;  
  }
```

```
.card-face {  
  padding: 20px;  
}
```

```
}

</style>

</head>

<body>

<div class="container">

    <div class="card" id="flipCard">

        <!-- Login Form -->

        <div class="card-face">

            <h2>Admin Login</h2>

            <?php if(isset($error)) echo "<div class='error'>$error</div>"; ?>

            <?php if(isset($success)) echo "<div class='success'>$success</div>"; ?>

            <form method="POST">

                <div class="form-group">

                    <input type="text" name="username" placeholder="Username" required>

                </div>

                <div class="form-group">

                    <input type="password" name="password" placeholder="Password" required>

                </div>

                <button type="submit" name="login">Login</button>

            </form>

            <button class="flip-btn" onclick="flipCard()">Don't have an account? Register</button>

        </div>

        <!-- Register Form -->

        <div class="card-face card-back">

            <h2>Admin Register</h2>

            <?php if(isset($error)) echo "<div class='error'>$error</div>"; ?>

            <?php if(isset($success)) echo "<div class='success'>$success</div>"; ?>

            <form method="POST">

                <div class="form-group">

                    <input type="text" name="username" placeholder="New Username" required>

                </div>

                <div class="form-group">

                    <input type="password" name="password" placeholder="New Password" required>

                </div>

                <button type="submit" name="register">Register</button>

            </form>

        </div>

    </div>

</body>

</html>
```

```

        <button class="flip-btn" onclick="flipCard()">Already have an account? Login</button>

    </div>

</div>

</div>

<script>

function flipCard() {

    const card = document.getElementById('flipCard');

    card.classList.toggle('flipped');

}

// Check if there's an error or success message on the register form
document.addEventListener('DOMContentLoaded', function() {

    const errorElements = document.querySelectorAll('.error');

    const successElements = document.querySelectorAll('.success');

    // If there's an error or success on the register side, flip the card
    if (errorElements.length > 0 || successElements.length > 0) {

        const cardBack = document.querySelector('.card-back');

        if (cardBack && (cardBack.querySelector('.error') || cardBack.querySelector('.success'))) {

            document.getElementById('flipCard').classList.add('flipped');

        }

    }

});

</script>

</body>

</html>

```

Logout.php

```

<?php

session_start();

session_destroy();

header("Location: login.php");

exit;

?>

```