

**Myrius**<sup>™</sup> More is on.







Be it a couple of extra zeroes to
a pay cheque or one more holiday to the list.
Be it one more pair of shoes
to the collection or just requesting for
one more song at a party. It's natural
for humans to always expect something more.

At Legrand, we always stand true to our philosophy of 'Listen, Design, Make and Support'. It is this thinking that helps us believe that the more one gets the better it is. Which is why, Legrand's Myrius range of wiring devices has a lot more to offer.

# More

Flat, sleek and smooth,
Myrius is the preferred
choice to give every wall an
artistic touch. It was
conceived with curved
edges that give it a distinct
and appealing look.
Moreover, its minimalistic
design makes it look
absolutely stunning and
desirable. But what makes
Myrius truly beautiful is
a classic black and white
shade that offers an aura of
comfort and timelessness.

**Aesthetics** 







# Black Beauty

A mystic black shade with a grainy matte finish truly complements any decor.



### Snowy White

Its gleaming white shade and a perfect glossy finish adds to a soothing decor.


### **NEW RANGE OF PLATES**



This gleaming, pristine, white piece of beauty with curved edges adds a touch of class to any decor that it's a part of.



This black beauty with a matte finish has curvy edges with a flat sleek body. The perfect finishing touch to any decor.




Myrius was crafted with one thing in mind, to make your life much easier. That is why, we've incorporated the world's best technology and the finest engineering into it.

Now just because it consists of complex technology doesn't mean that it is complicated to operate.

We've carefully designed a simple user-interface on the outer side to make it convenient and easy to use.













# More Value

Myrius's flawless designs and superior technology are well-suited for every home. It thus sets new standards of convenience and comfort, and that too in the most affordable way. With many more functions and attractive features, Myrius gives you more value for your money.





# $Myrius^{\mathsf{m}}$



Myrius is more than mere wiring devices. It brings along aesthetics in design, simplicity and durability in all its products. What's more? It also suits every pocket, making it the most preferred choice.

# More delight



# Remote control switch for light and fan

- Can control 4 lights & 1 fan
- 10 different speed options for fan
- Night lamp on product panel with manual operation option for all functions



#### TV/SAT/FM socket

- 3 in 1 socket for TV, SAT and FM
- 2 module unit with 3 inputs



#### VSP - Voltage Surge protectors

- Protects electrical devices like laptops, computers, printers and other office equipments from voltage surge
- Blends very well with the modular range of wiring devices
- Convenient to fit only where it is required, close to the primary sockets



#### **Motor Starter**

- For AC's / Geysers etc
- Complete protection against overload
- Aesthetically appealing Motor Starters



#### Dimmer

- Creates the perfect ambience
- For the first time dims CFLs too
- Dims halogen lamps



#### Fan regulator

- In-built safety capacitor that prevents from catching fire
- ISI marked fan regulator



#### Skirting light

- Fitted into the walls at skirting level
- Provides a dim lighting
- Creates a path light during night
- Uses LEDs that saves energy



#### Motion sensor

- Infrared detectors that detect human movements
- Programmed to automatically switch the device on and switch off when not in use, thus, saves energy





# More acceptance, always and everywhere.

Myrius range of wiring accessories is a classic creation to increase the customer's comfort and improve the work environment. This wide range of innovative products offers solutions for residential, commercial and hospitality projects, thus, making it a range that caters to everyone's needs.

#### Telephone Socket



Infra-red Sensor



AV Connector



Key Fob Switch



Bell Push with Indicator



Skirting Light



RJ 45 Data Socket



Do not disturb Switch



Light Switch



Remote Control Unit



Projector Connector



Shaver Socket





# General features



All indicators are fitted with LED Power Savers that are cost effective and save energy.



Child Safe Sockets. Sockets are shuttered for child's safety against electric shocks.



Light, Fan, Bell etc are marked on the switches for easy identification.



All products with ISI mark. Lasts for more than 1 lac operations.



Magic of Modularity.

Myrius is a modular range,
that offers ease of installation.





### More Wellness

Myrius anti-bacterial products offer anti-bacterial protection.

The composition of the product contains Ag+ ions which eliminates the proliferation of bacteria on contact with the surface of the product. It has a smooth and straight product design that facilitates in reducing the dust accumulation.

It is self disinfecting throughout its lifespan.

#### **|** legrand

#### Myrius™

#### switches and accessories - white



















U/	30	UU	

6730 02

6730 06

6730 09

6730 13

6730 16

6730 20 6730 23

1	
10	100
672	20.22

Pack	Cat.Nos	Switches	Number of modules
		6 A - 230 V $\sim$	modules
<b>20</b> /200	6730 00	6 A Switch 1 W	1
<b>20</b> /200	6730 01	6 A Switch 2 W	1
<b>20</b> /200	6730 02	6 A Switch 1 W with indicator	1
<b>20</b> /200	6730 03	6 A Switch 1 W with "Light" marking	1
<b>20</b> /200	6730 04	6 A Switch 1 W with "Fan" marking	1
		10 A - 230 V $\sim$	
<b>10</b> /100	6730 05	10 A Switch 1 W	2
<b>10</b> /100	6730 06	10 A Switch 2 W	2
<b>10</b> /100	6730 17	10 A Intermediate switch	2
<b>10</b> /100	6730 07	10 A Switch 1 W with indicator	2
		16 A - 230 V $\sim$	
<b>20</b> /200	6730 08	16 A Switch 1 W	1
<b>20</b> /200	6730 09	16 A Switch 2 W	1
<b>20</b> /200	6730 10	16 A Switch 1 W with indicator	1
		20 A - 230 V $\sim$	
<b>20</b> /200	6730 11	20 A 1 W Switch	1
<b>10</b> /100	6730 12	20 A DP 1 W Switch	2
<b>10</b> /100	6730 13	20 A DP 1 W Switch with indicator	2
<b>10</b> /100	6730 14	20 A 2 W Switch	2

Pack	Cat.Nos	Switches	Number of modules
<b>20</b> /200	6730 15	<b>25 A - 230 V</b> 25 A SP 1 W Switch with indicator	1
<b>10</b> /100	6730 16	<b>32 A - 230 V</b> 32 A DP Switch with indicator	2
		Push buttons	
<b>20</b> /200	6730 18	6 A Push button SP	1
<b>20</b> /200	6730 19	6 A Push button SP with indicator	1
<b>20</b> /200	6730 20		1
<b>20</b> /200	6730 21	6 A Bell push with indicator	1
<b>10</b> /100	6730 22		2
<b>10</b> /100	6730 23	•	2
<b>5</b> /50	6732 44	Accessories for switches with indicator Lamp for switches / push buttons	



#### energy sockets & power units - white

# Myrius<sup>TM</sup> dimmer & regulators - white

















6/	3U	4	ı

6730 42

6730 44

6730 75

6730 26

6730 29

Pack	Cat.Nos	Socket	Number of modules	Pack	Cat.Nos	Dimmer & regulator	Number of modules
<b>20</b> /200	6730 41	6/16 A 2 Pin Euro US socket	1	<b>1</b> /5/50	6730 24	Rotary dimmer 400 W	1
<b>5</b> /50	6730 42	16 A 3 Pin switched socket	3	<b>1</b> /10	6730 25	Rotary dimmer 650 W	3
<b>10</b> /100	6730 43	Multistandard socket 6/10/13 A - 2/3 pin for 250 V AC 15 A for 127 V type - 2 pin	2	<b>1</b> /10	6730 26	Compact fluorescent lamp dimmer	2
<b>20</b> /200	6730 44	6 A 5 Pin universal socket	2	1/ <b>5</b> /50		Fan step regulator 100 W	1
<b>5</b> /50	6730 83	6/16 A socket	3			Fan step regulator 100 W	2
<b>10</b> /100	6730 45	6/16 A socket	2			Fan step regulator 120 W	2
<b>10</b> /100	6730 46	6/16 A - Euro socket	2	1/ <b>10</b> /100	6730 77	Fan step regulator for energy saving fans	2
<b>10</b> /100	6730 47	25 A socket	2			Emorgonov light	ı
				• • •	0705.40	Emergency light	
		Power unit		<b>1</b> /1	0785 12	Emergency light unit	2
<b>1</b> /10	6730 74	Power strip 6 A (2 nos.) + 16 A socket (1 no.) + 16 A switch with indicator (1 no.)	8			Indicators	
<b>1</b> /10	6720.75	, , ,	8	<b>1</b> /1	0785 73	Triangular bulkhead - Blue	2
1/10	673075	Power strip 5 pin 6 A (3 nos.) +	0	<b>1</b> /1	0785 71	Triangular bulkhead - Colourless	2
		16 A switch with indicator (1 no.)		<b>1</b> /1	0785 72	Triangular bulkhead - Green	2
<b>1</b> /10	6730 76	Power strip multistd socket (3 nos.) + 16 A switch (1 no.)	8	<b>1</b> /1	0785 70	Triangular bulkhead - Red	2

#### **L**legrand

#### Myrius™

#### indicators, buzzer and detector - white

#### Myrius™

#### access control (hospitality funtions), sockets and connectors - white









	00	0700
U	33	6730







6730 51







Number of modules

6	6730 33	67

Pack	Cat.Nos	Skirting light	umber o
1/ <b>5</b> /25	6730 36	Skirting light with white LED	3
		Bell indicator	
<b>20</b> /200	6730 33	Bell indicator - 240 V√	1
		Buzzer	
<b>20</b> /200	6730 34	Buzzer - 230 V√	1
		Sensor	
<b>1</b> /10	6730 32	Infra red sensor - 300 W	2
		Remote unit	
<b>1</b> /5/20	6730 73	Remote control switch	4

Pack	Cat.Nos	Keyfobe switch
<b>1</b> /10	6730 37	15 A key fob switch
<b>1</b> /10	6732 37	15 A key card switch - white
<b>1</b> /10/100	6730 38	Only key fob for switch Cat.No 6730 37 & 6732 37

Monobloc with plate - 2 M
Monobloc with plate - 2 M

1	
1	
2	
4	

	"Do not distrub" and MMR control unit	
	External unit Internal unit	1+1 1+1
	•	

	Shaver socket	
<b>1</b> /5/20	Shaver Socket - 230 V / 120 - 230 V	Monobloc with plate - 4 M
1/5	Shaver Socket - white 230 V / 120 - 230 V	Monobloc with plate - 4 M

		TV socket		
<b>20</b> /200 <b>10</b> /100		TV Socket TV / Sat / FM - 6 shielded socket	1	,
10/100	073031	1V / Sat / Fivi - 0 Shielded Socket	۷	
		Data & voice		

<b>20</b> /200	6730 52	RJ-11 Telephone socket	1
<b>20</b> /200	6730 53	with transparent shutter RJ-11 Double telephone	1
<b>20</b> /200	6730 54	Socket with shutter UTP Cat 5e information	1
<b>20</b> /200 <b>10</b> /100		outlets toolless system UTP Cat 6 UTP Cat 6	1 2



#### connectors, controllers, protectors and accessories - white

#### Myrius™

#### anti-bacterial switches & accessories - white





















Pack	Cat.Nos	Audio & video connector	Number of modules
<b>1</b> /10 <b>10</b> /10 <b>1</b> /10	0 6730 58		1 2 2
		Sound (Volume controller)	
<b>1</b> /10/10	6730 63	Sound (Volume controller) Suitable for 8 Ohms, 3 Watts (RNS) speaker	2
		o watto (tivo) spoutoi	
		Motor starter	
<b>1</b> /10/10 <b>1</b> /10/10			2 2
		RCBO	
<b>1</b> /1	6730 78	Single pole + Neutral - 30 mA, 16 A - 230 VA	2
		VSP	
<b>20</b> /20	0 6730 70	Surge Filter (VSP) - 230 V∕	1
		Accessories	
		Accessories	
<b>20</b> /20 <b>20</b> /20		Cable outlet - 8 mm Blanking plate	1 1
<b>10</b> /10 <b>10</b> /20	0 6730 62	Blanking plate Panel mounting support	2
<b>10</b> /20/ <b>10</b> /10/	0 0802 91	Panel mounting support	2 1 2 2

Pack	Cat.Nos	Myrius antibacterial switches &	Number of modules
		accessories - white	modules
<b>20</b> /200	6730 84	6 A switch 1 W	1
<b>20</b> /200	6730 85	6 A switch 2 W	1
<b>20</b> /200	6730 86	6 A bell push	1
<b>20</b> /200	6730 89	16 A switch 1 way	1
<b>20</b> /200	6730 90	16 A switch 2 way	1
1/ <b>10</b> /100	6730 92	Fan regulator 120 W	2
<b>10</b> /100	6730 93	Multistandard socket	2
<b>20</b> /200	6730 94	6 A 5 pin universal socket	2
<b>5</b> /50	6730 95	6/16 A socket	3
<b>1</b> /10	0787 00	Equipotential socket - antibacterial	1
<b>20</b> /200	6730 98	TV socket	1
<b>20</b> /200	6730 99	RJ 11 telephone socket	1
<b>20</b> /200	6730 81	RJ-45 cat 6 UTP	1
<b>20</b> /200	6730 82	Blanking plate	1
<b>20</b> /200	6732 45	1 Module plate + frame	1
<b>20</b> /200	6732 46	2 Module plate + frame	2
<b>10</b> /100	6732 47	3 Module plate + frame	3
<b>10</b> /100	6732 48	4 Module plate + frame	4
<b>5</b> /50		8 Module plate + frame (horizontal)	8
<b>5</b> /25	6732 50	8 Module plate + frame (4 x 2)	8
<b>1</b> /10	6732 52	16 Module plate + frame	16



BTS Certificate available on request.



#### Mvrius™

#### switches, energy sockets and accessories - black & red























6731 01

6731 02

6731 05

6731 10

6731 12

6731 15

6731 21

6731 22

6731 41

6730 48

Pack	Cat.Nos	Switches	Number of modules	Pack	Cat.Nos	Push buttons	Number of modules
		6 A - 230 V $\sim$	modules	<b>20</b> /200	6731 18	6 A push button SP	1
<b>20</b> /200	6731 00	6 A Switch 1 W	1	<b>20</b> /200		6 A push button SP	1
<b>20</b> /200		6 A Switch 2 W	1			with indicator	
<b>20</b> /200	6731 02	6 A Switch 1 W	1	<b>20</b> /200		6 A Bell push	1
<b>20</b> /200	6721 02	with indicator 6 A Switch 1 W	1	<b>20</b> /200	6731 21	6 A Bell push	1
20/200	0/3/03	with "Light" marking	l I	40/400	0704.00	with indicator	0
<b>20</b> /200	6731 04	6 A Switch 1 W	1	<b>10</b> /100		6 A Bell push	2
		with "Fan" marking		<b>10</b> /100		6 A Bell Push with indicator	2
		10 A - 230 V $\sim$				With indicator	
<b>10</b> /100	6731 06 6731 17	10 A Switch 1 W 10 A Switch 2 W 10 A Intermediate switch 10 A Switch 1 W with indicator	2 2 2 2 2	<b>5</b> /50	6732 44	Accessories for switches with indicator Lamp for switches / push buttons	
		16 A - 230 V $\sim$					
<b>20</b> /200	6731 09	16 A Switch 1 way 16 A Switch 2 way 16 A Switch 1 way with indicator	1 1 1	<b>20</b> /200 <b>5</b> /50 <b>10</b> /100	6731 42	Socket 6/16 A 2 Pin Euro US socket 16 A 3 Pin switched socket Multistandard socket	1 3 2
		20 A - 230 V $\sim$		<b>20</b> /200		6 A 5 Pin with universal socket	2
<b>10</b> /100	6731 12 6731 13	20 A 1 W switch 20 A 1 W DP switch 20 A 1 W DP switch with indicator 20 A 2 W switch	1 2 2 2	<b>5</b> /50 <b>10</b> /100 <b>10</b> /100 <b>10</b> /100	6731 83 6731 45 6731 46	6/16 A socket 6/16 A socket 6/16 A - Euro socket 25 A socket	2 3 2 2 2
		25 A - 230 V $\sim$					
<b>20</b> /200	6731 15	25 A SP 1 W switch with indicator	1	<b>5</b> /50	6730 48	Red socket  16 A Switched socket	3
		32 A - 230 V $\sim$					
<b>10</b> /100	6731 16	32 A DP switch with indicator	2				



dimmer, regulators, switches and accessories - black

#### Myrius™

access control (hospitality functions), sockets and connectors - black





















0/	J	ı	2	ı

6731 36

33 6731 34

6731 32

6731 40

6731 50

6731 51

6731 53

Pack	Cat.Nos	Dimmers & regulators	Number of modules	Pack	Cat.Nos	Key fobe switch	Number of modules
1/ <b>5</b> /50	6731 24	Rotary dimmer 400 W	1	<b>1</b> /10	6731 37	15 A key fob switch	Monobloc
<b>1</b> /10	6731 25	Rotary dimmer 650 W	3			with timedelay 30 sec.	with plate - 2 M
<b>1</b> /10	6731 26	Compact fluorescent lamp dimmer	2	1/10		15 A key fob switch - black	2
		(Universal load)		<b>1</b> /10/100	6730 38	Only key fob for switch Cat.No 6731 37 & 6732 67	
1/ <b>5</b> /50		Fan step regulator 100 W	1			Cat. NO 0731 37 & 0732 07	I
1/ <b>10</b> /100		Fan step regulator 100 W	2				1
1/ <b>10</b> /100		Fan step regulator 120 W	2			"Do not distrub" and MMR control unit	
1/ <b>10</b> /100	6731 77	Fan step regulator	2	<b>10</b> /100	6731 39	External unit	1+1
		for energy saving fans		<b>10</b> /100	6731 40	Internal unit	1+1
		Skirting light				Shaver socket	
1/ <b>5</b> /25	6731 36	Skirting light with white LED	3	<b>1</b> /5/20	6731 49	Shaver socket -	Monobloc
						220/240 V - 50/60 Hz	with plate - 4 m
		Bell indicator		1/5	6731 79	Shaver socket - black	Monobloc
<b>20</b> /200	6724 22	Bell indicator- 240 V∿	1			230 V /120 - 230 V	with plate - 4 m
20/200	0/3/33	Bell Indicator- 240 V*C	'			I	I
						TV socket	
		Buzzer		<b>20</b> /200	6731 50	TV Socket	1
<b>20</b> /200	6731 34	Buzzer - 230 V√	1	<b>10</b> /100	6731 51	TV / Sat / FM - shielded socket	2
		sound level 72dB				0 - 2400 MHz	
		at 1 meter distance					
						Data & voice	
		Sensor		<b>20</b> /200	6731 52	RJ-11 Telephone socket	1
<b>1</b> /10	6731 32	Infra red sensor - 300 W	2			with transparent shutter	
1, 10	0.0.02		_	<b>20</b> /200	6731 53	RJ-11 Double telephone socket	1
		Remote unit	I			with shutter	
		nemote unit		<b>20</b> /200		UTP Cat 5e - RJ 45 information outlets	1
<b>1</b> /5/20	6731 73	Remote control switch	4	<b>20</b> /200		UTP Cat 6	1
			•	<b>10</b> /100	6731 56	UTP Cat 6	2

#### **G** legrand

#### Myrius™

#### connectors, controllers, protectors and accessories - black

#### Myrius™ plastic plates - white









6732 01









172 x 227

240 x 224

ю	13	28

6731 63 6731 70

Pack	Cat.Nos	Audio & video connector	Number of modules
<b>1</b> /10	6731 57	3 x female RCA	1
<b>10</b> /100	6731 58	3 pole XLR sockets	2
<b>1</b> /10	6731 59	Female HD 15	2
		Sound	
<b>1</b> /10/100	6731 63	Suitable for 8 Ohms, 3 Watts (RNS) speaker	2
		•	
		Motor starter	
<b>1</b> /10/100	6731 30	16 A Motor starter	2
<b>1</b> /10/100	6731 31	25 A Motor starter	2
		VSP	
<b>20</b> /200	6731 70	Surge filter (VSP) - 230 V√	1
		Accessories	
<b>20</b> /200	6731 60	Cable outlet - 8 mm	1
<b>20</b> /200	6731 61	Blanking plate	1

Pack	Cat.Nos	White plates with frame	Dimensions (mm) H x W
<b>20</b> /200	6732 01	White plate - 1 module	86 x 86
<b>20</b> /200	6732 02	White plate - 2 modules	86 x 86
<b>10</b> /100	6732 03	White plate - 3 modules	86 x 121
<b>10</b> /100	6732 04	White plate - 4 modules	86 x 146
<b>5</b> /50	6732 06	White plate - 6 modules	86 x 224
<b>5</b> /50	6732 08	White plate - 8 modules (Horizontal)	86 x 245
<b>5</b> /25	6732 09	White plate - 8 modules (4 x 2)	172 x 146
<b>1</b> /10	6732 12	White plate - 12 modules	172 x 224
<b>1</b> /10	6732 16	White plate - 16 modules	172 x 227
<b>1</b> /10	6732 18	White plate - 18 modules	240 x 224
		New white plates with frame#	
20/200	6732 11	1 module plate + Frame	86 x 86
20/200		2 module plate + Frame	86 x 86
10/100	6732 13	3 module plate + Frame	86 x 121
10/100	6732 14	4 module plate + Frame	86 x 146
5/50	6732 66	6 module plate + Frame	86 x 224
5/50	6732 68	8 module plate + Frame (Horizontal)	86 x 245
5/25	6732 69	8 module plate + Frame (4 x 2)	172 x 146
1/10	6732 62	12 module plate + Frame	172 x 224

6732 56 16 module plate + Frame

6732 58 18 module plate + Frame

#### plastic plates - black

#### Myrius™

#### flush mounting boxes and surface mounting boxes

6890 09





Black plates with frame





Dimensions (mm)









Dimensions (mm) HxWxD 76.5 x 76.5 x 51.0 76.5 x 99.7 x 51.0 76.5 x 136.8 x 51.0 76.5 x 214.2 x 51.0 76.5 x 214.2 x 51.0 136.8 x 136.6 x 61 145.3 x 215 x 61.2

213.3 x 215 x 61.2

	- 1	2	

6733 04

			⊓ x vv		
<b>20</b> /200	6732 21	Black plate - 1 module	86 x 86		
<b>20</b> /200	6732 22	Black plate - 2 modules	86 x 86		
<b>10</b> /100	6732 23	Black plate - 3 modules	86 x 121		
<b>10</b> /100	6732 24	Black plate - 4 modules	86 x 146		
<b>5</b> /50	6732 26	Black plate - 6 modules	86 x 224		
<b>5</b> /50	6732 28	Black plate - 8 modules (Horizontal)	86 x 245		
<b>5</b> /25	6732 29	Black plate - 8 modules (4 x 2)	172 x 146		
<b>1</b> /10	6732 32	Black plate - 12 modules	172 x 224		
<b>1</b> /10	6732 36	Black plate - 16 modules	172 x 227		
<b>1</b> /10	6732 38	Black plate - 18 modules	240 x 224		
		New black plates with frame#			
20/200	6732 31	New black plates with frame* 1 module plate + Frame	86 x 86		
20/200	6732 31 6732 82	1 module plate + Frame	86 x 86 86 x 86		
		1 module plate + Frame 2 modules plate + Frame			
20/200	6732 82	1 module plate + Frame 2 modules plate + Frame 3 modules plate + Frame	86 x 86		
20/200 10/100	6732 82 6732 33	1 module plate + Frame 2 modules plate + Frame 3 modules plate + Frame	86 x 86 86 x 121		
20/200 10/100 10/100	6732 82 6732 33 6732 34	1 module plate + Frame 2 modules plate + Frame 3 modules plate + Frame 4 modules plate + Frame	86 x 86 86 x 121 86 x 146		
20/200 10/100 10/100 5/50	6732 82 6732 33 6732 34 6732 86	1 module plate + Frame 2 modules plate + Frame 3 modules plate + Frame 4 modules plate + Frame 6 modules plate + Frame 8 modules plate + Frame (Horizontal)	86 x 86 86 x 121 86 x 146 86 x 224		
20/200 10/100 10/100 5/50 5/50	6732 82 6732 33 6732 34 6732 86 6732 88	1 module plate + Frame 2 modules plate + Frame 3 modules plate + Frame 4 modules plate + Frame 6 modules plate + Frame 8 modules plate + Frame (Horizontal) 8 modules plate + Frame (4 x 2)	86 x 86 86 x 121 86 x 146 86 x 224 86 x 245		
20/200 10/100 10/100 5/50 5/50 5/25	6732 82 6732 33 6732 34 6732 86 6732 88 6732 89	1 module plate + Frame 2 modules plate + Frame 3 modules plate + Frame 4 modules plate + Frame 6 modules plate + Frame 8 modules plate + Frame (Horizontal) 8 modules plate + Frame (4 x 2)	86 x 86 86 x 121 86 x 146 86 x 224 86 x 245 172 x 146		
20/200 10/100 10/100 5/50 5/50 5/25 1/10	6732 82 6732 33 6732 34 6732 86 6732 88 6732 89 6732 92	1 module plate + Frame 2 modules plate + Frame 3 modules plate + Frame 4 modules plate + Frame 6 modules plate + Frame 8 modules plate + Frame (Horizontal) 8 modules plate + Frame (4 x 2) 12 modules plate + Frame	86 x 86 86 x 121 86 x 146 86 x 224 86 x 245 172 x 146 172 x 224		

Pack	Cat.Nos	Flush mounting boxes
40 40 40 40 40 20 10	6890 08 6890 09 6890 10 6890 42 6890 31 6890 11	1/2 modules 3 modules 4 modules 6 modules 8 modules (specific) 8 modules (2 row x 4) 12 (2 row x 6) modules 16 (2 row x 8) modules Metal box 18 modules (3 row x 6) Metal box

		Surface mounting boxes	Dimensions (mm) H x W x D
0/50	6733 02	1 module	86 x 86 x 45
<b>5</b> /35	6733 03	1+2 modules	86 x 121 x 45
<b>5</b> /25	6733 04	1+1+2 modules	86 x 146 x 45
1/10	6733 06	6 x 1 modules	86 x 224 x 45
1/5	6733 08	8 x 1 modules	86 x 245.2 x 45
1/5	6733 05	8 (2 row x 4) modules	172 x 146 x 45
1/6	6890 21	12 (2 row x 6) modules	172 x 224 x 50
1/4	6890 22	16 (2 row x 8) modules 18 (3 row x 6) modules	240 x 224 x 50

#### Guarantee

- The Company at its discretion, will replace products if they have any manufacturing defect within 10 years for switches (without neon lamp) and power sockets. For all other Myrius™ wiring accessories the guarantee will be 2 years.
- The above guarantee is applicable when the devices are used in Legrand metal flush boxes. Other wise the guarantee period will be reduced by 50%.
- The quarantee is only applicable when the products are installed as per the Company's instructions and not tampered in any manner.
- The guarantee states the Company's entire liability. It does not extend to cover consequential loss or damage or installation costs arising from defective products.

<sup>#</sup> The new plate range will be introduced shortly.



#### Head office

**1.** 61 & 62, 6th Floor. Kalpataru Square, Kondivita Road, Off Andheri-Kurla Road, Andheri (E), MUMBAI - 400 059.

Tel: (022) 3041 6200 Fax: (022) 3041 6201 Website: www.legrand.co.in

#### Regional sales offices

**2.** A-25,

Mohan Co-operative Industrial Estate, Mathura Road,

**NEW DELHI** - 110 044. Tel: (011) 2699 0028 / 29 / 30, 3990 2200 Fax: (011) 2699 0047

3. Bhakta Towers, 2nd & 3rd Floor, Plot No. KB 22, Salt Lake, Sector - 3, **KOLKATA** - 700 098. Tel: (033) 4021 3535 / 36 Fax: (033) 4021 3537

**4.** 34. 3rd Floor. Kalpataru Square, Kondivita Road, Off Andheri-Kurla Road, Andheri (East), MUMBAI - 400 059.

Tel: (022) 3385 6200 Fax: (022) 3385 6201

5. Gee Gee Universal, 8th Floor, Door No. 2, 18/1 & 18/2, McNichols Road, Chetput, **CHENNAI** - 600 031. Tel: (044) 3024 7200, 2836 4165 / 67 / 68 Fax: [044] 2836 4169

**6.** 205-208, 2nd Floor, Block - II, White House, Kundan Bagh, Begumpet, **HYDERABAD** - 500 016.

Tel: (040) 2341 4398 / 67, 4567 1717

Fax: (040) 6636 6974

#### **Branch offices**

- 7. SCO 1-2-3. Second Floor. Sector 17B. **CHANDIGARH** - 160 017. Tel: (0172) 305 8631 / 32 / 33 / 34 / 35 Fax: (0172) 501 9008
- 507-510, Vth Floor, Soni Paris Point, Jai Singh Highway, Banipark, JAIPUŘ - 302 016. Telefax: (0141) 511 3129
- 504, Sakar IV, Opp. M. J. Library, Ellis Bridge, AHMEDABAD - 380 006. Gujarat Tel: (079) 2658 6561 / 2 Fax: [079] 2658 6563
- 10. 402, Swastik Chambers, Near Ashwamegh Marriage Hall, Behind HP Petrol Pump, Off Karve Road, Erandwane, **PUNE** - 411 004 Tel: (020) 6729 5600 / 601

Fax: (020) 6729 5604

- 11. IInd Floor, Al-Latheef Building, 2/1, Union Street, Off. Infantry Road, **BANGALORE** - 560 001. Tel: (080) 2286 1081, 4113 3293 / 4 Fax: [080] 2286 1078
- **12.** No. 36/2178, Syda Building, 2nd Floor, Kaloor - Kadavanthra Road, Kaloor, **KOCHI** - 682 017. Tel: (0484) 234 2921, 658 0921 Fax: (0484) 233 3921
- 13. B-15, Thirumalai Towers, IV-D. Fourth Floor. 723. Avanashi Road. **COIMBATORE** - 641 018. Tel: (0422) 650 2728, 222 3634 / 0283 Fax: (0422) 222 3164
- **14.** Plot No.95, II Floor, Shreyash Heights, Ramdas Peth, VIP Road, NAGPUR - 440 010. Tel: (0712) 662 7857 / 58 Fax: (0712) 662 7859
- 15. 204-205, Megapolis Square, 579. M G Road. INDORE - 452 001. Tel: (0731) 393 1650 / 51 / 52 Fax: (0731) 393 1653
- 16. MF-2, Datta's Lords House, Jammi Chettu Street. VIJAYAWADA - 520 010. Tel: (0866) 661 1393, 664 6393

Fax: (0866) 669 9393

#### Area offices

- 17. ABC Business Club 16. Tagore Villa, Chakrata Road, DEHRADUN - 248 001. Uttaranchal. Tel: (0135) 271 5189 / 248 001
- **18.** Cabin No.104/105. Trade Point. Ground Floor, Saran Chamber 1, 5, Park Road, Hazratgani, **LUCKNOW** - 226 001. Tel: (0522) 223 9044 / 7285 Fax: (0522) 223 9124
- 19. Cabin No. 9, Second Floor, Madhok Trade Centre, Madhok Complex, Ferozpur Road, **LUDHIANA** - 141 001. Tel/Fax No.: (0161) 277 0301 / 304
- 20. House No. 97, Ground Floor, Raigarh Main Road, Opp. City Heart Nursing Home, **GUWAHÁTI** - 781 007. Tel: (0361) 245 8498
- 21. 94, Udham Singh Sarani, Ground Floor, Ashrampara, **SILIGURI** - 734 001. Tel: 94341 91635 / 98009 77780
- 22. Aparna Towers. 1st Floor. 2/3, Bypass Road, **MADURAI** - 625 010. Telefax: (0452) 230 8414
- 23. 404, Eshwar Plaza, Dwaraka Nagar, Main Road. VISHAKHAPATNAM - 530 020. Tel: (0891) 663 5652 Fax: [0891] 663 9363
- 24. Plot No. 359, Saheed Nagar, 2nd Floor. **BHUBANESWAR** - 751 007. Tel: (0674) 254 0623

#### Technical assistance from Legrand

Telephonic technical assistance for selection of products, technical information, guidance, wiring diagrams and estimation is now made available to you at each Regional Office. Contact the Technical Officer of Legrand at the following telephone numbers

New Delhi :Tel.: (011) 2699 0028, 3990 2200 Kolkata :Tel.: (033) 4021 3535 / 36

Mumbai :Tel.: (022) 3385 6200 :Tel.: (044) 3024 7200, 2836 4165/67/68

Hvderabad : Tel.: (040) 2341 4398 / 67. 4567 1717 For other places, contact the nearest

Regional / Branch / Area offices.

customer.care@legrand.co.in

