



PASOLITE

LED

Catalogue

With Effect from 15th Jan - 2020

An ISO 9001-2008 Company

About Us

Pasolite is one of the oldest **Lighting Solution Provider** Operating from Bengaluru, to build a brand on the back of its in house production. However, what's different is that we use the international production facilities as the back-end of our operations, and focus on adding value through design and packaging.

Pasolite is the brand name under which **Pasolite Electricals Pvt. Ltd.**, Markets its products. Unfettered by manufacturing, the company has build of formidable range of LED products, for practically all types of applications.

From Retail and Commercial in indoor to Facade and Landscape lighting in Outdoor, we offer a vast array of adoptive luminaries designed to reveal the soul of any architecture space.

A Disciplined Process

The company's modus operandi reflects the growing instance of outsourcing across all lighting categories, irrespective of the country from where products are originating.

The differentiator, therefore, is the manner in which a company chooses to builds its brand, the commitment that it makes with respect to quality, and the confidence levels that it is able to create amidst the trade.

Our Vision

At Present, we cater to the lighting requirement for various projects throughout INDIA, with sales and distribution via independent lighting channel partners throughout country. our aim is to build up relation with renowned consultants and Architects. Our range allows us offer our clients extensive and quality products.

At Pasolite, we help architects and designers capture creative inspiration. our design innovation opens up limitless possibilities.....

The forms shares, styles, finishes and customs solutions that bring ideas to life. High qualities, great flexibility, extremely prompt deliveries- it is an important recognition of our quality process, which allows our customers to be absolutely confident in the faithful fulfillment of our engagements and in the continuity of our business relation.

Our Mission

To be No 1 choice for all lighting need by not only providing light fixtures, but also providing the right solution to any lighting concept. To be able to transform architects and designers lighting dreams into reality by providing quality, state of the art and innovative designs of lighting. we strive to attain a position of long-term, sustainable pre-eminence in the lighting field "lighting up" both our customers and ourselves.

As we are constantly innovating and expanding our product range, this catalogue can never be completely upto date. if you require specific information about new products, changes in our product programme, please contact our channel partners.

INDEX

INDOOR 01 - 20

Cabinet Lights 02

Panel Lights 03

2 x 2 Panel Lights 04

Batten Lights 05

Strip Lights 06

Track Lights 07

Zoom Lights 08

Recess Downlights 09

Module - Rings Lights 10

Recess Downlights 11

Pendent Lights 14

Linear Lights 15

High bay / Well Glass 16

Linear Profiles 17

Power Supply 20

OUTDOOR 21 - 41

Ceiling Lights 22

Planter Lights 23

Wall Lights 24

Bollard Lights 27

Fascade Linear 31

Foot Lights 32

Inground UpLights 33

Under Water Lights 34

Flood Lights 36

Street Lights 37

Gate Lights 38

Bulkhead Lights 41

POLES 42 - 59

ECO 60 - 95



- Residential
- Commercial
- Architectural

Indoor Lights



Recess Downlight

| | | | | | |
|----|---------|--------|----------------------------------|-----------------------|--------------------|
| 1w | LDL 183 | Square | L-W 30 / H 18 / C ϕ 25 | White Mat B. Steel | 3000K / 6000K |
| | LDL 184 | Round | D ϕ 34 / H 18 / C ϕ 25 | White Mat B. Steel | Red / Blue / Green |



Recess Downlight

| | | | | | |
|----|---------|--------|----------------------------------|--------------------|---------------|
| 3w | LDL 182 | Round | D ϕ 40 / H 25 / C ϕ 35 | White | 3000K / 6000K |
| | LDL 201 | Square | L-W 40 / H 25 / C ϕ 35 | Red / Blue / Green | |



Eye Ball Downlight

| | | | | | |
|----|---------|--------|----------------------------------|----------------|---------------|
| 1w | DL 3225 | Round | D ϕ 52 / H 33 / C ϕ 40 | Mat Brushsteel | 3000K / 6000K |
| | DL 3222 | Square | L-W 54 / H 33 / C ϕ 43 | | |



Eon Downlight

| | | | | | |
|----|---------|--------|----------------------------------|-------|---------------|
| 3w | LDL 140 | Square | L-W 40 / H 25 / C ϕ 35 | White | 3000K / 6000K |
| | LDL 188 | Round | D ϕ 40 / H 25 / C ϕ 35 | | |
| 5w | LDL 180 | Square | L-W 70 / H 28 / C ϕ 60 | White | 3000K / 6000K |
| | LDL 181 | Round | D ϕ 70 / H 28 / C ϕ 60 | | |



Arial Downlight

| | | | | | |
|----|---------|-------|----------------------------------|-------|---------------|
| 3w | LDL 211 | Round | D ϕ 95 / H 55 / C ϕ 70 | White | 3000K / 6000K |
| 6w | LDL 212 | Round | D ϕ 95 / H 55 / C ϕ 70 | White | 3000K / 6000K |

Suitable for 3 & 4 Inches juntion Box



Zen Downlight

| | | | | | |
|----|---------|--------|----------------------------------|-------|---------------|
| 3w | LDL 112 | Round | D ϕ 63 / H 50 / C ϕ 50 | White | 3000K / 6000K |
| | LDL 113 | Square | L-W 63 / H 50 / C ϕ 50 | | |
| 5w | LDL 114 | Round | D ϕ 85 / H 53 / C ϕ 65 | White | 3000K / 6000K |
| | LDL 115 | Square | L-W 83 / H 53 / C ϕ 70 | | |



Slim Surface Downlight

| | | | | | |
|----|---------|-------|--------------------|-------|---------------|
| 3w | LDL 187 | Round | D ϕ 60 / H 12 | White | 3000K / 6000K |
|----|---------|-------|--------------------|-------|---------------|



Slim Surface Downlight

| | | | | | |
|----|---------|--------|--------------------|-------|---------------|
| 5w | LDL 186 | Square | L 60 / W 60 / H 25 | White | 3000K / 6000K |
|----|---------|--------|--------------------|-------|---------------|



Euro Ceiling Downlight

| | | | | | |
|----|--------------------|-----------------|--|-----------------|---------------|
| 3w | LDL 214 | Square | L 50 / W 50 / H 18 | White | 3000K / 6000K |
| 6w | LDL 215 LDL 217 | Square Round | L 80 / W 80 / H 20 D ϕ 80 / H 20 | White Chrome | 3000K / 6000K |



Prime Surface Downlight

| | | | | | |
|----|--------------------|-----------------|--|-------------------------------|-------|
| 6w | LDL 220 LDL 222 | Square Round | D ϕ 80 / H 20 L 80 / W 80 / H 20 | Rose Gold White/ Rose Gold | 3000K |
|----|--------------------|-----------------|--|-------------------------------|-------|



Finish : White

CCT : 3000K / 4500K / 6000K

Alto Extra Slim Panel

| | | | |
|-----|--------------------|-----------------|---|
| 4w | LDL 044 LDL 045 | Square Round | L-W 90 / H 25 / C ϕ 75 D ϕ 85 / H 25 / C ϕ 75 |
| 7w | LDL 046 LDL 047 | Square Round | L-W 120 / H 25 / C ϕ 105 D ϕ 120 / H 25 / C ϕ 105 |
| 12w | LDL 162 LDL 163 | Square Round | L-W 172 / H 25 / C ϕ 160 D ϕ 172 / H 25 / C ϕ 160 |
| 15w | LDL 164 LDL 165 | Square Round | L-W 195 / H 25 / C ϕ 180 D ϕ 195 / H 25 / C ϕ 180 |
| 18w | LDL 166 LDL 167 | Square Round | L-W 225 / H 25 / C ϕ 210 D ϕ 225 / H 25 / C ϕ 210 |
| 24w | LDL 168 LDL 169 | Square Round | L-W 300 / H 25 / C ϕ 280 D ϕ 300 / H 25 / C ϕ 280 |
| 30w | LDL 170 LDL 171 | Square Round | L-W 300 / H 25 / C ϕ 280 D ϕ 300 / H 25 / C ϕ 280 |



Back-Lit

Finish : White

CCT : 3000K / 4500K / 6000K

Xcent Panel

| | | | |
|-----|--------------------|-----------------|---|
| 6w | LDL 172 LDL 173 | Square Round | L-W 90 / H 30 / C ϕ 75 D ϕ 90 / H 30 / C ϕ 75 |
| 12w | LDL 174 LDL 175 | Square Round | L-W 120 / H 30 / C ϕ 105 D ϕ 120 / H 30 / C ϕ 108 |
| 18w | LDL 176 LDL 177 | Square Round | L-W 170 / H 30 / C ϕ 150 D ϕ 172 / H 30 / C ϕ 152 |
| 24w | LDL 178 LDL 179 | Square Round | L-W 225 / H 30 / C ϕ 205 D ϕ 225 / H 30 / C ϕ 205 |



Slim Surface Panel Light

| | | | | | |
|-----|--------------------|-----------------|---|-------|---------------------|
| 8w | LDL 301 LDL 302 | Square Round | L - W 120 / H 25 D ϕ 120 / H 25 | | |
| 16w | LDL 303 LDL 304 | Square Round | L - W 170 / H 25 D ϕ 170 / H 25 | | |
| 22w | LDL 305 LDL 306 | Square Round | L - W 225 / H 25 D ϕ 225 / H 25 | White | 3000K/ 4500K/ 6000K |
| 30w | LDL 307 LDL 308 | Square Round | L - W 300 / H 35 D ϕ 300 / H 35 | | |



2 x 2 Panel Light / Frames

| | | | | |
|-------------------------------|---------|-----------------|-----------------------------|---------------------|
| 40w | DL 3935 | L- W 595 / H 10 | White | 3000K/ 4500K/ 6000K |
| Frame - 1 (Concealed Frame) | | | Frame - 2 (Surface Frame) | |
| Suspension Kit | | | 2 x 2 Toggle (set of 4) | |



2 x 2 Backlit Panel Light

| | | | | |
|-----|---------|-----------------|-------|-----------------------|
| 36w | DL 3955 | L- W 595 / H 30 | White | 3000K / 4500K / 6000K |
|-----|---------|-----------------|-------|-----------------------|



Guide Plate Light


| | | |
|-----|----------------|----------------------|
| 40w | Mosaic PISP 01 | L 595 / W 595 / H 09 |
| | Cube PISP 02 | |

Finish : Mat Silver

CCT : 6000K

* Mitsubishi LGP

EPISTAR LED



Finish : Matt Silver
CCT : 2700K - 6500K

Wave CCT Panel Light

| | | |
|----------------|---------|----------------------|
| 40w | PISP 03 | L 595 / W 595 / H 09 |
| Remote Control | PIRM 03 | |

**CCT Tunable 2700K - 6500K
Dimmable Upto 10%**



Finish : Matt Silver
CCT : RGB

EPISTAR LED

Prism RGB Panel Light

| | | |
|----------------|---------|----------------------|
| 36w | PISP 04 | L 595 / W 595 / H 09 |
| Remote Control | PIRM 04 | |

**RGB Color Changeable
Dimmable Upto 10%**



LED Focus Light

| | | | | |
|----|---------|----------------------|---------------------|---------------|
| 5w | LS 1228 | L 70 / W 108 / H 75 | White Brushsteel | 3000K / 6000K |
| 9w | LS 1227 | L 70 / W 115 / H 113 | White Brushsteel | 3000K / 6000K |



Aluminium Frame Light

| | | | |
|-------------------|---------|-----------|---------------|
| 2 x 3w Wall Light | UP 3530 | Aluminium | 3000K / 6000K |
|-------------------|---------|-----------|---------------|

Indus Square Batten

| | | | | |
|------------|---------|----------------------|-------|---------------------|
| 4w (1 Ft) | LE 3975 | L 267 / W 22 / H 36 | | |
| 9w (2 Ft) | LE 3976 | L 535 / W 22 / H 36 | White | 3000K/ 4500K/ 6000K |
| 20w (4 Ft) | LE 3977 | L 1135 / W 22 / H 36 | | |

Ibis Round Batten

| | | | | |
|------------|---------|----------------------|-------|-------|
| 20w (4 Ft) | LE 3983 | L 1135 / W 22 / H 36 | White | 6000K |
|------------|---------|----------------------|-------|-------|

Uniglow Batten

| | | | | |
|--------------|---------|----------------------|-------|-------|
| 20w (4 Feet) | LE 4003 | L 1135 / W 25 / H 38 | White | 3000K |
|--------------|---------|----------------------|-------|-------|

4 Feet iGlow Batten


| | | | | |
|-----|---------|----------------------|-------|---------------------|
| 30w | LE 4031 | L 1205 / W 38 / H 35 | White | 3000K/ 4500K/ 6000K |
|-----|---------|----------------------|-------|---------------------|

4 Feet iGlow Hanging

| | | | | |
|-----|---------|------------------------|-------|---------------------|
| 30w | LE 4032 | L 1205 / W 38 / H 1000 | White | 3000K/ 4500K/ 6000K |
|-----|---------|------------------------|-------|---------------------|

Circulo Batten

| | | |
|-----------------------------|---------|-----------------------|
| 40w | LE 4033 | D φ60 / L 1200 / H 98 |
| CCT : 3000K / 4500K / 6000K | | |




350° Beam Angle

T5 LED Fixture

| | | | | |
|-----|---------|----------------------|-------|-------|
| 15w | LE 3946 | L 1155 / W 22 / H 35 | White | 6000K |
|-----|---------|----------------------|-------|-------|

LINKABLE



Max Length : 5 Meter Role
Finish : White

Strip Light (12v)

| | | |
|-------|----------------------------------|--|
| IP 20 | LE 3904 / 3528 / 2835 | |
| IP 65 | LE 3950 / 3528 | |
| IP 68 | LE 3929 / 3528 | |
| IP 20 | LE 3951 / 5050 | |
| IP 65 | LE 3952 / 5050 | |
| IP 68 | LE 3930 / 5050 | |
| IP 20 | LE 3957 / 5050 (60 LED's/mtr) | 5 Mtr RGB Strip Light Full Set in Blister Packing |

White / W. W / N. W
Red/ Blue/ Green/ Pink



Mini LED Driver Switch Mode Power Supply

| | | |
|---------|-----------------------|-------|
| 2 Amp. | AC 2275 - 2835 / 3528 | Black |
| 4 Amp. | AC 2279 - 5050 | Black |
| 8 Amp. | AC 2269 - 5050 | Black |
| 15 Amp. | AC 2305 - 5050 | Black |



Neon Flex

| Description | Code | CCT | LED /mtr |
|-------------|---------|-----------------|----------|
| AC 220V | PONF 01 | White / W.White | 120 No's |
| | PONF 03 | Blue | 120 No's |
| | PONF 05 | Purple | 120 No's |
| | PONF 21 | RGB | 72 No's |

IP 65

ACCESSORIES KIT FOR SINGLE COLOUR

| | | | | |
|------------|------------------|---------|-----------------------|----------------------|
| | | | | |
| Power Cord | Middle Connector | End Cap | Mounting Clip & Screw | 1 Set Per Meter Free |

IP 65 Connector

Max Length : 50 Meter / Role

Power : 8w/mtr

Cutting Mark : 1 meter

ACCESSORIES KIT FOR RGB

| | | | | |
|------------------------|------------------|---------|-----------------|----------------------|
| | | | | |
| Power cord with Remote | Middle Connector | End Cap | IP 65 Connector | 1 Set Per Meter Free |



AC 220v Strip do not use Underwater

Must use PVC glue to glue the interface



Max Length : 50 Meter / Role
Power : 4.5w/mtr



AC 220v Strip do not use Underwater

Must use PVC glue to glue the interface

Neon Flex

| Description | Code | CCT | LED /mtr |
|-------------|---------|----------------|----------|
| AC 220V | PONF 11 | White/ W.White | |
| | PONF 13 | Blue | 60 No's |

IP 65

ACCESSORIES KIT

| | | | | |
|------------|------------------|---------|-----------------------|----------------------|
| | | | | |
| Power Cord | Middle Connector | End Cap | Mounting Clip & Screw | 1 Set Per Meter Free |



Oracle' Track Light

30w | PITS 01 | L 255 / W 92 / H 230 | White Body | 3000K



Oracle' Track Spot

18w | PITS 02 | L 215 / W 120 / H 160 | White Body | 3000K / 6000K



Opus Track Light

20w | PITS 04 | L 210 / W 100 / H 170 | White Body
Black Heat Sink | 3000K/ 4500K/ 6000K



Oliva Track Light

| | |
|---------------------------------------|-------------------------------------|
| 10w PITS 021 L 130 / W 110 / H 45 | White / Black 3000K/ 4500K/ 6000K |
| 30w PITS 023 L 175 / W 155 / H 70 | |



Omega Track Light

| | |
|--|-------------------------------------|
| 10w PITS 024 L 120 / H 115 / D φ50 | |
| 20w PITS 025 L 140 / H 130 / D φ60 | White / Black 3000K/ 4500K/ 6000K |
| 30w PITS 026 L 152 / H 155 / D φ80 | |



Zoomable LED Track Light

12w | PITS 027 | L 148 / W 123 / H 265 | White / Black | 3000K/ 4500K/ 6000K



Triangular Track Light

| | |
|--|-------------------------------------|
| 10w PITS 028 L 135 / H 130 / D φ73 | |
| 20w PITS 029 L 140 / H 150 / D φ90 | White / Black 3000K/ 4500K/ 6000K |
| 30w PITS 030 L 150 / H 150 / D φ90 | |



Track / Accessories

| | | |
|---------|---------|---------------|
| 1 Meter | TL 3301 | White / Black |
| 2 Meter | TL 3312 | White / Black |



Jointers also available in Black

Track Jointers

| | | | | |
|------|--------|---------|------|--------|
| 1way | TL 001 | ₹ 180/- | 3way | TL 003 |
| 2way | TL 002 | ₹ 240/- | 4way | TL 004 |



24° Beam Angle



60° Beam Angle

Recessed Zoom Series

| | | |
|-----|---------|-------------------------|
| 7w | PIDZ 01 | D φ88 / H 70 / C φ78 |
| 20w | PIDZ 02 | D φ180 / H 148 / C φ165 |

Finish : White

CCT : 3000K / 6000K



36° Beam Angle

Recessed Scoop Zoom Series

| | | | | |
|-----|---------|-------------------------|-------|----------------------|
| 12w | PIDZ 03 | D φ90 / H 60 / C φ75 | | |
| 20w | PIDZ 04 | D φ114 / H 100 / C φ105 | White | 3000K / 4500K/ 6000K |
| 30w | PIDZ 05 | D φ138 / H 125 / C φ125 | | |
| 40w | PIDZ 06 | D φ165 / H 150 / C φ155 | | |



24° Beam Angle

Apex Focus Recessed Downlight

| | | | | |
|-----|---------|------------------------|-------|---------------|
| 30w | PIDF 01 | D φ139 / H 79 / C φ119 | White | 3000K / 6000K |
|-----|---------|------------------------|-------|---------------|



Dual Focus Recessed Downlight

| | | | | |
|-----|---------|-------------------------|-------|-------|
| 38w | PIDF 02 | D φ200 / H 110 / C φ180 | White | 3000K |
|-----|---------|-------------------------|-------|-------|



Sleek Slim Downlight

| | | | | |
|----|---------|----------------------|-------|---------------|
| 3w | LDL 251 | D φ72 / H 16 / C φ62 | White | 3000K / 6000K |
| 9w | LDL 252 | D φ87 / H 20 / C φ77 | | |



Mushroom Downlight

| | | | | |
|----|---------|----------------------|-----------|-------|
| 1w | PIDO 01 | D φ40 / H 25 / C φ35 | Mat White | 3000K |
| 3w | PIDO 02 | D φ90 / H 25 / C φ78 | | |



Dual Flux Recessed Downlight

| | | | | |
|---------|---------|----------------------|-------|-------|
| 5w + 2w | PIDO 06 | D φ90 / H 40 / C φ80 | White | 4500K |
|---------|---------|----------------------|-------|-------|



Deep Bowl Reflector Downlight

| | | | | |
|-----|---------|-------------------------|-------|-------|
| 20w | PIDO 07 | D φ185 / H 115 / C φ165 | | |
| 30w | PIDO 08 | D φ185 / H 115 / C φ165 | White | 3000K |
| 40w | PIDO 09 | D φ215 / H 130 / C φ200 | | |



Bravo Downlight

| | | | | |
|-----|---------|-----------------------|--------------------------------|-----------------------|
| 5w | LDL 361 | D φ60 / H 70 / C φ56 | | |
| 10w | LDL 362 | D φ73 / H 87 / C φ69 | Black & Gold White & Silver | 3000K / 4500K / 6000K |
| 15w | LDL 363 | D φ80 / H 110 / C φ76 | | |



*Also available in above colour ring options.



Laura Downlight

| | | | | |
|-----|---------|------------------------|-------|---------------------|
| 12w | LDL 366 | D φ85 / H 62 / C φ75 | | |
| 18w | LDL 367 | D φ100 / H 70 / C φ86 | White | 3000K/ 4500K/ 6000K |
| 24w | LDL 368 | D φ130 / H 86 / C φ120 | | |
| 36w | LDL 369 | D φ158 / H 92 / C φ142 | | |

EPISTAR LED



Round Fixed Ring

Model : PIDR 02
 Dimension : D φ90 / H 25 / C φ78
 Finish : White



Square Fixed Ring

Model : PIDR 03
 Dimension : D φ110 / H 35 / C φ90
 Finish : White



Round Mirror Mount Ring

Model : PIDR 04
 Dimension : D φ155 / H 47 / C φ140
 Finish : Outer White - Inner Silver



Deep Round Spot

Model : PIDR 06
 Dimension : D φ83 / H 50 / C φ73
 Finish : Outer White - Inner Rose Gold



Round Spot - Square Shape

Model : PIDR 07
 Dimension : L-W 85 / H 36 / C φ73 x 73
 Finish : Outer White - Inner Rose Gold



Deep Wall Washer

Model : PIDR 08
 Dimension : D φ83 / H 50 / C φ73
 Finish : Outer White - Inner Rose Gold



Round Spot

Model : PIDR 09
 Dimension : D φ83 / H 30 / C φ68
 Finish : Outer White - Inner Chrome



Round Spot

Model : PIDR 10
 Dimension : D φ80 / H 30 / C φ68
 Finish : Outer Black - Inner Rose Gold



Oval Spot

Model : PIDR 11
 Dimension : D φ80 / H 40 / C φ68
 Finish : Outer White - Inner Gold



Round Spot

Model : PIDR 12
 Dimension : D φ80 / H 40 / C φ68
 Finish : Outer White - Inner Rose Gold



Semi-Round Spot

Model : PIDR 13
 Dimension : D φ80 / H 40 / C φ68
 Finish : Outer White - Inner Rose Gold



Semi-Round Spot

Model : PIDR 14
 Dimension : D φ80 / H 40 / C φ68
 Finish : Outer Black - Inner Rose Gold



LED Modules

| | | |
|-----|---------|--------------|
| 7w | LDL 325 | D φ50 / H 43 |
| 12w | LDL 326 | D φ50 / H 80 |
| 15w | LDL 327 | D φ50 / H 80 |

EPISTAR LED



LED Wonder' Modules


| | | |
|-----|---------|--------------|
| 8w | PIDO 12 | D φ50 / H 48 |
| 12w | PIDO 11 | D φ50 / H 73 |
| 16w | PIDO 10 | D φ60 / H 80 |

CCT : 3000K / 4500K / 6000K



COB Lens / Diffuser

| | | | | |
|--------|---------|----------------------|-------|-----------------------|
| 7w CCT | PIDO 13 | D φ85 / H 60 / C φ75 | White | 3000K - 4000K - 6000K |
| | PIDO 14 | | | |
| Remote | PIRM 01 | 4 Channel | | |



RGB PANEL Light

| | | | | |
|-------------------------|---------|------------------------|-----------|-----|
| 12w (Without Driver) | PIDO 15 | D φ235 / H 25 / C φ220 | Mat White | RGB |
|-------------------------|---------|------------------------|-----------|-----|

Power Supply

| | | |
|---|---------|-----------------------|
| 24v 60w | PIPS 01 | Driving 4 Pieces |
| 24v 96w | PIPS 02 | Driving 8 Pieces |
| RGB Jog Dial Wall Mounted Controller | PIRM 02 | Driving Max 16 Pieces |



Basele' Tilttable COB Downlight

| | | |
|----------------|---------|------------------------|
| 10w | PIDO 16 | D φ115 / H 80 / C φ100 |
| 20w | PIDO 17 | D φ140 / H 80 / C φ120 |
| Finish : White | | CCT : 3000K / 6000K |



Diffuso Downlight

| | | |
|----------------|---------|------------------------|
| 20w | PIDO 20 | D φ150 / H 75 / C φ135 |
| Finish : White | | CCT : 6000K |

EPISTAR LED



Veneza Duo Mirror Downlight

| | | |
|----------------|---------|------------------------|
| 20w | PIDO 25 | D φ135 / H 74 / C φ115 |
| Finish : White | | CCT : 3000K |

EPISTAR LED



Nutron Lens Downlight

| | | |
|----------------|---------|-----------------------|
| 10w | PIDO 28 | D φ110 / H 72 / C φ95 |
| Finish : White | | CCT : 4500K |

CREE LEDs



Glowon Downlight

| | | | | |
|-------------------|---------|-------------------------|-------|-----------------------|
| 8w | PIDO 33 | D φ105 / H 80 / C φ95 | | |
| 12w | PIDO 34 | D φ120 / H 90 / C φ105 | White | 3000K / 4500K / 6000K |
| 15w | PIDO 31 | D φ160 / H 105 / C φ135 | | |
| Remote Controller | | PIRM 05 | | |



Marvello Deep Cone Downlight

| | | | | |
|-----|---------|-------------------------|-------|-----------------------|
| 6w | PIDO 36 | D φ55 / H 98 / C φ50 | | |
| 12w | PIDO 37 | D φ75 / H 102 / C φ70 | White | 3000K / 4500K / 6000K |
| 18w | PIDO 38 | D φ91 / H 122 / C φ85 | | |
| 24w | PIDO 39 | D φ128 / H 135 / C φ122 | | |



Cosmo Rimless Downlight

| | | | | |
|-----|---------|-------------------------|-------|---------------------|
| 10w | PIDO 40 | D φ70 / H 100 / C φ70 | | |
| 15w | PIDO 41 | D φ84 / H 115 / C φ84 | White | 3000K/ 4500K/ 6000K |
| 20w | PIDO 42 | D φ110 / H 120 / C φ110 | | |



Echo Downlight

| | | | | |
|----|---------|----------------------|-------|---------------------|
| 3w | PIDO 43 | D φ35 / H 50 / C φ26 | | |
| 6w | PIDO 44 | D φ55 / H 60 / C φ46 | White | 3000K/ 4500K/ 6000K |



Recessed Wall Washer Downlight

| | | | | |
|-----|---------|-----------------------|-------|-----------------------|
| 10w | PIDO 45 | D φ95 / H 110 / C φ85 | Black | 3000K / 4500K / 6000K |
|-----|---------|-----------------------|-------|-----------------------|



Recessed Wall Washer Downlight

| | | | | |
|-----|---------|-----------------------|-------|-----------------------|
| 16w | PIDO 46 | D φ97 / H 102 / C φ85 | White | 3000K / 4500K / 6000K |
|-----|---------|-----------------------|-------|-----------------------|



Adjustable Downlight

| | | | | |
|-----|---------|----------------------|-------|-----------------------|
| 16w | PIDO 47 | D φ100/ H 177/ C φ90 | White | 3000K / 4500K / 6000K |
|-----|---------|----------------------|-------|-----------------------|



Recessed Downlight

| | | | | |
|-----|---------|----------------------|-------|-----------------------|
| 12w | PIDO 48 | D φ84 / H 80 / C φ74 | White | 3000K / 4500K / 6000K |
|-----|---------|----------------------|-------|-----------------------|

*Also available in colour ring options.



Single & Double Tilttable Recessed Downlight

| | | | | |
|---------|---------|---------------------------------|-------|-----------------------|
| 10w | PIDO 50 | L-W 88/ H 80/ C 80 | | |
| 2 X 10w | PIDO 51 | L-W 168 x 88/ H- 80/ C 150 X 80 | White | 3000K / 4500K / 6000K |



Recess Deep Cone Downlight

LDL 321

D φ105 / H 90 / C φ95

White



Multi Reflex - Lens Downlight

10w | PIMD 04

D φ130 / H 80 / C φ120

Finish : White

CCT : 3000K

30w | PIMD 06

D φ350/ H 80/ C φ335x120



Surface Downlight

20w - Thrust

| PIDS 01

| D φ100/ H 125

| White

3000K / 6000K

25w - Trojan

| PIDS 03

| D φ130/ H 220




Sidelit Ceiling Light

15w | PICL 02

| D φ165/ H 40

| White / Black

| 3000K / 4500K / 6000K



EPISTAR LED

Trump Surface Downlight

6w

| PIDS 05

| D φ65/ H 98

12w

| PIDS 06

| D φ75/ H 108

18w

| PIDS 04

| D φ85 / H 120

Finish : White-Gold / Black-Gold

CCT : 3000K / 4500K / 6000K




Turbo Surface Downlight

| | | | | |
|-----|--|---------|--|---------------|
| 6w | | PIDS 07 | | D φ75/ H 85 |
| 12w | | PIDS 08 | | D φ80/ H 100 |
| 18w | | PIDS 09 | | D φ85 / H 115 |

Finish : White / Black


CCT : 3000K / 4500K / 6000K






Centre' Droplight

18w | PIDL 01 | D φ135 / H 1500 | White | 3000K



Conical Droplight

35w | PIDL 02 | D φ125 / H 290 | White | 3000K




Crabber Droplight

18w | PIDL 03 | D φ135 / H 1500 | White | 3000K




Cruzzo DuaFoc Droplight

26w | PIDL 04 | L 383 / W 130 / H 160 | White | 3000K



Cassida Droplight

35w | PIDL 05 | D φ295 / H 1700 | White | 6000K




Starlux Hanging

| Model | Watt | Feet |
|---------|------|------|
| PR 1506 | 40w | 4 ft |
| PR 1508 | 80w | 8 ft |

LED Colour : 3000K / 4500K / 6000K

Dimension : W - 50 / H - 70

Body Colour : White Black Silver



Scarlet Suspended Linear

36w | PISL 02 | L 1225 / W 63 / H 85 | Silver | 6000K



Dayle Hanging (70mm x 70mm)

| Watt | Model | Feet |
|------|---------|------|
| 40w | PR 1419 | 4 ft |
| 80w | PR 1452 | 8 ft |

Magic Hanging (50mm x 70mm)

| Watt | Model | Feet |
|------|---------|------|
| 40w | PR 1501 | 4 ft |
| 80w | PR 1503 | 8 ft |

CCT : 3000K / 4000K / 6000K

Custom Size Also Available on Request

White Black Red



Model | Watts | Size


PISL 05 | 40w | 4 ft

PISL 06 | 80w | 8 ft

Finish : Acrylic

LED Colour : 3000K / 4000K / 6000K

Dimension : D - ϕ 60



Mellow Duo Surface

3w | PIWL 01 | L 115 / W 85 / H 32 | Silver | 3000K



LED Sign Boards

LE 3922

Acrylic Glass

3000K / 6000K
Red/ Blue/ Green

Available in Customized sizes



Civis

| | | |
|-------------|---------|-------------------|
| 3w - Round | FT 2151 | D ϕ 45/ H 85 |
| 3w - Square | FT 2152 | D ϕ 65/ H 43 |

Finish : White
CCT : 3000K / 6000K



UFO Highbay with Lens

IP 65

| | | | | |
|------|---------|----------------------|-------|-------|
| 50w | POHB 01 | D ϕ 250 / H 200 | Black | 6000K |
| 100w | POHB 02 | | | |
| 150w | POHB 03 | | | |
| 200w | POHB 04 | D ϕ 350 / H 200 | | |

Surge Protection 4.0 KV



SMD Highbay


50w | IHL 100 | D ϕ 390 / H 340 | Die cast Aluminium | 3000K / 6000K



Integrated well Glass


| | | | |
|------|---------|----------------------|------|
| B-22 | IF 1718 | D ϕ 190 / H 270 | Grey |
| 40w | IF 1772 | D ϕ 165 / H 105 | Grey |
| 70w | IF 1773 | D ϕ 190 / H 240 | Grey |

IF 1718
With Poly Carbonate Bowl



PLS 008 (Slim Recess)


| | | |
|---------------------------------|----------------|------------|
| LED (120 LED's - Spots Visible) | 5.5w / Feet | W 22 / H 6 |
| LED (240 LED's - No Spots) | | |
| Empty | 2 Meter Length | |



PLS 001 (Recess)

| | | |
|-------|----------------|-----------------|
| LED | 5.5w / Feet | W 23.6 / H 20.3 |
| Empty | 3 Meter Length | |



Recessed/Spring clip-mounted
Uniformity of light emission



PLS 004 (Recess)

| | | |
|-------|----------------|-------------|
| LED | 11w / Feet | W 44 / H 35 |
| Empty | 3 Meter Length | |


Recessed/Spring clip-mounted
Uniformity of light emission



PLS 005 (Recess)

| | | |
|-------|----------------|-------------|
| LED | 16.5w / Feet | W 64 / H 35 |
| Empty | 3 Meter Length | |


Recessed/Spring clip-mounted
Uniformity of light emission



PLS 006 (Recess)

| | | |
|-------|------------------|------------------|
| LED | 11w / Feet | W 101.6 / H 48.7 |
| Empty | 2.5 Meter Length | |



Recessed/Spring clip-mounted
Uniformity of light emission



PLS 007 (Recess)


| | | |
|-------|------------------|-------------|
| LED | 5.5w / Feet | W 65 / H 45 |
| Empty | 2.5 Meter Length | |


Recessed/Spring clip-mounted
Uniformity of light emission



PLS 016 (Walkover - IP 20)


| | | |
|-------|----------------|-----------------|
| LED | 5.5w / Feet | W 21.3 / H 26.1 |
| Empty | 2 Meter Length | |





PLS 018 (Corner Surface)


| | | |
|-------|----------------|-------------|
| LED | 5.5w / Feet | W 16 / H 16 |
| Empty | 2 Meter Length | |



PLS 026 (Slim Surface)

| | | |
|---------------------------------|-------------|---------------|
| LED (120 LED's - Spots Visible) | 5.5w / Feet | W 15.55 / H 6 |
| LED (240 LED's - No Spots) | 5.5w / Feet | |

| | | |
|-------|----------------|--|
| Empty | 2 Meter Length | |
|-------|----------------|--|




PLS 011 (Surface)

| | | |
|-------|------------------|---------------|
| LED | 5.5w / Feet | W 19.7 / H 20 |
| Empty | 2.5 Meter Length | |




End Cap with hole
End Cap without hole



PLS 012 (Surface)

| | | |
|-------|----------------|-------------|
| LED | 11w / Feet | W 35 / H 35 |
| Empty | 3 Meter Length | |



PLS 014 (Surface / Suspension)

| | | |
|-------|----------------|-------------|
| LED | 16.5w / Feet | W 49 / H 32 |
| Empty | 3 Meter Length | |

*1Meter Suspension Kit
M.R.P. - ₹ 300/- per Kit



PLS 017 (Step Surface)



| | | |
|-------|----------------|---------------|
| LED | 5.5w / Feet | W 48 / H 18.7 |
| Empty | 2 Meter Length | |



Please Note : End Cap & Mounting Clip Included. Driver not Included.

SMD 2835 STRIP FEATURES :


- 1000MMX10MM SMD LIGHT RIBBON (120 LED / Mtr)
- THICK COPPER DOUBLE PCB
- WORKING VOLTAGE : 24V DC.
- Lumen (lm) - 26 lm / led
- Power(W) - 17w / Mtr
- CRI 80 IP20



| Code | Item | Power | Dimensions | Colour Temp. |
|---------|------------------------------------|-------|--------------------|--------------|
| PILC 01 | Minilink Light Bar - Cabinet Light | 5w | L 300/ W 18 / H 8 | 4000K |
| PILC 02 | Minilink Light Bar - Cabinet Light | 9w | L 600/ W 18 / H 8 | 4000K |
| PILC 03 | Minilink Light Bar - Cabinet Light | 17w | L 1200/ W 18 / H 8 | 4000K |

Please Note : Driver not Included.

Accessories



| Code | Item | Description |
|----------|----------------------|-------------------|
| PILC S01 | Cabinet Light Spares | Right Connector |
| PILC S02 | Cabinet Light Spares | Left Connector |
| PILC S03 | Cabinet Light Spares | H Joint Connector |
| PILC S04 | Cabinet Light Spares | Power Line Cable |

Mini Link - Constant Voltage Drivers



| Code | Wattage | Item | Description |
|-----------------|---------|--------------------------|---------------------------|
| PIPS - 03 (APV) | 8w | 24v SMPS Driver - 350mA | Suitable for 1 Feet |
| PIPS - 04 (APV) | 12w | 24v SMPS Driver - 500mA | Suitable for 1 & 2 Feet |
| PIPS - 05 (APV) | 16w | 24v SMPS Driver - 670mA | Suitable for 17w - 4 Feet |
| PIPS - 06 (APV) | 25w | 24v SMPS Driver - 1050mA | Suitable for 2+4 Feet |
| PIPS - 07 (LRS) | 35w | 24v SMPS Driver - 1500mA | Suitable for 1,2 & 4 Feet |

APV - 12% GST & LRS - 18% GST

Suitable Driver for Profiles

| Model | Description | Wattage |
|----------------|--------------|---------|
| PIPS 03 (APV) | 24v - 350mA | 8w |
| PIPS 04 (APV) | 24v - 500mA | 12w |
| PIPS 05 (APV) | 24v - 600mA | 16w |
| PIPS 06 (APV) | 24v - 1050mA | 25w |
| PIPS 07 (LRS) | 24v - 1500mA | 35w |
| PIPS 016 (LRS) | 24v - 2200mA | 50w |
| PIPS 015 (LRS) | 24v - 3200mA | 75w |
| PIPS 018 (LRS) | 24v - 4500mA | 100w |
| PIPS 019 (LRS) | 24v - 6500mA | 150w |
| PIPS 031 (LRS) | 24v - 8800mA | 200w |



VPIT Choke / Elec. Choke

| | |
|--------------------------|---------|
| 9 / 11w Copper Choke | AC 2283 |
| 18w VPIT Choke | AC 2286 |
| 18w Copper Choke | AC 2211 |
| 40w Copper Choke | AC 2202 |
| 36/ 40w Electronic Choke | AC 2239 |



Choke

| | |
|-------------------|---------|
| 70w SV Polyester | AC 2216 |
| 250w SV Polyester | AC 2218 |
| 70w MH Kit | AC 2212 |
| 150w MH Kit | AC 2213 |
| 250w MH Kit | AC 2214 |
| 400w MH Kit | AC 2215 |



Constant Current Driver

| | | |
|----|--------|--------------|
| 1w | DR 001 | 3 - 5V 350mA |
| 3w | DR 002 | 12V 350mA |
| 3w | DR 003 | 3 - 5V 700mA |



Constant Panel Driver

| | | |
|-----------|--------|----------------|
| 4w | DR 011 | 4 - 12V 300mA |
| 5w - 7w | DR 012 | 13 - 24V 300mA |
| 8w - 12w | DR 013 | 27 - 40V 300mA |
| 13w - 18w | DR 015 | 36 - 65V 300mA |
| 19w - 24w | DR 052 | 55 - 92V 300mA |
| 25w - 36w | DR 053 | 45 - 65V 600mA |



Triac Dimmable Driver

| | | | |
|-----|--------|--------------|---|
| 15w | DR 118 | 150 - 700mA | Input - 180 - 240V AC Output - 05 - 50V DC |
| 25w | DR 119 | 300 - 900mA | Input - 180 - 240V AC Output - 05 - 50V DC |
| 50w | DR 123 | 700 - 1400mA | Input - 180 - 240V AC Output - 10 - 50V DC |



LED Dimmer

| | | |
|------|---------|-------|
| 200w | DIM 001 | 0-10V |
|------|---------|-------|




Outdoor Lights

Designed to sustain a lifetime of tough environmental conditions, this outdoor ceiling mounted luminaire is precisely designed die-cast housing face plate with a symmetrical downwards throw.




POSC 01

Power : 6w
Finish : Graphite Grey
CCT : 3000K




POSC 07

Power : 10w
Finish : White
CCT : 3000K / 6500K




POSC 04

Power : 12w
Finish : Graphite Grey
CCT : 3000K




POSC 08

Power : 25w
Finish : White
CCT : 3000K / 6500K




POSC 06

Power : 5w
Finish : White
CCT : 3000K




POSC 09

Power : 18w
Finish : Graphite Grey
CCT : 3000K



POSC 010

Power : 10w
Finish : Graphite Grey
CCT : 3000K



- Aluminium Die Cast Construction
- Tempered Glass Diffuser
- Silicone Rubber





Spike
Mounted





Surface
Mounted

Garden Spike Light


| | | | | |
|-----|---------|----------------------|------|-------|
| 7w | POGS 02 | L 100 / W 65 / H 239 | Grey | 3000K |
| 12w | POGS 03 | L 110 / W 75 / H 289 | | |

Surface Series


| | | | | |
|-----|----------|---------------------|------|-------|
| 7w | POGS 02A | L 100 / W 65 / H 87 | Grey | 3000K |
| 12w | POGS 03 | L 110 / W 75 / H 93 | | |



Power : 3w
Finish : Black
CCT : 3000K / 6000K




LS 1234





Power : 2 x 3w
Finish : Black
CCT : 3000K / 6000K



LS 1235



Power : 5w
Finish : Black
CCT : 3000K / 6000K
CCT : Green




LS 1229

EPISTAR LED




Power : 6w
Finish : Graphite Grey
CCT : 3000K



POSL 02




Power : 12w
Finish : Graphite Grey
CCT : 3000K



POSL 03



Power : 18w
Finish : Graphite Grey
CCT : 3000K




POSL 04






Power : 3 x 1w
Finish : Grey
CCT : 3000K



POWL 01




Power : 3w
Finish : Grey
CCT : 3000K



POWL 05




Power : 2 x 3w
Finish : Grey
CCT : 3000K



POWL 06




Power : 2 x 3w
Finish : Grey
CCT : 3000K



POWL 08




Power : 1 x 3w
Finish : Grey (Inner Gold)
CCT : 3000K



POWL 12




Power : 2 x 3w
Finish : Grey
CCT : 3000K



POWL 13




Power : 4 x 1w
Finish : Grey
CCT : 3000K



POWL 17




Power : 6w
Finish : Grey
CCT : 3000K



POWL 19




Power : 1 x 3w
Finish : Grey
CCT : 3000K



POWL 22




Power : 3 x 1w
Finish : Grey
CCT : 3000K



POWL 25




Power : 4 x 1w
Finish : Grey
CCT : 3000K



POWL 26



Power : 20w
Finish : Grey
CCT : 3000K



POWL 27




BUILDING
FACADES


SHOPPING
MALLS



POWL 29




POWL 30




POWL 32

Power : 6+1w
Finish : Grey
CCT : 3000K




POWL 40




POWL 41

Power : 5w
Finish : Grey
CCT : 3000K




POWL 42



POWL 43

Power : 8w
Finish : Grey
CCT : 3000K




POWL 46




POWL 47

Power : 5w
Finish : Grey
CCT : 3000K




POWL 55




POWL 56

Power : 10 x 1w
Finish : Grey
CCT : 3000K




POWL 57

Power : 2 x 4.5w
Finish : Grey
CCT : 3000K



POWL 58

Power : 6w
Finish : Grey
CCT : 3000K



POWL 59

Power : 6w
Finish : Grey
CCT : 3000K






POWL 60

Power : 6w
Finish : Grey
CCT : 3000K




POWL 61

Power : 8w
Finish : Grey
CCT : 3000K




POWL 62

Power : 13w
Finish : Grey
CCT : 3000K




POWL 63

Power : 12w
Finish : Grey
CCT : 3000K




POWL 64

Power : 2 X 12w
Finish : Grey
CCT : 3000K




POWL 65

Power : 6w
Finish : Grey
CCT : 3000K





POWL 66

Power : 2 x 6w
Finish : Grey
CCT : 3000K





POWL 67

Product : Beam Wall Light
Power : 3w (1 Way)
Finish : Grey
CCT : 3000K



POWL 68

Product : Beam Wall Light
Power : 2 x 3w (2 Way)
Finish : Grey
CCT : 3000K




**POWL 76
Blowtorch**

Product : RGB Colour Blowtorch
Power : 3 x 1w / 2 Way
Finish : Graphite Grey
CCT : RGB




**POWL 78
Blowtorch**

Product : RGB Colour Blowtorch
Power : 4 x 1w / 3 Way
Finish : Graphite Grey
CCT : RGB






Model : POBL 01
 Product : CFL Bollard
 Power : E - 27 Max. 26w
 Finish : Graphite Grey
 Power : 10w LED




Model : POBL 05
 Power : 20w
 Finish : Graphite Grey
 CCT : 3000K




Big Cypress

Model : B 10732
 Power : B-22
 Finish : Graphite Grey
 Material : Alu. Casting



Mini Cypress

Model : B 10812
 Power : B-22
 Finish : Graphite Grey
 Material : Alu. Casting



Axe

Model : B 10731
 Power : B-22
 Dimension: L 150 / W 150 / H 215



Sago - Small


Model : B 10733
 Power : B-22
 Dimension: PD 50 / H 300 / C φ120



Jazz Bollard

| | | |
|-----|---------|-------|
| 10W | B 10828 | 300mm |
| | B 10820 | 600mm |
| | B 10821 | 900mm |

Finish : Grey
 CCT : 3000K / 6500K




Product : Jazz Wall Light
 Model : W 13005
 Power : 10w
 Finish : Grey
 CCT : 3000K / 6500K



Snow Bollard


| | | |
|-----|---------|-------|
| 10w | H 10793 | 300mm |
| | H 10786 | 600mm |
| | H 10790 | 900mm |



Chloe Bollard

| | | |
|-----|---------|-------|
| 10w | B 10864 | 300mm |
| | B 10865 | 500mm |
| | B 10866 | 800mm |

Finish : Grey
 CCT : 3000K / 6500K




Product : Chloe Wall Light
 Model : W 13006
 Power : 10w
 Finish : Grey
 CCT : 3000K / 6500K



Calvin Bollard

| | | |
|----|---------|-------|
| 8w | B 10861 | 200mm |
| | B 10862 | 500mm |
| | B 10863 | 800mm |


Finish : Grey
CCT : 3000K / 6500K



Celerio Bollard

| | | |
|-----|---------|-------|
| 10w | B 10871 | 300mm |
| | B 10872 | 600mm |
| | B 10873 | 900mm |


Finish : Grey
CCT : 3000K / 6500K



Coral Bollard

| | | |
|----|----------|-------|
| 6w | POBL 12A | 300mm |
| | POBL 12B | 500mm |
| | POBL 12C | 800mm |


Finish : Grey
CCT : 3000K / 6500K



Crafter Bollard

| | | |
|----|----------|-------|
| 6w | POBL 13A | 300mm |
| | POBL 13B | 500mm |
| | POBL 13C | 800mm |


Finish : Grey
CCT : 3000K / 6500K




Valin Bollard

| | | |
|----|---------|-------|
| 6w | B 10760 | 300mm |
| | B 10761 | 600mm |
| | B 10829 | 900mm |

Finish : Grey
CCT : 3000K / 6500K




Product : Valin Wall Light
Model : W 12140
Power : 6w
Finish : Grey
CCT : 3000K / 6500K



Duster Bollard

| | | |
|------|---------|-------|
| B-22 | B 10830 | 200mm |
| | B 10831 | 600mm |
| | B 10832 | 900mm |

| | | |
|-----|---------|-------|
| 10w | B 10833 | 200mm |
| | B 10834 | 600mm |
| | B 10835 | 900mm |



Product : Duster Wall Light
Model : W 13003
Power : B - 22


Model : W 13004
Power : 10w
CCT : 3000K / 6500K





Kobra Bollard

| | | |
|---------------------|---------|-------|
| 6w | B 10825 | 300mm |
| | B 10826 | 600mm |
| Finish : Grey | | |
| CCT : 3000K / 6500K | | |




Product : Wall Light
Model : W 13002
Power : 6w
Finish : Grey
CCT : 3000K / 6500K




Maria Bollard

| | | |
|---------------------|---------|-------|
| 10w | B 10757 | 200mm |
| | B 10758 | 600mm |
| | B 10759 | 900mm |
| Finish : Grey | | |
| CCT : 3000K / 6500K | | |




Product : Maria Wall Light
Model : W 12139
Power : 6w
Finish : Grey
CCT : 3000K / 6500K




Slim Kin Bollard

| | | | |
|------|---------|-------|------|
| B-22 | B 10851 | 300mm | |
| | B 10852 | 500mm | Grey |
| | B 10853 | 800mm | |




Slim Peta Bollard

| | | | |
|------|---------|-------|------|
| B-22 | B 10854 | 300mm | |
| | B 10855 | 500mm | Grey |
| | B 10856 | 800mm | |



Abia Bollard

| | | |
|--------|---------|--------|
| B - 22 | B 10754 | 1 Feet |
| | B 10755 | 2 Feet |
| | B 10756 | 3 feet |
| | | |
| 10w | B 10802 | 1 Feet |
| | B 10803 | 2 Feet |
| | B 10806 | 3 feet |



Product : Abia Wall Light
Model : W 12138
Power : B - 22

Model : W 12164
Power : 10w
CCT : 3000K / 6500K


Finish : Grey

CCT : 3000K / 6500K



Peta Bollard

| | | |
|--------|---------|--------|
| B - 22 | B 10748 | 1 Feet |
| | B 10749 | 2 Feet |
| | B 10750 | 3 feet |
| | | |
| 10w | B 10796 | 1 Feet |
| | B 10797 | 2 Feet |
| | B 10798 | 3 feet |



Product : Peta Wall Light
Model : W 12136
Power : B - 22

Model : W 12162
Power : 5w
CCT : 3000K / 6500K

Finish : Grey



CCT : 3000K / 6500K





Kin Bollard

| | | |
|--------|---------|--------|
| | B 10751 | 1 Feet |
| B - 22 | B 10752 | 2 Feet |
| | B 10753 | 3 feet |
| 5w | B 10799 | 1 Feet |
| 10w | B 10800 | 2 Feet |
| | B 10801 | 3 feet |



Finish : Grey

CCT : 3000K / 6500K

Product : Kin Wall Light

Model : W 12137

Power : B - 22

Model : W 12163

Power : 5w

CCT : 3000K / 6500K



Marina

| | | | |
|--------|---------|------------------------------|---------------|
| B - 22 | H 10759 | D ϕ 120 / H 290 / PD 60 | Brushsteel |
| | B 10551 | D ϕ 123 / H 235 / PD 53 | Black / Green |



Round Bollard

| | | | |
|--------|---------|----------------------|------------|
| B - 22 | H 10724 | D ϕ 100 / H 290 | Brushsteel |
| | H 10737 | D ϕ 100 / H 580 | |

* Available against minimum quantity order



Brushsteel Flat Bollard

| | | | |
|------|---------------|----------------------|----------------|
| B-22 | H 10733 - 1Ft | D ϕ 100 / H 300 | |
| | H 10726 - 2Ft | D ϕ 100 / H 600 | Mat Brushsteel |
| | H 10727 - 3Ft | D ϕ 100 / H 900 | |

* Available against minimum quantity order



Sleek Bollard

| | | | |
|------|---------------|----------------------|-----------|
| B-22 | B 10575 - 1Ft | D ϕ 100 / H 300 | |
| | B 10576 - 2Ft | D ϕ 100 / H 600 | Aluminium |
| | B 10577 - 3Ft | D ϕ 100 / H 900 | |

* Available against minimum quantity order





| Description | Model | Dimension | Finish | CCT |
|-------------|---------|--|-----------|------------------------------|
| 10w | POFL 01 | L 500 / W 40 / H 55 | Aluminium | 3000K/ Blue / RGB |
| Driver | POPS 09 | 24V DC -15w Power Supply Suitable For POFL01 | | 3000K/ Blue (Driving 1Piece) |



| Description | Model | Dimension | Finish | CCT |
|-------------|---------|----------------------|-----------|-------|
| 12w | POFL 02 | L 500 / W 40 / H 55 | | |
| 24w | POFL 03 | L 1000 / W 40 / H 95 | Gun Metal | 3000K |







| Description | Model | Dimension | Finish | CCT |
|-------------------|---------|----------------------|---------------|-----|
| 36w | POFL 04 | L 1000 / W 60 / H 82 | Graphite Grey | RGB |
| Remote Controller | POCT 03 | | | |



POSL 05

Product : Planter Light
Power : 36w
Finish : Graphite Grey
CCT : 3000K



POFL 05



Product : Fascade Light
Power : 10w
Dimension : L 115 / W 105 / H 90
Finish : Graphite Grey
CCT : 3000K / Blue / Purple / Red




Recess Foot Light




POFW 03

Power : 3w
Finish : Graphite Grey
CCT : 3000K




POFW 04

Power : 3w
Finish : Graphite Grey
CCT : 3000K



POFW 06

Power : 6w
Finish : Graphite Grey
CCT : 3000K




Surface Foot Light




FT 2154

Product : Audi
Power : 3w
Finish : Grey
CCT : 3000K / 6500K




FT 2155

Product : Audi Foot Light
Power : 6w
Finish : Grey
CCT : 3000K / 6500K




FT 2160

Product : LED Grill Foot Light
Power : 12w
Finish : Graphite Grey
CCT : 3000K







Power : 0.5w
Finish : Aluminium
CCT : 3000K / Blue



POIU 01





Power : 1w
Finish : Stainless Steel
CCT : 3000K



POIU 02




Power : 3w
Finish : SS + Black Case
CCT : 3000K



POIU 03




Power : 6w
Finish : Stainless Steel
CCT : 3000K



POIU 04



Power : 9w
Finish : Stainless Steel
CCT : 3000K





POIU 05



Power : 15w
Finish : Stainless Steel
CCT : RGB

Driver : POPS 01 (24v AC - 30w)



POIU 06



Product : Urbas burial
Power : 3w
Finish : Graphite Grey
CCT : 3000K
Dimension : D 60 / H 110 / C 60



Product : 1 way Urbas burial
Model : POIU 09



Product : 3 way Urbas burial
Model : POIU 10



Product : 2 way Urbas burial
Model : POIU 07



Product : 4 way Urbas burial
Model : POIU 08



IP67





- Aluminium Die Cast Construction
- P.C. / Glass Vandal Proof Diffuser
- Silicone Rubber Gasket.
- 220-240V / 24V, 50Hz



Power : 9w
Finish : Stainless Steel
CCT : 3000K / Blue

Driver : POPS 12 (24v AC - 15w)




POUW 01



Power : 18w
Finish : Stainless Steel
CCT : RGB

Driver : POPS 01 (24v AC - 30w)



POUW 02



Power : 12w
Finish : Stainless Steel
CCT : 3000K

Driver : POPS 02 (24v AC - 35w)

POUW 03






SURFACE MOUNTED

Power : 4 X 1w
Finish : Stainless Steel
CCT : 3000K

In-built Driver



POUW 06



Power : 4 X 1w
Finish : Stainless Steel
CCT : 3000K / Blue
M.R.P. : ₹ 5330/-
CCT : RGB

Driver : POPS 11 (24v AC - 5w)

POUW 09



IP68






POUW 10

Power : 9 X 1w
Finish : Stainless Steel
CCT : 3000K
CCT : RGB

Driver : POPS 13 (24v AC - 15w)



RGB : 10 Seconds Auto Fading



POUW 11


SURFACE MOUNTED

Power : 12w
Finish : Brushsteel
CCT : 3000K

Driver : PIPS 05 (24v 16w - 670mA)



Beam Angle



POUW 12


Recessed Fixture

Power : 5w
Finish : Brushsteel
CCT : 3000K

Driver : PIPS 03 (24v 8w - 350mA)



Beam Angle



POUW 13


Recessed Fixture

Power : 8w
Finish : Brushsteel
CCT : 3000K

Driver : PIPS 04 (24v 12w - 670mA)



Beam Angle



POUW 14


Recessed Fixture

Power : 15w
Finish : Brushsteel
CCT : 3000K

Driver : PIPS 06 (24v 25w - 1050mA)



Beam Angle



CONNECTOR - IP 65

Connector 01

1 Way In - 1 Way Out



| | | | | |
|----------------|----------------|-----------------------------|--------------|----------------------|
| 10w SMD | FL 2071 | L 135 / W 115 / H 35 | Black | 3000K / 6000K |
| 20w SMD | FL 2072 | L 185 / W 154 / H 45 | Black | 3000K / 6000K |
| 30w SMD | FL 2073 | L 230 / W 195 / H 50 | Black | 3000K / 6000K |
| 50w SMD | FL 2085 | L 285 / W 240 / H 60 | Black | 3000K / 6000K |



| | | | | |
|-----------------|----------------|-----------------------------|--------------|----------------------|
| 100w SMD | FL 2086 | L 335 / W 293 / H 85 | Black | 3000K / 6000K |
| 150w SMD | FL 2087 | L 425 / W 325 / H 87 | Black | 3000K / 6000K |
| 200w SMD | FL 2077 | L 425 / W 325 / H 98 | Black | 3000K / 6000K |
| 300w SMD | | | Black | 3000K / 6000K |
| 400w SMD | | | Black | 3000K / 6000K |



SLIM FLOOD LIGHT

| | | | | |
|-------------|----------------|-----------------------------|-------------|----------------------|
| 50w | FL 2081 | L 190 / W 235 / H 45 | Grey | 3000K / 6000K |
| 100w | FL 2082 | L 230 / W 295 / H 65 | Grey | 3000K / 6000K |



| | | | | |
|------------------|----------------|-----------------------------|-------------|----------------------|
| 50w Lens | FL 2091 | L 185 / W 240 / H 38 | Grey | 3000K / 6000K |
| 100w Lens | FL 2092 | L 305 / W 245 / H 38 | Grey | 3000K / 6000K |
| 150w Lens | FL 2093 | L 305 / W 350 / H 38 | Grey | 3000K / 6000K |
| 200w Lens | FL 2094 | L 395 / W 382 / H 60 | Grey | 3000K / 6000K |



| | | | |
|--|----------------|------------------------------|--------------|
| 250w Flood Light Tempo Copper | FL 2010 | L 420 / W 400 / H 140 | Black |
| 400w Flood Light Tempo Copper | FL 2011 | L 420 / W 400 / H 140 | Black |



UFO Highbay with Lens

IP 65

| | | | | |
|-------------|----------------|-----------------------|--------------|---------------|
| 50w | POHB 01 | D φ250 / H 200 | | |
| 100w | POHB 02 | | Black | 36000K |
| 150w | POHB 03 | D φ350 / H 200 | | |
| 200w | POHB 04 | | | |


OSRAM LED
Surge Protection 4.0 KV



| | | | | | |
|-----|---------|-----------------------------------|--|--------------------|---------------|
| 12w | SL 1948 | L- 325 / W- 100 H- 50 / PD- 40 | | | |
| 20w | SL 1980 | | | Grey | |
| 30w | SL 1983 | L- 395 / W- 148 H- 55 / PD- 40 | | Die Cast Aluminium | |
| 42w | SL 1984 | | | | 3000K / 6000K |



| | | | | | |
|-----|---------|---------------------------|--|------|---------------|
| 24w | SL 1985 | L 430/ W 170/ H 65/ PD 45 | | Grey | |
| 55w | SL 1987 | L 545/ W 210/ H 70/ PD 50 | | | 3000K / 6000K |



| | | | | | |
|------|---------|---------------------------|--|------|---------------|
| 72w | SL 1986 | L 415/ W 193/ H 55/ PD 40 | | | |
| 110w | SL 1917 | L 575/ W 245/ H 75/ PD 60 | | Grey | |
| 150w | SL 1981 | L 575/ W 245/ H 75/ PD 60 | | | 3000K / 6000K |
| 200w | SL 1982 | L 685/ W 305/ H 70/ PD 60 | | | |



| | | | | | |
|-----|---------|------------------------------|--|------|---------------|
| 12w | SL 2001 | L 275 / W 80 / H 60 / PD 38 | | | |
| 20w | SL 2002 | L 275 / W 80 / H 60 / PD 38 | | Grey | |
| 30w | SL 2003 | L 325 / W 80 / H 65 / PD 38 | | | 3000K / 6000K |
| 42w | SL 2004 | L 400 / W 120 / H 80 / PD 50 | | | |



With Lens
120° Beam Angle

| | | | | | |
|-----|---------|---------------------------|--|------|---------------|
| 20w | SL 2011 | L 338/ W 110/ H 50/ PD 42 | | | |
| 36w | SL 2012 | L 392/ W 145/ H 65/ PD 38 | | Grey | |
| 50w | SL 2013 | L 435/ W 207/ H 70/ PD 53 | | | 3000K / 6000K |



| | | | | | |
|---------------------------|---------|------------------------------|--|------|--|
| SOLAR STREET LIGHT | | | | | |
| 30w | SL 1991 | L 630 / W 250 / H 70 / PD 55 | | Grey | |
| 40w | SL 1992 | L 630 / W 317 / H 70 / PD 60 | | | |



| | | | | | |
|------|---------|---------------------------|--|------|---------------|
| 36w | SL 2021 | L 325/ W 123/ H 45/ PD 38 | | | |
| 50w | SL 2022 | L 400/ W 138/ H 40/ PD 38 | | | |
| 70w | SL 2023 | L 465/ W 150/ H 55/ PD 48 | | Grey | |
| 90w | SL 2024 | L 530/ W 182/ H 45/ PD 48 | | | 3000K / 6000K |
| 120w | SL 2025 | L 585/ W 180/ H 55/ PD 60 | | | |



| | | | | |
|--------------------|---------|------|------|---------------------------------------|
| Street Light Clamp | Clamp 1 | φ 38 | | Suitable for 12w / 20w / 30w / 42w |
| Street Light Clamp | Clamp 2 | φ 42 | Grey | |
| Street Light Clamp | Clamp 3 | φ 50 | | Suitable for 24w / 72w |



I4 / Dior Gate Light

| | | | | |
|--------|---------|------------------------------|------------|---------------|
| 4 x 1w | L 10512 | D ϕ 195 / H 275 / PD 53 | Black | |
| | T 10873 | D ϕ 195 / H 275 / PD 53 | Brushsteel | 3000K / 6000K |
| 12w | L 10521 | D ϕ 195 / H 325 / PD 53 | Black | |



Leo

| | | | | |
|-----|---------|------------------------------|---------------------------|---------------|
| 7w | U 10068 | D ϕ 175 / H 245 / PD 53 | Top Black Bottom Clear | 3000K / 6000K |
| 12w | U 10069 | D ϕ 265 / H 290 / PD 53 | | |



A- Star

| | | | | |
|----|---------|------------------------------|---------------------------|---------------|
| 7w | U 10070 | D ϕ 170 / H 330 / PD 53 | Top Black Bottom Clear | 3000K / 6000K |
| | U 10071 | D ϕ 170 / H 368 / PD 53 | | |



B-22 Star Black Wall Light

| | | | | |
|------|---------|----------------------------------|--------------|--------|
| Mini | W 12084 | D ϕ 72 / H 16 / C ϕ 62 | Black/ White | B - 22 |
| Maxi | W 12087 | D ϕ 82 / H 20 / C ϕ 72 | | |



U 10072
Suitable for Pole



U 10073
Suitable for surface
Post top

Scion

| | | | | |
|-----|---------|------------------------------|-------|---------------|
| 20w | U 10072 | D ϕ 250 / H 375 / PD 60 | Black | 3000K / 6000K |
| | U 10073 | D ϕ 250 / H 375 | | |



I-10



I-20

I-10 / I-20

| | | | | |
|---------|---------|------------------------------|---------------------------|---------------|
| 10 x 1w | L 10480 | D ϕ 335 / H 405 / PD 50 | Top Plate Blue / Black | 3000K / 6000K |
| 28 x 1w | L 10481 | D ϕ 450 / H 545 / PD 60 | | |



Royce - 1

| | | | | |
|-----|----------|-----------------------------|------|---------------|
| 10w | POPT 001 | D ϕ 175 / H 245 /PD 50 | Grey | 3000K / 6000K |
| | | | | |

Royce - 2

| | | | | |
|-----|----------|-----------------------------|------|---------------|
| 20w | POPT 003 | D ϕ 270 / H 275 /PD 50 | Grey | 3000K / 6000K |
| | | | | |



Viro

| | | | | |
|-----|----------|-----------------------------|------|---------------|
| 30w | POPT 005 | D ϕ 300 / H 430 /PD 50 | Grey | 3000K / 6000K |
| | | | | |



Luce Post Top Clear

| | | | | |
|-----|----------------------|------------------------------|--------------------------------|---------------|
| 40w | POPT 010 POPT 011 | D ϕ 333 / H 385 / PD 75 | Black / Clear Black / Milky | 3000K / 6000K |
|-----|----------------------|------------------------------|--------------------------------|---------------|



Cory & Curly Gate Light

| | | | | |
|-----|--------------------|--|-------|---------------|
| 20w | L 10516 L 10517 | L 305 / W 315 / H 550 / PD 60 L 285 / W 250 / H 510 / PD 60 | Black | 3000K / 6000K |
|-----|--------------------|--|-------|---------------|



Roma / Micro Liner Gate Light

| | | | |
|------------------|---------|------------------------------|-------|
| B-22 Roma | L 10419 | D ϕ 270 / H 300 / PD 53 | Black |
| B-22 Micro Liner | L 10429 | D ϕ 280 / H 340 / PD 50 | Black |
| | L 10431 | D ϕ 278 / H 375 / PD 50 | Black |



Classic Midi & Bertram Gate Light

| | | | |
|----------------|---------|------------------------------|-------|
| GLS | L 10415 | D ϕ 450 / H 640 / PD 60 | Black |
| B-22 - Bertram | L 10476 | D ϕ 190 / H 260 / PD 53 | Black |



Liner - Mini/ Big Gate Light

| | | | |
|-------------|---------|------------------------------|-------|
| B-22 - Mini | L 10433 | D ϕ 335 / H 465 / PD 53 | Black |
| B-22 - Big | L 10439 | D ϕ 450 / H 535 / PD 53 | |



Ring Gate Light

| | | | |
|-------------------|---------|------------------------------|-------|
| B-22 - Micro | L 10468 | D ϕ 278 / H 365 / PD 53 | Black |
| B-22 - Roma | L 10470 | D ϕ 272 / H 300 / PD 53 | Black |
| B-22 - Light Home | L 10472 | D ϕ 335 / H 400 / PD 53 | Black |



Roma / Micro Liner Gate Light

| | | | |
|--------------|---------|------------------------------|---------------|
| B-22 Neno | L 10477 | D ϕ 193 / H 335 / PD 53 | Black |
| B-22 Punesia | L 10493 | D ϕ 193 / H 210 | 3000K / 6000K |



Mogal / Micro / Hyform

| | | | |
|-------------|---------|------------------------------|------------|
| B-22 Mogal | T 10801 | D ϕ 182 / H 335 / PD 53 | |
| B-22 Micro | T 10808 | D ϕ 270 / H 335 / PD 53 | Brushsteel |
| B-22 Hyform | T 10821 | D ϕ 335 / H 400 / PD 58 | |



Roma / Domino

| | | | |
|------|---------|------------------------------|------------|
| B-22 | T 10803 | D ϕ 310 / H 300 / PD 60 | |
| | T 10825 | D ϕ 270 / H 275 / PD 53 | Brushsteel |



Delmia / Microring

| | | | |
|------|---------|------------------------------|------------|
| B-22 | T 10866 | D ϕ 183 / H 280 / PD 53 | |
| | T 10868 | D ϕ 273 / H 345 / PD 53 | Brushsteel |



Nano / Roma Ring / Light Home Ring

| | | | |
|-------|---------|------------------------------|------------|
| B- 22 | T 10871 | D ϕ 193 / H 320 / PD 53 | |
| B- 22 | T 10874 | D ϕ 270 / H 270 / PD 53 | Brushsteel |
| B- 22 | T 10875 | D ϕ 333 / H 380 / PD 53 | |



| | | | |
|-----------|---------|------------------------------|---------------|
| B-22 Mini | U 10001 | | |
| | U 10009 | D ϕ 175 / H 240 / PD 53 | Milky / Black |
| | U 10013 | | |
| | U 10017 | | |



| | | | |
|-------------------|---------|------------------------------|-------|
| B-22 Mini Piazza | U 10035 | D ϕ 195 / H 260 / PD 53 | |
| B-22 Star Big | U 10065 | D ϕ 183 / H 370 / PD 53 | Black |
| B-22 Piazza Black | X 10139 | D ϕ 290 / H 345 / PD 53 | |



| | | | |
|---------------------------|---------|------------------------------|-------|
| B-22 (Polycarbonate Body) | U 10067 | D ϕ 255 / H 515 | Black |
| B-22 Star White | U 10061 | | |
| B-22 Star Black | U 10062 | D ϕ 183 / H 330 / PD 53 | Black |



| | | | |
|-----------|---------|------------------------------|------------------------|
| B-22 Maxi | X 10101 | | Top White Bottom Milky |
| B-22 Maxi | X 10117 | D ϕ 270 / H 290 / PD 53 | Top Clear Bottom Clear |
| B-22 Maxi | X 10123 | | Top Black Bottom Milky |



Ring Gate Light

| | | | |
|------------------|---------|------------------------------|-----------------------|
| B-22 - Maxi | X 10144 | D ϕ 270 / H 290 / PD 53 | White / Black / Clear |
| B-22 - Puma Mini | U 10049 | D ϕ 175 / H 250 / PD 53 | Milky / Black / Clear |



| | | |
|-----------------|---------|-------|
| 8" Milky Globe | G 10926 | Milky |
| 10" Milky Globe | G 10927 | Milky |
| 12" Milky Globe | G 10928 | Milky |



Diamond / Round Light

| | | | |
|-------|---------|------------------------------|-------|
| B -22 | P 10506 | D ϕ 580 / H 440 / PD 60 | |
| | P 10511 | D ϕ 500 / H 570 / PD 60 | Milky |




Aviation Light

| | | | |
|-----------|------------------|-----------------------|--|
| B- 22 | AL 2102 - Single | D ϕ 170 / H 245 | |
| | AL 2103 - Double | L 400 / W 170 / H 250 | |
| LED (Red) | AL 2104 - Single | D ϕ 170 / H 245 | |
| | AL 2105 - Double | L 400 / W 170 / H 250 | |



| | | | | |
|-----------------------------|--------------------|----------------------|--------------|---------------|
| 12w Seilco B - 22 Seilco | D 11066 D 11071 | | | |
| 12w Casio B - 22 Casio | D 11067 D 11072 | L 310 / W 140 / H 90 | Grey PC Body | 3000K / 6000K |
| 12w Celio B - 22 Celio | D 11068 D 11073 | | | |



| | | | | |
|--------------------------|---------|----------------------|-------|---------------|
| 10w LED Velox D 11061 | D 11061 | L 165 / W 165 / H 60 | | |
| 10w LED Lipsy D 11062 | D 11062 | L 165 / W 165 / H 65 | Black | 3000K / 6500K |
| 10w LED Cross D 11063 | D 11063 | L 165 / W 165 / H 60 | | |



| | | | | |
|-----------------------------|--------------------|----------------------|------------------------------------|---------------|
| 12w Macro B - 22 Macro | D 11060 D 11053 | L 220 / W 220 / H 50 | | |
| 12w Kevin B - 22 Kevin | D 11054 | L 255 / W 128 / H 85 | Available with Black/Grey/White | 3000K / 6000K |
| 12w Allium B - 22 Allium | D 11055 | L 255 / W 128 / H 85 | | |



| | | | | |
|------------------------|---------|----------------------|--|--|
| B-22 Cronus D 11051 | D 11051 | L 255 / W 128 / H 95 | | |
| B-22 Voilas D 11052 | D 11052 | L 255 / W 128 / H 95 | | |
| B-22 Rai D 11056 | D 11056 | L 265 / W 133 / H 95 | | |

Available with
Black/Grey/White



| | | | | |
|-------------------------|---------|----------------------|------|---------------|
| 7w LED Armin D 11064 | D 11064 | L 225 / W 128 / H 95 | Grey | 3000K / 6500K |
| 7w LED Owl D 11065 | D 11065 | | | |
| 7w LED Hype D 11074 | D 11074 | L 219 / W 120 / H 43 | Grey | 3000K / 6500K |
| 7w LED Puma D 11075 | D 11075 | | | |



| | | | | |
|--------------------------|---------|----------------------|--|--|
| 10w LED Hino D 11057 | D 11057 | L 270 / W 135 / H 95 | | |
| 10w LED Riley D 11058 | D 11058 | L 268 / W 135 / H 90 | | |
| 10w LED Joss D 11059 | D 11059 | L 268 / W 135 / H 93 | | |

Available with
Black/Grey/White



| | | | | |
|--------------------------|---------|----------------------|--|--|
| B-22 Rubus D 11044 | D 11044 | L 270 / W 135 / H 95 | | |
| B-22 Toyon D 11046 | D 11046 | L 268 / W 135 / H 90 | | |
| B-22 Virginia D 11049 | D 11049 | L 268 / W 135 / H 93 | | |




Available with
Black/Grey/White



| | | | |
|-------------------------------|---------|-----------------------|-----------------------|
| B-22 Bilberry D 11047 | D 11047 | H 110 / C ϕ 260 | Casting Black |
| 2 x 26w CFL - E 27 POBH 04 | POBH 04 | L 360 / W 360 / H 130 | |
| 18w CFL - E 27 POBH 05 | POBH 05 | L 240 / W 240 / H 100 | Casting Graphite Grey |




Poles Lights






Xenon Pole X - V

| | |
|----------------------|---------------------|
| Model | Height |
| X - V | 10 Feet |
| | 12 Feet |
| | 15 Feet |
| Power | : 2 x 30w |
| Pole Dimension | : 100 X 100 mm |
| Bed Size / Thickness | : 200 X 200 X 6mm |
| Housing Material | : Aluminium |
| Body Colour | : Grey / Black |
| 2 x 60w M.R.P | : On Request |



Xenon Pole X - VI

| | |
|----------------------|---------------------|
| Model | Height |
| X - VI | 10 Feet |
| | 12 Feet |
| | 15 Feet |
| Power | : 30w |
| Pole Dimension | : 80 X 120 mm |
| Bed Size / Thickness | : 200 X 200 X 6mm |
| Housing Material | : Aluminium |
| Body Colour | : Grey / Black |
| 60w M.R.P | : On Request |



Xenon Pole X - VII

| | |
|----------------------|---------------------|
| Model | Height |
| X - VII | 10 Feet |
| | 12 Feet |
| | 15 Feet |
| Power | : 30w |
| Pole Dimension | : 80 X 120 mm |
| Bed Size / Thickness | : 200 X 200 X 6mm |
| Housing Material | : Aluminium |
| Body Colour | : Grey / Black |
| 60w M.R.P | : On Request |



Pyramid Head (Head Only)

| Model | Power |
|-------------|---------------------|
| P 20521 | 1 x 50w |
| P 20525 | 5 x 50w |
| Body Colour | : Grey / Black |
| Housing | : Aluminium Casting |



Aramis Head

Model : P 20501 (Head Only)
 Power : 75w / 150w
 Body Colour: Grey / Black
 Housing : Aluminium Casting



Viper Head

Model : P 20491 (Head Only)
 Power : 25w / 50w
 Body Colour: Grey / Black
 Housing : Aluminium Casting



Mille Head

Model : P 20504 (Head Only)
 Power : 70w
 Body Colour: Grey / Black
 Housing : Aluminium Casting



Mushroom Head

| Model | Dimension | Power |
|---------------|-------------------------|-------|
| P 20515 | D φ345 / H 100 / PD φ35 | 40w |
| P 20511 | D φ650 / H 180 / PD φ78 | 75w |
| P 20512 | D φ650 / H 180 / PD φ78 | 150w |
| Body Colour : | Grey / Black | |
| Housing : | Aluminium Casting | |






Trio Head

Model : P 20505 (Head Only)
Power : 60w
Body Colour: Grey / Black
Housing : Aluminium Casting



Elvis Head

| Model | Dimension | Power |
|--------------------|-------------------|--------------|
| P 20580 | D φ400 / H 380 | 40w |
| P 20581 | D φ600 / H 420 | 60w |
| Body Colour | Grey / Black | |
| Housing | Aluminium Casting | |



Vectra Head

Model : P 20503 (Head Only)
Power : 60w
Body Colour: Grey / Black
Housing : Aluminium Casting



Galileo Pole

| Model | Height |
|-----------------------------|-----------------|
| P 20079 | 8Ft |
| P 20080 | 10Ft |
| P 20081 | 12Ft |
| Bed Size / Thickness | 200 x 200 x 6mm |
| Finish | Mild Steel |
| Body Colour | Black / Grey |



Swing Pole - 1

| Model | Height |
|----------------------|------------------------|
| P 20471 | 10 Feet |
| P 20472 | 12 Feet |
| Power | : 25w |
| Head Dia / Height | : ϕ 100mm / 200mm |
| Pipe Dia | : ϕ 76mm |
| Bed Size / Thickness | : 200 X 200 X 6mm |
| Finish | : Mild Steel |
| Body Colour | : Grey / Black |




Swing Pole - 2

| Model | Height |
|----------------------|------------------------|
| P 20473 | 10 Feet |
| P 20474 | 12 Feet |
| Power | : 2 X 25w |
| Head Dia / Height | : ϕ 100mm / 200mm |
| Pipe Dia | : ϕ 76mm |
| Bed Size / Thickness | : 200 X 200 X 6mm |
| Finish | : Mild Steel |
| Body Colour | : Grey / Black |




Swing Pole - 11

| Model | Height |
|----------------------|------------------------|
| P 20481 | 10 Feet |
| P 20482 | 12 Feet |
| Power | : 25w |
| Head Dia / Height | : ϕ 100mm / 250mm |
| Pipe Dia | : ϕ 76mm |
| Bed Size / Thickness | : 200 X 200 X 6mm |
| Finish | : Mild Steel |
| Body Colour | : Grey / Black |




Swing Pole - 12

| Model | Height |
|----------------------|------------------------|
| P 20483 | 10 Feet |
| P 20484 | 12 Feet |
| Power | : 2 X 25w |
| Head Dia / Height | : ϕ 100mm / 250mm |
| Pipe Dia | : ϕ 76mm |
| Bed Size / Thickness | : 200 X 200 X 6mm |
| Finish | : Mild Steel |
| Body Colour | : Grey / Black |




Cain Pole Light

| | | |
|----------------------|---|-----------------|
| Model | : | P 20245 |
| Power | : | 30w / 60w |
| Body Colour | : | Grey / Black |
| Bed Size / Thickness | : | 200 x 200 x 6mm |
| Pipe Dia | : | 100 x 100mm |
| Material | : | Mild Steel |




Cain - 2 Pole Light

| | | |
|----------------------|---|-----------------|
| Power | : | 2 x 30w |
| Model | : | Height |
| P 20256 | : | 10Ft |
| P 20321 | : | 12Ft |
| | : | 15Ft |
| Pipe Dia | : | 100 x 100mm |
| Bed Size / Thickness | : | 200 x 200 x 6mm |
| Finish | : | Mild Steel |
| Body Colour | : | Black / Grey |
| M.R.P - 2 x 60w | : | On Request |



Evian Pole Light

| | | |
|----------------------|---|-----------------|
| Model | : | P 20244 |
| Power | : | 30w / 60w |
| Body Colour | : | Grey / Black |
| Bed Size / Thickness | : | 200 x 200 x 6mm |
| Pipe Dia | : | 100 x 100mm |
| Material | : | Mild Steel |



Windsor Pole (Square)

| | | |
|----------------------|---|-----------------|
| Model | : | Height |
| W 021 | : | 3Mtr |
| W 022 | : | 4Mtr |
| W 023 | : | 5Mtr |
| Bed Size / Thickness | : | 200 x 200 x 6mm |
| Finish | : | Mild Steel |
| Body Colour | : | Black / Grey |

Windsor Series LED Pole Heads



New Module lens with
High Lumen Output



Model : W 001 (Single Arm)
Power : 30w
Dimension : L 600 / W 115 / H 375



Model : W 002 (Single Arm)
Power : 30w
Dimension : L 1000 / W 115 / H 375



Model : W 003 (Single Arm)
Power : 2 x 30w
Dimension : L 600 / W 200 / H 375




Model : W 004 (Single Arm)
Power : 2 x 30w
Dimension : L 1000 / W 200 / H 375




Model : W 005 (Double Arm)
Power : 2 x 30w
Dimension : L 1200 / W 115 / H 375



Model : W 006 (Double Arm)
Power : 2 x 30w
Dimension : L 2000 / W 115 / H 375



Model : W 007 (Double Arm)
Power : 4 x 30w
Dimension : L 1200 / W 200 / H 375



Model : W 008 (Double Arm)
Power : 4 x 30w
Dimension : L 2000 / W 200 / H 375



Model : W 009 (Single Arm)
Power : 30w
Dimension : L 1100 / W 115 / H 375



Model : W 010 (Double Arm)
Power : 4 x 30w
Dimension : L 2000 / W 200 / H 375




Model : W 011 (Double Arm)
Power : 8 x 30w
Dimension : L 2400 / W 200 / H 515



Model : W 012 (Single Arm)
Power : 2 x 30w
Dimension : L 800 / W 280 / H 310



Model : W 013 (Single Arm)
Power : 2 x 30w
Dimension : L 1200 / W 280 / H 360




Model : W 014 (Four Arm)
Power : 4 x 30w




Snow Pole (Mild Steel)

| | |
|----------------------|-------------------|
| Model | Feet |
| P 20344 | 08Ft |
| P 20341 | 10Ft |
| Power | : 35w |
| Pipe Dia | : 100 x 100mm |
| Bed Size / Thickness | : 200 x 200 x 6mm |
| Finish | : Mild Steel |
| Body Colour | : Black / Grey |



Lar Pole Light

| | |
|----------------------|----------------------------|
| Model | : P 20246 |
| Power | : 10 Ft (Include Post top) |
| Power | : 20w |
| Wings Dimension | : 450 X 406mm |
| Pipe Dia | : ϕ 114mm |
| Bed Size / Thickness | : 200 x 200 x 6mm |
| Material | : Mild Steel |
| Body Colour | : Grey / Black |



Zar Pole Light

| | |
|----------------------|----------------------------|
| Model | : P 20247 |
| Power | : 10 Ft (Include Post top) |
| Power | : 20w |
| Wings Dimension | : 380 X 406mm |
| Pipe Dia | : ϕ 114mm |
| Bed Size / Thickness | : 200 x 200 x 6mm |
| Material | : Mild Steel |
| Body Colour | : Grey / Black |




Hanto Pole Light

| | |
|----------------------|----------------------------|
| Model | : P 20248 |
| Power | : 10 Ft (Include Post top) |
| Power | : 35w |
| Pipe Dia | : ϕ 114mm |
| Bed Size / Thickness | : 200 x 200 x 6mm |
| Material | : Mild Steel |
| Body Colour | : Grey / Black |



Helix Pole Light

| Model | Height |
|-------------|----------------|
| P 20461 | 10 Feet |
| P 20462 | 12 Feet |
| Power | : 40w |
| Pipe Dia | : 100 X 100mm |
| Finish | : Mild Steel |
| Body Colour | : Grey / Black |



Embrace Pole Light

| Model | Height | Power |
|----------------------|-------------------|-------|
| P 20451 | 500mm | 20w |
| P 20452 | 1000mm | 40w |
| Total Length | : 10 feet | |
| Pipe Dia | : ϕ 100mm | |
| Bed Size / Thickness | : 200 X 200 X 6mm | |
| Finish | : Mild Steel | |
| Body Colour: | Grey / Black | |



Tuskar - 1 Pole Light

| Model | Height |
|----------------------|-------------------|
| P 20042 | 8Ft |
| P 20043 | 10Ft |
| P 20044 | 12Ft |
| Bed Size / Thickness | : 200 x 200 x 6mm |
| Housing Material | : Mild Steel |
| Body Colour | : Black / Grey |


Can Also Be Made suitable for LED Street Lights



Tuskar - 2 Pole Light

| Model | Height |
|----------------------|-------------------|
| P 20052 | 10Ft |
| P 20053 | 12Ft |
| Bed Size / Thickness | : 200 x 200 x 6mm |
| Housing Material | : Mild Steel |
| Body Colour | : Black / Grey |

Can Also Be Made suitable for LED Street Lights



Opera - 1 Pole Light

| Model | Height |
|------------------------|-----------------|
| P 20062 | 8Ft |
| P 20063 | 10Ft |
| P 20064 | 12Ft |
| Bed Size / Thickness : | 200 x 200 x 6mm |
| Finish | : Mild Steel |
| Body Colour | : Black |
| Holder | : B - 22 |

With Luminaries



Opera - 2 Pole Light

| Model | Height |
|------------------|--------------|
| P 20071 | 8Ft |
| P 20072 | 10Ft |
| P 20073 | 12Ft |
| Bed Size | : 200 x 200 |
| Thickness | : 6mm |
| Housing Material | : Mild Steel |
| Body Colour | : Black |
| Holder | : B - 22 |

With Luminaries



Ring Lantern Pole Light

| Model | Height |
|------------------------|-----------------|
| P 20068 | 8Ft |
| P 20069 | 10Ft |
| P 20070 | 12Ft |
| Bed Size / Thickness : | 200 x 200 x 6mm |
| Finish | : Mild Steel |
| Body Colour | : Black |
| Holder | : B - 22 |


With Doom & Glass



Road king- 2 Pole Light

| Model | Height |
|------------------------|-----------------|
| P 20007 | 8Ft |
| P 20008 | 10Ft |
| P 20009 | 12Ft |
| Bed Size / Thickness : | 200 x 200 x 6mm |
| Finish | : Mild Steel |
| Body Colour | : Black |
| Holder | : B - 22 |

With Doom & Glass






Exendra - 1

| Model | Height |
|------------------------|-----------------|
| P 20022 | 8Ft |
| P 20023 | 10Ft |
| P 20024 | 12Ft |
| Bed Size / Thickness : | 200 x 200 x 6mm |
| Housing Material : | Mild Steel |
| Body Colour : | Black |

Without Globe



Exendra - 2

| Model | Height |
|------------------------|-----------------|
| P 20027 | 8Ft |
| P 20028 | 10Ft |
| P 20029 | 12Ft |
| Bed Size / Thickness : | 200 x 200 x 6mm |
| Housing Material : | Mild Steel |
| Body Colour : | Black |

Without Globe



Jorg Pole Light

| Model | Height |
|------------------------|-----------------|
| P 20268 | 10Ft |
| P 20269 | 12Ft |
| Bed Size / Thickness : | 200 x 200 x 6mm |
| Finish : | Mild Steel |
| Body Colour : | Black |

Without Gate Light




Pristine Pole Light

| | | |
|------------------------|---|-------------------|
| Model | : | P 2018I |
| Height | : | 10 Feet |
| Bed Size / Thickness : | | Ø290 X 12mm |
| Finish | : | Aluminium Casting |
| Body Colour | : | Grey |




Indus Pole Light

Model : P 20180
 Height : 10 Feet
 Bed Size / Thickness : 230 x 230 x 6mm
 Finish : Aluminium Casting
 Body Colour : Grey



Sigma Pole Light

Model : P 20365
 Height : 10 Feet
 Bed Size / Thickness : 200 x 200 x 6mm
 Pole Finish : Mild Steel
 Gate Light Finish : Cast Iron
 Body Colour : Black / Grey




Decorativ Pole Light

Model : P 20367
 Height : 12 Feet
 Bed Size / Thickness : 200 x 200 x 6mm
 Finish : Mild Steel
 Body Colour : Black / Grey
 With Gate Light (B-22)








Akhil Pole Light

| | |
|-------------|----------------|
| Model | Height |
| P 20175 | 7Ft |
| P 20168 | 2Ft |
| Finish | : Cast Iron |
| Body Colour | : Black / Grey |



Height : including luminarie, not only pole.





Height : including luminaire, not only pole.

Note : All poles are without luminaries. Poles, with foundation bolts & nuts

Avenue Pole Light


Model Height

P 20516 5mtr

P 20516 6mtr

P 20516 7mtr

Material : Mild Steel



Modena Pole Light

Model Height

P 20523 5mtr

P 20523 6mtr

P 20523 7mtr

Material : Mild Steel



Jaguar Pole Light


Model Height

P 20522 5mtr

P 20522 6mtr

P 20522 7mtr

Material : Mild Steel



Davis - 1 Pole Light


Model Height

P 20258 5mtr

P 20258 6mtr

P 20258 7mtr

Material : Mild Steel



Davis - 2 Pole Light

Model Height

P 20261 5mtr

P 20261 6mtr

P 20261 7mtr

Material : Mild Steel



Solar Pole Light

Power : 12w / 20w

Height : 4.5 Mtr

Dimension(mm) : 114 mm

Bed Size / Thickness : 6mm

Material : Mild Steel

Body Colour : Black

With Panel & Battery

Custom height, wattage, battery backup and panel sizes are available.

Height : including luminaire, not only pole.

Note : All poles are without luminaries. Poles, with foundation bolts & nuts



Amaze Tri-colour Panel

| | | | | | |
|-----|---------|-------|------------------------|-------|--------|
| 16w | LDL 149 | Round | D φ223 / H 25 / C φ210 | White | 3 in 1 |
|-----|---------|-------|------------------------|-------|--------|

3 in 1 CCT



Surface Panel

| | | | | | |
|-----|---------|-------|---------------|-------|---------------|
| 30w | LDL 161 | Round | D φ272 / H 38 | White | 3000K / 6000K |
|-----|---------|-------|---------------|-------|---------------|



Clean Room

| | | | | |
|-----|---------|------------------------------------|-------|-------|
| 32w | IF 1767 | L 595 / W 295 / C φ567 x 270 | White | 6000K |
| 50w | IF 1769 | L 1250/ W 250/ H 50/ C φ1228 x 190 | | |



LED Paralite

| | | | | |
|-----|---------|-----------------------------|-------|-------|
| 32w | RM 1330 | L 595 / H 70 / C φ570 x 570 | White | 6000K |
|-----|---------|-----------------------------|-------|-------|



Track Spot Light

| | | | |
|--------|---------|-------|---------------|
| 5w | TL 3315 | White | 3000K / 6000K |
| 7w | TL 3303 | White | 3000K / 6000K |
| 7 x 1w | TL 3374 | | |



Surface Clean Room

| | | | |
|---------|----------------|----------------------|-------|
| 2 x 36w | IF 1750 - 2GII | L 595 / W 255 / H 70 | White |
|---------|----------------|----------------------|-------|



Unisys Fixture

| | | | |
|---------|---------|-----------------------|-------|
| 2 x 36w | SM 1502 | L 1250 / W 260 / H 55 | White |
|---------|---------|-----------------------|-------|

Limited stock (Subject to Availability)



Reflector

| | | | |
|-------------------|---------|-----------------------|-----------|
| 10" Powder Coated | IF 1740 | L 575 / W 240 / H 70 | White |
| 10" Anodised | IF 1741 | L 1250 / W 255 / H 70 | Aluminium |



Suitable Box Type
Led Tube Available

Electric / Slim Box Type

| | | | | |
|---------------------|---------|----------------------|-------|----------|
| 1 x 36w (T8) | CR 1109 | L 1235 / W 45 / H 75 | White | ₹ 750/- |
| 2 x 36w (T8) | CR 1108 | | | ₹ 1150/- |
| 1 x 36w Slim (Cop.) | CR 1011 | | | ₹ 825/- |
| 2 x 36w Slim (Cop.) | CR 1013 | | | ₹ 1275/- |



Mirolta

| | | | | |
|-------------------------|---------|---------------------|-------|--|
| 1 x 36w Prince Elec. | CR 1054 | L 315 / W 52 / H 90 | White | |
| 1 x 11w | CR 1075 | | | |

OUTDOOR STREET LIGHTS



Copper Ballast

| | | |
|---------|---------|--------------------|
| 150w MH | SL 1918 | Die Cast Aluminium |
| 250w MH | SL 1919 | |



| | | | |
|---|--------------------|------------------------|----------------|
| Surface / Pendent Mount Dust & Moisture Proof Luminarie | SL 1963 1x28w T5 | L 1285 / W 155 / H 102 | Poly Carbonate |
| | SL 1964 2x28w T5 | | Poly Carbonate |



| | | |
|--|---------|------|
| 35/85w Toplite Deuta Suitable for Retrofit Lamp | SL 1934 | Grey |
| GLS Super Mini | SL 1935 | |



| | | |
|-----------|---------|------|
| 2 x 14 T5 | SL 1939 | Grey |
| 2 x 24 T5 | SL 1957 | |

Limited stock (Subject to Availability)



Eco Series




| | | | | |
|--------------|------------------|----------------------|---------------|----------------------|
| 3w Downlight | DL 3228 - Round | D φ85 / H 55 / C φ75 | 3000K / 6000K | White |
| 3w Downlight | DL 3229 - Square | L-W 85 / H 55 / C 70 | 3000K / 6000K | White |
| 3w Downlight | DL 3095 - Square | L-W 60 / H 44 / C 54 | 3000K / 6000K | White / Mat B. Steel |



| | | | | |
|------------------------|------------------|-----------------------|---------------|-------|
| 4w Tilttable Downlight | LDL 019 - Square | L-W 82 / H 40 / C φ70 | 3000K / 6000K | White |
| 5w Step Downlight | LDL 016 - Round | D φ70 / H 40 / C φ55 | 3000K / 6000K | White |
| 5x1w Downlight | LDL 108 - Round | D φ90 / H 30 / C φ78 | 3000K / 6000K | White |



| | | | | |
|-------------------------|------------------|-----------------------|---------------|----------------------|
| 5w Tilttable Downlight | LDL 003 - Square | L-W 63 / H 73 / C φ53 | 3000K / 6000K | White / Mat B. Steel |
| 9w Tilttable Downlight | LDL 005 - Round | D φ88 / H 80 / C φ75 | 3000K / 6000K | White |
| 16w Tilttable Downlight | LDL 011 - Round | D φ114 / H 83 / C φ95 | 3000K / 6000K | White |



| | | | | |
|-------------------|------------------|-------------------------|---------------|-----------------------------|
| 6x1w Downlight | LDL 038 - Square | L-W 90 / H 38 / C φ80 | 3000K / 6000K | White / Mat B. Steel |
| 9 x 1w Downlight | DL 3083 - Square | L-W 130 / H 45 / C φ110 | 3000K / 6000K | White / Alu. / Mat B. Steel |
| 12 x 1w Downlight | DL 3084 - Square | L-W 110 / H 43 / C φ100 | 3000K / 6000K | White / Mat B. Steel |



| | | | | |
|---------------------------------|------------------|--------------------------|---------------|-------|
| 12w Downlight | LDL 009 - Square | L-W 110 / H 95 / C φ 90 | 3000K / 6000K | White |
| 18w Downlight | LDL 008 - Square | L-W 130 / H 125 / C φ110 | 3000K / 6000K | White |
| 15w Smart Downlight with Sensor | LDL 034 - Round | D φ200 / H 70 / C φ165 | 3000K / 6000K | White |



| | | | | |
|------------------------|------------------|------------------------|---------------|-------|
| 3w Tilttable Downlight | LDL 039 - Square | L-W 60 / H 40 / C φ45 | 3000K / 6000K | White |
| 8w Tilttable Downlight | LDL 062 - Square | L-W 110 / H 95 / C φ90 | 3000K / 6000K | White |
| 10w Downlight | LDL 091 - Round | D φ70 / C φ55 | 3000K / 6000K | White |



| | | | | |
|-------------------------|-----------------|-------------------------|---------------|-------|
| 5w Tilttable Downlight | LDL 018 - Round | L-W 115 / H 75 / C φ95 | 3000K / 6000K | White |
| 15w Tilttable Downlight | LDL 032 - Round | D φ133 / H 85 / C φ110 | 3000K / 6000K | White |
| 30w Tilttable Downlight | LDL 050 - Round | D φ160 / H 155 / C φ135 | 3000K / 6000K | White |



| | | | | |
|--------------------------|-----------------|-----------------------|---------------|-------|
| 8w Tilttable Downlight | LDL 043 - Round | D φ120 / H 36 / C φ95 | 3000K / 6000K | White |
| 2x8w Tilttable Downlight | LDL 077 - Round | H 30 / C φ160 x 75 | 3000K / 6000K | White |
| 2x4w Tilttable Downlight | LDL 078 - Round | H 40 / C φ140 x 100 | 3000K / 6000K | White |



| | | | | |
|------------------------|-----------------|------------------------|---------------|-------|
| 15w Vertical Downlight | LDL 035 - Round | D φ80 / H 100 / C φ65 | 3000K / 6000K | White |
| 10w Smile Downlight | LDL 125 - Round | D φ115 / H 75 / C φ90 | 3000K / 6000K | White |
| 20w Smile Downlight | LDL 126 - Round | D φ145 / H 90 / C φ125 | 3000K / 6000K | White |

Limited stock (Subject to Availability)



| | | | | |
|---------------------|------------------|-----------------------|---------------|---------------------------|
| 6w Milky Downlight | DL 3218 - Square | D φ102/ H 50 / C φ85 | 3000K / 6000K | White/ Alu./ Mat B. Steel |
| 12w Milky Downlight | DL 3220 - Square | D φ115/ H 65 / C φ100 | 3000K / 6000K | White/ Alu./ Mat B. Steel |
| 10w Lime Downlight | LDL 205 - Round | D φ165/ H 58 / C φ150 | 3000K / 6000K | White |



| | | | | |
|----------------------------------|---------|------------------------|--------------|---------------------------|
| 6w Milky Downlight | DL 3074 | D φ95/ H 50/ C φ85 | 3000K/ 6000K | White/ Alu./ Mat B. Steel |
| 10w Milky Doom Downlight | LDL 026 | D φ132/ H 95/ C φ108 | 3000K/ 6000K | White |
| 15w Milky Doom Downlight | LDL 028 | D φ188/ H 124/ C φ160 | 3000K/ 6000K | White |
| 10w Downlight (with Milky Glass) | LDL 015 | D φ115/ H 80/ C φ95 | 3000K/ 6000K | White |
| 15w Downlight (with Milky Glass) | LDL 030 | D φ145 / H 90 / C φ125 | 3000K/ 6000K | White |



| | | | | |
|--------------------------------|------------------|-----------------------|-----------------------|-------|
| 15w Downlight with Milky Glass | LDL 027 - Round | D φ180/ H 85/ C φ165 | 3000K / 4500K / 6000K | White |
| 15w Downlight with Milky Glass | LDL 104 - Square | L-W 160/ H 75/ C φ150 | 3000K / 4500K / 6000K | White |



| | | | | |
|----------------------------|------------------|------------------------|---------------|----------------|
| 9 x 1w Tiltable Downlight | LDL 101 - Round | D φ128/ H 70 / C φ105 | 3000K / 6000K | Mat Brushsteel |
| 9 x 1w Tiltable Downlight | LDL 102 - Square | L-W 122/ H 73 / C φ100 | 3000K / 6000K | Mat Brushsteel |
| 12 x 1w Tiltable Downlight | LDL 103 - Round | D φ128/ H 70 / C φ105 | 3000K / 6000K | Mat Brushsteel |



| | | | | |
|----------------------|------------------|------------------------|---------------|---------|
| 3w Smarto Downlight | LDL 072 - Square | L-W 90/ H 40 / C φ80 | 3000K / 6000K | Acrylic |
| 7w Smarto Downlight | LDL 073 - Square | L-W 90/ H 40 / C φ80 | 3000K / 6000K | Acrylic |
| 12w Smarto Downlight | LDL 110 - Square | L-W 120/ H 40 / C φ110 | 3000K / 6000K | Acrylic |



| | | | | |
|----------------------|------------------|------------------------|--------------|-------|
| 18w Benz Panel Light | LDL 084 - Square | L-W 180/ H 30 / C φ155 | White + Blue | White |
| 18w Benz Panel Light | LDL 086 - Round | D φ180/ H 30 / C φ155 | White + Blue | White |



| | | | | |
|-----|---------|-----------------------|----------------------|-------|
| 16w | LDL 107 | D φ200/ H 32 / C φ165 | 3000K / 4500K/ 6000K | White |
|-----|---------|-----------------------|----------------------|-------|



| | | | | | |
|-----------------|---------|-------|------------------------|--------------|-------|
| 14w (12w+2w) | LDL 153 | Round | D φ193 / H 35 / C φ160 | White + Blue | 6000K |
|-----------------|---------|-------|------------------------|--------------|-------|



| | | | | |
|-----|------------------|------------------------|-------|----------------------|
| 18w | DL 3930 - Square | L-W 200/ H 22/ C φ175 | | |
| 24w | DL 3937 - Square | L-W 255/ H 35/ C φ240 | White | 3000K / 4500K/ 6000K |
| 28w | DL 3936 - Round | D φ305 / H 25 / C φ290 | | |



| | | | | |
|-----|------------------|----------------|-------|-----------------------|
| 6w | LDL 087 - Square | L -W 120/ H 35 | White | 3000K / 4500K / 6000K |
| 6w | LDL 092 - Round | D φ210 / H 35 | White | 4500K / 6000K |
| 18w | LDL 089 - Square | L-W 227/ H 35 | White | 3000K / 6000K |

Limited stock (Subject to Availability)



Smart Twin Sensor

| | | | | |
|-----|---------|----------------------|------------|-------|
| 35w | RM 1423 | L 600 / W 600 / H 75 | Alluminium | 6000K |
|-----|---------|----------------------|------------|-------|



CDMT Track Spot (with Ballast)

TL 3369

35w

White

CDMT Track Spot (with Ballast)

70w

White



B-22 Galaxy Flatron

DL 3016

D φ115 / C φ165

White

B-22 Galaxy Flatron

DL 3017

D φ115 / C φ165

White

B-22 Galaxy Flatron

DL 3019

D φ115 / C φ165

White



2x18w Deluxe Downlight

DL 3024

D φ115 / C φ160

White

1x18w Deluxe Downlight

DL 3025

D φ115 / C φ160

White

2x18w B/S Deluxe Downlight

DL 3026

D φ115 / C φ160

White

2x18w Mat Deluxe Downlight

DL 3002

D φ115 / C φ160

White



CDMT Downlight Without Choke

70w

DL 3052

D φ125 / C φ140

White

150w

DL 3053

D φ125 / C φ140

White



2x18w Slim Downlight Without Choke

DS 3104

D φ268 / H 65

White

2x18w BS Slim Downlight Without Choke

DS 3105

D φ268 / H 65

Brushsteel



12 / 50w Zoom Without Choke

AZ 2960

D φ75 / C φ97

White

12 / 50w - B/S Zoom Without Choke

AZ 2961

D φ75 / C φ97

White

70w Downlight

AZ 2962

H 145 / C φ205

White

150w Downlight

AZ 2963

H 145 / C φ205

White



12 / 50w Square Zoom Without Choke

HL 3203

D φ75 / H / C φ97

White

12 / 50w - B/S Room

HL 3202

H 65 / C φ268

White



Bulb

0.5w LED B-22

LE 3969 / B-22

Red Yellow White Green Blue

White



1 x 7w LED Spot Light

LDL 109 - Round

3000K

Grey



4w GU - 10 Spot Light

LE 3964 / GU-10

3000K / 6000K

Black



4w MR - 16 Spot Light

LE 3966 / MR-16

3000K / 6000K

Black

Limited stock (Subject to Availability)



Cruze - CL 3465 / CL 3466

Quanto - CL 3459

Cruze / Quanto Surface

| | | | | |
|-----|---------|----------------------|----------------|---------------|
| 5w | CL 3465 | L 100 / W 100 / H 45 | Mat Brushsteel | |
| 15w | CL 3466 | L 135 / W 135 / H 55 | Mat Brushsteel | 3000K / 6000K |
| 13w | CL 3459 | L 220 / W 220 / H 40 | White | |


Hermedes

| | | | |
|-----|---------|----------------------|-------|
| 21w | CL 3452 | L 240 / W 240 / H 76 | White |
|-----|---------|----------------------|-------|



CL 3423 - Pavani

CL 3443 - Venture

Pavani / Venture

| | | | | |
|---------|---------|----------------------|--|-------|
| 209 | CL 3423 | L 200 / W 200 / H 55 | | White |
| 26w CFL | CL 3443 | L 200 / W 200 / H 35 | | |


2D Cannon / Almcan

| | | | | |
|-----|---------|---------------|--|-------|
| 10w | CL 3448 | D φ172 / H 70 | | White |
| 21w | CL 3450 | D φ140 / H 70 | | |



Lamp & Ballast

Circular Beeding

| | | | |
|-----|---------|---------------|-------|
| 22w | CL 3422 | D φ315 / H 80 | White |
|-----|---------|---------------|-------|


GLS Dragon Circular

| | | | | |
|---------|----------------|----------------|--|-------|
| 21w | CL 3438 - Mini | D φ200 / H 80 | | White |
| 2 x 18w | CL 3440 - Big | D φ340 / H 100 | | |


T5 Airnix / Funlux

| | | | | |
|-----|---------|----------------|--|-------|
| 40w | CL 3455 | D φ400 / H 100 | | White |
| 55w | CL 3456 | D φ450 / H 115 | | |



SM 1521

SM 1531

| | | | | |
|------------------|---------|------------------------|--|-------|
| 1 X 36w Power | SM 1521 | L - 490 / W 165 / H 50 | | White |
| 2 X 36w Paralite | SM 1531 | L - 510 / W 300 / H 50 | | White |



| | | | | |
|------------------------------|---------|--|--|-------|
| 2x36w CFL Zoom Wallwasher | WW 2902 | L - 627 / W 200 / H 140 / C φ600 X 168 | | White |
|------------------------------|---------|--|--|-------|



RM 1397

RM 1405

| | | | | |
|-------------------|---------|-----------------------------|--|-------|
| 1 x 36w Unique | RM 1397 | L - 485 / W 120 / H 90 | | White |
| 2 x 11w B/S Lunar | RM 1405 | L - 340 / H 40 / C f310x150 | | White |

Limited stock (Subject to Availability)



| | | | |
|---------------------------------|---------|---------------|-------|
| 7w Oxon - Electronic With Tube | T5 1917 | 3000K / 6000K | White |
| 14w Oxon - Electronic With Tube | T5 1913 | 3000K / 6000K | White |



Paralite Fixture - Recessed

| | | | |
|---------|---------|-----------------------|-------|
| 3 x 36w | RM 1386 | L 600 / H 55 / C φ572 | White |
|---------|---------|-----------------------|-------|



Lumina

| | | | |
|---------|---------|----------------------|------------|
| 1 x 36w | CR 1063 | L 1460 / W 95 / H 45 | Mat White |
| 1 x 36w | CR 1073 | L 1460 / W 95 / H 45 | White |
| 1 x 36w | CR 1074 | L 625 / W 95 / H 40 | Brushsteel |
| 1 x 11w | CR 1096 | L 332 / W 95 / H 40 | White |
| 1 x 11w | CR 1100 | L 332 / W 95 / H 40 | Brushsteel |



Paralite Fixture- Surface

| | | | |
|---------|---------|----------------------|-------|
| 3 x 36w | SM 1532 | L 512 / W 512 / H 55 | White |
|---------|---------|----------------------|-------|



| | | | |
|-------------------------|---------|-----------------------------------|-------|
| 1x12/50w Gridlite | GL 3701 | L- 100 / W- 100 / H- 55 / C- φ80 | White |
| 1x12/50w B/S Gridlite | GL 3702 | L- 100 / W- 100 / H- 55 / C- φ80 | White |
| 3 x 12/50w B/S Gridlite | GL 3706 | L- 245 / W- 100 / H- 55 / C- φ230 | White |
| 4 x 12/50w Gridlite | GL 3709 | L- 177 / W- 177 / H- 55 / C- φ155 | White |
| 4 x 12/50w B/S Gridlite | GL 3710 | L- 177 / W- 177 / H- 55 / C- φ155 | White |



| | | | |
|-----------------------|---------|-------------------------|-------|
| 2 x 70w CDMT Gridlite | CD 3902 | L - 310 / W 154 / D 105 | White |
| 3 x 70w CDMT Gridlite | CD 3903 | L - 158 / W 158 / H 160 | White |



| | | | | |
|------------|---------|-----------------------|----------------|---------------|
| 5w Polygon | H 10766 | BD 100 / H 550 /C φ60 | Mat Brushsteel | 3000K / 6000K |
| 5w Revan | H 10770 | BD 125 / H 650 /C φ75 | Mat Brushsteel | |
| 5w Sparrow | H 10773 | BD 125 / H 610 /C φ75 | Grey | |



Tad Pole

| | | | | |
|--------|---------|------------------------|----------------|---------------|
| 4 x 1w | H 10777 | BD 125 / H 600 /C φ100 | Mat Brushsteel | 3000K / 6000K |
|--------|---------|------------------------|----------------|---------------|

Limited stock (Subject to Availability)

Ingress Protection system

Protection against ingress of solid bodies, dust and moisture:

The ingress protection system (IP) EN 60529, 1991 defines various degrees of protection against the ingress of foreign bodies, dust and moisture. The term 'foreign bodies' includes things like fingers and tools coming into contact with the electrical live parts of the luminaire. Both safety aspects (contact with live parts) and harmful effects on the function of the luminaire are defined. The exact testing method for each IP classification is described in EN 60529. Note that the conditions during testing might differ from the specific conditions in an application. The designation to indicate the degree of protection consists of the characteristic letters Ip followed by 2 digits indicating conformity with the conditions stated in two tables. It is important to realize that the specification and safety of luminaires are only secured if the necessary maintenance according to the instructions of the manufacturer is carried out in time. Luminaires are not available in all possible combinations of ingress and moisture protection. The most common applications of the IP classifications for luminaires are:

IP20:

Luminaires which can be applied indoors only if no specific pollution rates are expected. Offices, dry, heated industrial halls, shops, shopping malls and theatres are typical application segments.

IP21/22:

Luminaires which can be applied in unheated (industrial) halls and under Canopies as the luminaires are drip-and condensation-water-protected.

IP23:

Luminaires which can be applied in unheated industrial halls or outdoors.

IP43/44:

Luminaires and bollards for outdoor street lighting and street lanterns. Bollards mounted at a low height are protected against small solid objects and against rain and splash. A common combination within an industrial high-bay luminaire or street lantern is IP 43 for the electrical part of the luminaire, to secure safety, and IP 54/65 for the optical part of the luminaire, to prevent pollution of reflector and lamp.

IP 50:

Luminaires which are applied in dusty environments, to prevent rapid pollution of the luminaire. The exterior of IP 50 luminaires can be cleaned easily. In the food industry closed luminaires are specified to prevent glass particles from accidentally broken lamps entering the production area and contaminating the products under preparation. Although ingress protection is specified to protect the luminaire function, it also means that particles cannot leave the luminaires housing. Thereby meeting the specification of the food industry. In the 'wet' food industry luminaires meeting the IP 50 classification shall not be applied.

IP 54:

The traditional water-protected classification. Luminaires can be cleaned with water without any harmful effect. This classification is often specified in the food processing industry, for industries where dust moisture are generated in the hall, and for use under canopies.

IP 60:

Luminaires which are completely sealed against dust accumulation, and are used in very dusty environments (wood and textile industry, stone carving) and in the food industry as explained above. IP 60 luminaires are rarely applied; IP 65/IP 66 is usually applied instead.

IP 65 / 66

Jet-proof luminaires which are applicable where the surroundings are hosed down frequently by water jets, or where luminaires are applied in a dusty environment. Although the luminaires are not fully watertight, the potential ingress of moisture will not have any harmful effect on the luminaire function. IP65/66 luminaires are often available in impact-protected versions.

IP67/68

Luminaires complying with this classification are suitable for immersion in water.

Typical application areas are underwater lighting of swimming pools and fountain lighting.

Deck lighting on ships should also meet this classification. The test method does not imply that IP 67/68 luminaires meet the IP 65/66 classification as well.

| First Number | Description | Explanation | Second Number | Description | Explanation |
|--------------|----------------------------------|---|---------------|--|---|
| 0 | Not protected | Not protected | 0 | Not protected | Non protected against moisture |
| 1 | Hand protected | Protected against solid objects exceeding 50 mm in diameter | 1 | Drip proof against Vertical water drops | Water drips falling vertically shall have no harmful effect. |
| 2 | Finger protected | Protected against finger contact with live parts and against objects exceeding 12 mm in diameter | 2 | Drip-proof when tilted At angles up to 15° | Water drips shall have no harmful effect. |
| 3 | Tool protected | Protected against contact with live parts by tools, wire or similar objects over 2.5 mm thick; and Protection against penetration of Solid objects exceeding 2.5 mm in diameter | 3 | Rain-/Spray Proof | Water falling at an angle of up to 60° shall have no harmful effect. |
| | | | 4 | Splash Proof | Splashing water from any direction shall have no harmful effect. |
| 4 | Wire protected | Protected against contact with Live parts by tools, wire or similar Objects over 1 mm thick; and Protection against penetration of Solid objects exceeding 1mm in diameter | 5 | Jet-Proof | Water protected by a nozzle from any direction shall have no harmful effect. (Nozzle dia 6.3mm, pressure 30 kpa) |
| 5 | Dust accumulation ◆ protected | Complete protection against Contact with live parts and against Harmful accumulation of dust some dust may penetrate but not to the extent that operation is impaired | 6 | Jet-Proof | Water protected by a nozzle from any direction shall have no harmful effect. (Nozzle dia 12.5mm, pressure 100 kpa) |
| 6 | Dust penetration ◆ protected | Complete protection against contact with live parts and against penetration of dust. | 7 | Water tight | Watertight; temporary immersion in water under specified conditions of pressure and time possible without ingress of water in harmful quantities. |
| | | | 8 | Pressure Water tight | Pressure Water tight; continuous submersion in water under specified conditions of time possible without ingress of water in harmful quantities. |

TERMS & CONDITIONS:-

1. The prices quoted above are nett.
2. All local taxes are payable as applicable.
3. Prices are subject to change without prior notice.
4. This cancels all our previous price lists.
5. The above prices are on ex-godown basis.
6. Packing and forwarding charges extra.

All dimensions are in millimeter
 L = Length, B = Breadth, H = Height,
 D = Depth, W = Width.

Custom Design Welcome



Please refer Our
Pavilion Catalogue for
Mirror Lights, Hangings & Wall Lights

Pasolite Electricals Pvt. Ltd.

#24/IA, 2nd Phase, Gerupalya Main Road, Kumbalgodu, Bengaluru - 74
Ph : 080-2843 7568, E-mail : info@pasolite.net, Web : www.pasolite.in

Authorised Dealer

www.pasolite.in