SETTLEMENT ENGINE · TEST REPORT

Tested before it touches a ledger.

The platform's offline suite (an in-memory XRPL), the public repository's own checks, and a visual pass over every screen. What could not be tested from the build environment is listed on the last page.

HACKATHON

1,152 passed

the platform's full offline suite, 1 skipped; the Uphold brand-image test was deselected (its PNGs are not in the build copy)

45 passed · 1 skipped

the deals engine, LiquidSettle, LiquidGate and the migration chain

check.py · all held

every JavaScript module passes node --check; CI runs both on every push

The deals engine — tests/test_iteration59_deals.py

HACKATHON

Every workflow of the engine against an in-memory XRP Ledger that answers like the real one (results, refusals, objects).

TEST	RESULT	WHAT IT PROVES
test_a_purchase_walks_six_steps_with_delivery_versus_payment	PASSED	Create → confirm → agree → pay (two escrows) → picked up (payment leg) → delivered (title leg) → settled.
test_the_fulfillment_is_sealed_and_never_shown	PASSED	The escrow fulfillment is stored sealed and never appears in any API document.
test_an_unapproved_wallet_is_refused_then_the_credential_lets_it_through	PASSED	tecNO_AUTH is a refused state; CredentialCreate → Accept → MPTokenAuthorize → pay succeeds.
test_no_proof_by_the_refund_date_refunds_both_legs	PASSED	After CancelAfter, EscrowCancel returns both legs; not offered before the date.
test_ach_waits_for_the_transfer	PASSED	A bank transfer stays pending (simulated) and locks the price only when it clears.
test_a_loan_pledges_the_au_and_the_ledger_holds_it	PASSED	Pledge → LoanSet with CollateralID → tecPLEDGED probe; price 80 → top-up; what-if; pay down; repay → release.
test_the_demo_seed_makes_the_screenshot_desk	PASSED	The nine seeded deals reproduce the desk of the Figma frames (two need you; 11,000 g in the vault, 10,000 locked).
test_the_desk_runs_every_step_the_customer_only_their_own	PASSED	Fences: a customer runs only their own steps on their own deals; the desk runs every step.
test_new_deal_needs_a_product_the_vault_rules_and_a_customer	PASSED	New-deal validation: product, the vault-only bar, quantity, customer.
test_the_pending_customer_cannot_pay	PASSED	A customer whose KYC is pending cannot reach the payment step.
test_the_migration_has_its_sql_twin	PASSED	The database migration ships a guarded, idempotent SQL twin.
test__dump_for_frontend	SKIPPED	Helper that regenerates the sample data (runs only on request).
test_the_engine_package_is_the_figma_desk_and_stays_csp_clean	PASSED	The engine's files exist, carry no inline script/style, write HTML only through ui.js.

LiquidSettle on the platform — tests/test_iteration51_settle.py

HACKATHON

The app is mounted with a session token, scoped, fenced, and CSP-clean.

TEST	RESULT	WHAT IT PROVES
test_the_desk_lists_every_visible_case_with_a_row_the_app_can_open	PASSED	The desk lists every visible case with a row the app can open.
test_the_delivery_room_follows_the_parcel_and_every_phase_says_what_is_simulated	PASSED	The delivery room follows the parcel and every phase says what is simulated.
test_the_buyers_phone_and_the_bar_passport	PASSED	The buyers phone and the bar passport.
test_the_vault_the_customer_and_the_ladder_come_from_the_loan	PASSED	The vault the customer and the ladder come from the loan.
test_the_presenter_is_gone	PASSED	The presenter is gone.
test_the_fences_scope_ownership_and_the_empty_credential	PASSED	The fences scope ownership and the empty credential.
test_provider_names_and_the_au_rule_helpers	PASSED	Provider names and the au rule helpers.
test_settle_page_mounts_the_app_with_a_session_token_and_serves_its_files	PASSED	Settle page mounts the app with a session token and serves its files.
test_navigation_module_registry_and_config_know_liquidsettle	PASSED	Navigation module registry and config know liquidsettle.
test_the_published_app_never_says_the_metals_name_and_is_csp_clean	PASSED	The published app never says the metals name and is csp clean.
test_the_sdks_and_the_contract_carry_the_settle_route	PASSED	The sdks and the contract carry the settle route.
test_the_handoff_the_gaps_and_the_renders_are_in_the_repo	PASSED	The handoff the gaps and the renders are in the repo.

LiquidGate and this repository — tests/test_iteration49_liquidgate.py

HACKATHON

The API's fences and the published package's hygiene (no secret, no platform import, CSP-clean).

TEST	RESULT	WHAT IT PROVES
test_config_defaults_are_the_playbook_and_overrides_are_versioned	PASSED	Config defaults are the playbook and overrides are versioned.
test_keys_are_shown_once_hashed_scoped_and_expire	PASSED	Keys are shown once hashed scoped and expire.
test_session_tokens_are_stateless_scoped_and_time_limited	PASSED	Session tokens are stateless scoped and time limited.
test_api_fences_credential_scope_origin_rate_limit_and_idempotency	PASSED	Api fences credential scope origin rate limit and idempotency.
test_env_document_is_public_and_the_beats_carry_their_mode	PASSED	Env document is public and the beats carry their mode.
test_descriptors_provenance_and_openapi_are_served_and_complete	PASSED	Descriptors provenance and openapi are served and complete.
test_a_case_runs_through_the_api_with_scopes_and_the_board_prints_each_beat	PASSED	A case runs through the api with scopes and the board prints each beat.
test_the_ladder_is_free_at_price_zero_and_x402_when_priced	PASSED	The ladder is free at price zero and x402 when priced.
test_lending_page_mounts_the_dashboard_with_a_session_token	PASSED	Lending page mounts the dashboard with a session token.
test_admin_desk_creates_keys_saves_configuration_and_guards_the_danger_zone	PASSED	Admin desk creates keys saves configuration and guards the danger zone.
test_navigation_and_module_registry_know_the_lending_desk	PASSED	Navigation and module registry know the lending desk.
test_hackathon_package_has_no_secret_or_platform_import_and_is_csp_clean	PASSED	Hackathon package has no secret or platform import and is csp clean.
test_derived_hackathon_files_are_in_step_with_the_code	PASSED	Derived hackathon files are in step with the code.
test_migration_and_sql_twin_create_the_four_tables	PASSED	Migration and sql twin create the four tables.
test_auth_helpers_board_and_prune	PASSED	Auth helpers board and prune.

The database chain — tests/test_migration_chain.py

HACKATHON

The deals tables arrive through a migration that the chain, the models and the SQL twin agree on.


TEST	RESULT	WHAT IT PROVES
test_no_type_is_created_twice	PASSED	No type is created twice.
test_the_bridgestatus_enum_is_created_exactly_once	PASSED	The bridgestatus enum is created exactly once.
test_the_chain_reaches_the_settlement_head	PASSED	The chain reaches the settlement head.
test_no_table_is_created_twice	PASSED	No table is created twice.
test_wallet_links_end_up_without_a_per_user_unique_constraint	PASSED	Wallet links end up without a per user unique constraint.
test_unique_constraints_in_the_chain_match_the_models	PASSED	Unique constraints in the chain match the models.

Visual pass


HACKATHON

SAMPLE DATA


Every screen captured headless at 1440 px (light, dark) and 390 px, on the repository's sample data: no console error, no horizontal scroll.




01-desk




02-deals




03-approve-pay-refused




04-on-its-way




05-with-usps




06-loan-live




07-what-if-drag




08-ways-out




09-vault



10-money



11-activity



12-architecture

Not covered here

HACKATHON

DEMO

What the build environment could not test, and where the DEMO parts are tested.

Not covered (settlement engine)

- A run on the public XRPL Testnet from this build (the build environment has no route to the ledger) — hence the pending hash register.
- tecNO_AUTH for a token escrow to an unauthorised wallet, as the public Testnet answers it.
- An RL USD vault on the devnet (the engine falls back to an XRP vault).
- The LoanPay flags on our devnet build.
- USPS's own API: scans are typed in by the desk in this version.
- Real ACH and card rails: simulated and labelled.

DEMO CollateralLock — the team's own test logs

CollateralLock suite	`7 cases · 687 checks · 0 failures`
Regression (40 suites)	`2,279 cases · 253,852 checks · 0 failures`
gtest	`934 passed`
Own node, run 3	`tecPLEDGED ×3, release after payoff, default sweep`
Two validators	`23 / 23 transactions on the same ledger hash`

From docs/collateral-lock/CollateralLock_Evidence_and_Hashes.pdf, page 8 (run on the branch build collateral-lock @ 5df6bfbc9).