SELECTED BACKLOG ITEMS	DEV NAME	TASKS NOT STARTED	TASKS IN PROGRESS	TASKS COMPLETED
As an election official	Amelia Lunning			Fix bug where running STV with 1-2 seats results in an OutOfMemory error
I want to be able to process an STV-style election correctly  So that when the Secretary of State announces an election of that type, winners can be	Amelia Lunning		Add additional unit and system tests for STV	
determined.	Amelia Lunning		Adjust unit and system tests for Main accordingly	
Acceptance Criteria:	Baanee Singh		Adjust documentation as necessary	
<ul> <li>STV can handle any number of seats and candidates where the number of seats is less</li> </ul>		Defeates and Audition and display Described	Adjust documentation as necessary	
than or equal to the number of candidates, but greater than zero.  - Ballot shuffling is toggleable and functions correctly	Amelia Lunning	Refactor genAudit() and displayResults()		
Ballot shuffling is toggleable and functions correctly     STV accurately produces the winners and losers of the election				
Definition of Done:				
- Code refactoring				
- Exceptions are handled gracefully				
Exceptions are handled gracefully     In-line documentation is updated     Unit and integration tests are written and pass				
Effort: - Small				
- 2-3 Hours				
PBI Author(s):				
- Baanee Singh, Josh Subhan				
As an election official	Baanee Singh			Edit methods that will parse all info from the headers.
I want to be able to run elections without having to manually input any parameters into the	Baanee Singh			Documentation in-line
system except for the election csy file  So that erroneous or fraudulent information is not given, and elections are secure.	Baanee Singh		Create new unit and system tests (Scanner object as a parameter)	
Acceptance Criteria:	Baanee Singh		, .,,,	Implement new main() logic
System should successfully parse the following from the file:				
- Election type	Baanee Singh			Documentation javadocs
- Number of seats - Number of candidates	Josh Subhan			Refactoring Main
- Number of ballots				
Candidate names     CSV file cannot be modified				
CSV file cannot be modified     CSV file cannot undergo any preprocessing				
Definition of Done:				
- Documentation (JavaDocs, In-line comments)				
Documentation (JavaDocs, In-line comments)     Code refactoring				
Unit and integration tests are written and pass     All exceptions are handled gracefully				
Effort: - Medium				
- 3-4 hours				
PBI Author(s): Josh Subhan				
TDI Additio(s). Vosi Suomaii				
	Zach Larsen			Create MV class
	Zach Larsen			Create MV testing class
	Zach Larsen			Code MV constructor, setDeterministic, startElection methods
	Zach Larsen			Code tabulateVotes() method
	_'			
As an election official	Zach Larsen			Code determine_Winner_Loser() method
I want to be able to process ballots that are designed for a municipal voting style election	Zach Larsen			
				Code settleTies() method
appropriately counted and winners determined				
So that when the Secretary of State announces an election of that type, ballots can be appropriately counted and winners determined	Zach Larsen		Unit teet determine Winner Legar()	Code settleTies() method Unit test tabulateVotes()
Accentance Criteria:	Zach Larsen Zach Larsen		Unit test determine_Winner_Loser()	
Acceptance Criteria: - Election winners are properly determined - Accurately count ballots where a voter has only voted for one candidate	Zach Larsen Zach Larsen Zach Larsen		Unit test settleTies()	
Acceptance Criteria: - Election winners are properly determined - Accurately count ballots where a voter has only voted for one candidate - Accurately count ballots where a voter has voted for more than one candidate	Zach Larsen Zach Larsen			
Acceptance Criteria: - Election winners are properly determined - Accurately count ballots where a voter has only voted for one candidate - Accurately count ballots where a voter has voted for more than one candidate	Zach Larsen Zach Larsen Zach Larsen		Unit test settleTies()	
Acceptance Criteria:  - Election winners are properly determined - Accurately count ballots where a voter has only voted for one candidate - Accurately count ballots where a voter has veted for more than one candidate - Accurately count ballots were a voter has voted for all candidates - Settle a tie between candidates with a fair coin toss mechanism	Zach Larsen Zach Larsen Zach Larsen Zach Larsen		Unit test settleTies() Refactor JavaDocs for DirectSelection class	
Acceptance Criteria:  Election winners are properly determined  Accurately count ballois where a voter has only voted for one candidate  Accurately count ballois were a voter has voted for more than one candidate  Accurately count ballois were a voter has voted for more than one candidate  Settle as the between candidates with a fair coin toss mechanism  Definition of Donc:	Zach Larsen	Create system tests for MV class	Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class	
Acceptance Criteria:  - Recommendation are properly determined Recurricy count hallost where a voter has only voted for one candidate Accurately count hallost where a voter has voted for more than one candidate Accurately count ballost were a voter has voted for all candidates Settle as the between candidates with a fair coin toss mechanism  Definition of Done: - Decommendation (JavaDoss, In-line comments).	Zach Larsen Josh Subhan	Create system tests for MV class	Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class	
Acceptance Criteria:  - Election winners are properly determined - Accurately count ballots where a voter has only voted for one candidate - Accurately count ballots where a voter has voted for more than one candidate - Accurately count ballots were a voter has voted for more than one candidate - Accurately count ballots were a voter has voted for all candidates - Settle a tie between candidates with a fair coin toss mechanism  Definition of Done: - Documentation (JavaDocs, In-line comments).	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Jach Larsen Josh Subhan Josh Subhan	Create system tests for MV class Write out logs for tests	Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class	Unit test tabulateVotes()
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots were a voter has voted for more than one candidate  Accurately count ballots were a voter has voted for all candidates  Settle as the between candidates with a fair coin toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Jach Subhan Josh Subhan Zach Larsen		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots were a voter has voted for more than one candidate  Accurately count ballots were a voter has voted for all candidates  Settle as the between candidates with a fair coin toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Jach Larsen Josh Subhan Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class	Unit test tabulateVotes()
Acceptance Criteria:  Election witmon and properly determined  Election witmon and properly determined  Election witmon and properly determined  Accurately count ballost where a worder has voted for more than one candidate  Accurately count ballost were a worder has voted for all candidates  Settle a tile between candidates with a fair coin toss mechanism  Definition of Done:  Decumentation (Isvaloce, In-line comments).  Lucian of Done and the set of the comments.  Lucian of Done and the set of the comments.  Effort:  Large  5-6-hours	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Jach Subhan Josh Subhan Zach Larsen		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots were a voter has voted for more than one candidate  Accurately count ballots were a voter has voted for all candidates  Settle as the between candidates with a fair coin toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Jach Subhan Josh Subhan Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class
Acceptance Criteria:  Election witmon and properly determined  Election witmon and properly determined  Election witmon and properly determined  Accurately count ballost where a worder has voted for more than one candidate  Accurately count ballost were a worder has voted for all candidates  Settle a tile between candidates with a fair coin toss mechanism  Definition of Done:  Decumentation (Isvaloce, In-line comments).  Lucian of Done and the set of the comments.  Lucian of Done and the set of the comments.  Effort:  Large  5-6-hours	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Jach Subhan Josh Subhan Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots where a voter has only voted for more than one candidate  Accurately count ballots were a voter has voted for all candidates  Settle as the between candidates with a fair coin toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:  Large  5-6 hours  PBI Author(s): Josh Subban	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Josh Subhan Josh Subhan Josh Subhan Josh Subhan Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class
Acceptance Criteria:  - Election witmon at properly determined - Election witmon and properly determined - Election witmon and properly determined - Accurately count ballost where a voter has voted for more than one candidate - Accurately count ballost were a voter has voted for all candidates - Settle as the between candidates with a fair coin toss mechanism  Detinition of Done: - Documentation (JavaDocs, In-line comments) Unit and integration tests are written and pass - All exceptions are handled gracefully  Effort: - Large - 5-6 hours - PBI Author(s): Josh Subhan	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Josh Subhan Josh Subhan Josh Subhan Josh Subhan Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots where a voter has voted for more than one candidate  Accurately count ballots where a voter has voted for more than one candidate  Settle as the street of the settle of the count of the call candidates  Settle as the deviveen candidates with a fine coin toos mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:  1 targe  5-5 hours  PBI Author(s: Josh Subhan	Zach Larsen Josh Subhan Josh Subhan Josh Subhan Josh Subhan Josh Subhan Josh Subhan Baanee Singh		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots where a voter has voted for more than one candidate  Accurately count ballots where a voter has voted for more than one candidate  Settle as the street of the settle of the count of the call candidates  Settle as the deviveen candidates with a fine coin toos mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:  1 targe  5-5 hours  PBI Author(s: Josh Subhan	Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Zach Larsen Josh Subhan Josh Subhan Josh Subhan Josh Subhan Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class
Acceptance Criteria:  Election winners are properly determined.  Election winners are properly determined.  Accurately count balloss where a work has voted for one candidate.  Accurately count balloss where a work has voted for more than one candidate.  Accurately count balloss were a work has voted for all candidates.  Settle a tic between candidates with a fair coin toss mechanism.  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass.  All exceptions are handled gracefully  Effort:  Large  5-6 hours  PBI Author(s): Josh Subhan  As an election official  I want to be able to bring in multiple files from different balloting locations for both STV and Plurality ording.  So that the election dat can be processed and managed efficiently from different locations.	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class
Acceptance Criteria:  - Election witness are properly determined Election witness are properly determined Election witness are properly determined Accurately count ballost where a worter has voted for more than one candidate Accurately count ballost were a worter has voted for more than one candidate Settle as the between candidates with a fair coin toss mechanism  - Detinition of Done: - Documentation (JavaDocs, In-line comments) Unit and integration tests are written and pass - All exceptions are handled gracefully  - Effort: - Large - 5-6 hours - 6-7 hours - 7-7 hour	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election winners are properly determined.  Election winners are properly determined.  Election winners are properly determined.  Accurately count balloss where a worter has only voted for one candidate.  Accurately count balloss were a worter has voted for more than one candidate.  Accurately count balloss were a worter has voted for all candidates.  Settle a tic between candidates with a fair coin toss mechanism.  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass.  All exceptions are handled gracefully.  Effort:  1. Large  5-5 hours  PBI Author(s): Josh Subban  As an election official  I want to be able to bring in multiple files from different balloting locations for both STV and Plantily voting.  So that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to accept multiple gy files when STV or PV are selected as the	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class
Acceptance Criteria:  Election winners are properly determined.  Election winners are properly determined.  Election winners are properly determined.  Accurately count balloss where a worter has only voted for one candidate.  Accurately count balloss were a worter has voted for more than one candidate.  Accurately count balloss were a worter has voted for all candidates.  Settle a tic between candidates with a fair coin toss mechanism.  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass.  All exceptions are handled gracefully.  Effort:  1. Large  5-5 hours  PBI Author(s): Josh Subban  As an election official  I want to be able to bring in multiple files from different balloting locations for both STV and Plantily voting.  So that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to accept multiple gy files when STV or PV are selected as the	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  - Election witmen are properly determined Election witmen and properly determined Election witmen and properly determined Accurately count ballost where a voter has voted for more than one candidate Accurately count ballost were a voter has voted for more than one candidate Accurately count ballost were a voter has voted for all candidates Settle a tel between candidates with a fair coin toss mechanism  - Detinition of Done: - Documentation (JavaDocs, In-line comments) Unit and integration tests are written and pass - All exceptions are handled gracefully  - Effort: - Large - 5-6 hours - 6-6 hours - 7-7 hours - 7-8 hours - 8-7	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots where a voter has only voted for none candidate  Accurately count ballots were a voter has voted for all candidates  Settle as the between candidates with a fair coin toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:  Large  5-6 hours  PBI Authort(s): Josh Subhan  As an election official  I want to be able to bring in multiple files from different balloting locations for both STV and Plurality oving  So that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to accept multiple cay files when STV or PV are selected as the election type  System must be able to stop accepting files when prompted by the user  System must be able to stop accepting files when prompted by the user  System properly collects all the information from ballots in each ear file  Definition of Done:	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only woted for one candidate  Accurately count ballots where a voter has only woted for one candidate  Accurately count ballots were a voter has voted for an extendidate  Accurately count ballots were a voter has voted for all candidates  Settle a tie between candidates with a fair coin toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:  1. Large  5-6 hours  PBI Author(s): Josh Subhan  As an election official  I want to be able to bring in multiple files from different balloting locations for both STV and Plurality voting  Sot that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to accept multiple cay files when STV or PV are selected as the election of Done:  System must be able to accept multiple cay files when prompted by the user  System properly collects all the information from ballots in each csy file  Definition of Done:  Refactoring.	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only woted for one candidate  Accurately count ballots where a voter has only woted for one candidate  Accurately count ballots were a voter has voted for an extendidate  Accurately count ballots were a voter has voted for all candidates  Settle a tie between candidates with a fair coin toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:  1. Large  5-6 hours  PBI Author(s): Josh Subhan  As an election official  I want to be able to bring in multiple files from different balloting locations for both STV and Plurality voting  Sot that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to accept multiple cay files when STV or PV are selected as the election of Done:  System must be able to accept multiple cay files when prompted by the user  System properly collects all the information from ballots in each csy file  Definition of Done:  Refactoring.	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election winners are properly determined  Election winners are properly determined  Accurately count ballots where a voter has voted for one candidate  Accurately count ballots were a voter has voted for more than one candidate  Accurately count ballots were a voter has voted for more than one candidate  Countries are seen and the set of the seen and	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election witmon at properly determined  Election witmon and properly determined  Election witmon and properly determined  Election witmon and properly determined  Accurately count ballost where a work nas voted for more than one candidate  Accurately count ballost were a work nas voted for more than one candidate  Settle a tile between candidates with a fair coin toss mechanism  Definition of Dane:  Definition of Dane:  Line Decemberation (JavaDocs, In-line comments).  Lint and integration tests are written and pass  All exceptions are handled gracefully  Effort:  Large  5-6 hours  PBI Author(s): Josh Subhan  As an election official  Lwant to be able to bring in multiple files from different balloting locations for both STV and Plurality voting.  So that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to accept multiple cast files when STV or PV are selected as the election type  System must be able to accepting files when prompted by the user  System must be able to accepting files when prompted by the user  System properly collects all the information from ballost in each easy file  Definition of Done:  Refactoring are handled gracefully  Locumentation (JavaDocs, In-line comments)  Effort:	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots where a voter has only voted for none candidate  Accurately count ballots were a voter has voted for all candidates  Settle as the between candidates with a fair cost toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:  Large  5-6 hours  PBI Authort(s): Josh Subban  As an election official  I want to be able to bring in multiple files from different balloting locations for both STV and Plurality oving  So that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to stop accepting files when STV or PV are selected as the election type  System must be able to stop accepting files when prompted by the user  System properly collects all the information from ballots in each esy file  Definition of Done:  Refeloring.  Unit and integration tests are written and pass  All exceptions are handled gracefully  Documentation (JavaDocs, In-line comments)  Effort:  Medium	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election witness are properly determined.  Election witness are properly determined.  Election witness are properly determined.  Accurately count ballost where a voter has voted for more than one candidate.  Accurately count ballost were a voter has voted for more than one candidate.  Accurately count ballost were a voter has voted for more than one candidate.  Detinition of Done:  Detinition of Done:  Documentation (JavaDocs, In-line comments).  Luft and integration tests are written and pass.  All exceptions are handled gracefully  Effort:  Large  5-6 hours  PBI Author(s): Josh Subhan  As an election official  L want to be able to bring in multiple files from different balloting locations for both STV and Plurality voting.  So that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to accept multiple say files when STV or PV are selected as the election of the able to accept multiple say files when prompted by the user System must be able to stop acceptance fries when prompted by the user System must be able to stop acceptance fries when prompted by the user System must be able to stop acceptance fries when prompted by the user System must be able to stop acceptance fries when prompted by the user System must be able to stop acceptance fries when prompted by the user System must be able to stop acceptance from the more stop acceptance from the stop	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs
Acceptance Criteria:  Election winners are properly determined  Accurately count ballots where a voter has only voted for one candidate  Accurately count ballots where a voter has only voted for none candidate  Accurately count ballots were a voter has voted for all candidates  Settle as the between candidates with a fair cost toss mechanism  Definition of Done:  Documentation (JavaDocs, In-line comments).  Unit and integration tests are written and pass  All exceptions are handled gracefully  Effort:  Large  5-6 hours  PBI Authort(s): Josh Subban  As an election official  I want to be able to bring in multiple files from different balloting locations for both STV and Plurality oving  So that the election data can be processed and managed efficiently from different locations.  Acceptance Criteria:  System must be able to stop accepting files when STV or PV are selected as the election type  System must be able to stop accepting files when prompted by the user  System properly collects all the information from ballots in each esy file  Definition of Done:  Refeloring.  Unit and integration tests are written and pass  All exceptions are handled gracefully  Documentation (JavaDocs, In-line comments)  Effort:  Medium	Zach Larsen Josh Subhan		Unit test settleTies() Refactor JavaDocs for DirectSelection class Create JavaDocs for MV testing class Create in-line comments for MV class  Create in-line comments for MV class  Create unit and integration tests Documentation in-line	Unit test tabulateVotes()  Refactor plurality and MV inheritance structure Refactor abstract Election class Create new DirectSelection abstract class  Create a function to handle multiple file inputs