Jobs

Generated by Talend Integration Cloud Hybrid Edition

Project Name	latham_talend_project	GENERATION DATE	Sep 12, 2017 10:24:52 AM
AUTHOR	Stana, Baard	Talend Integration Cloud VERSION	6.3.1.20161216_1026

Summary

Project Description

Properties	Values
Name	latham_talend_project
Language	java

Description	Latham Talend Code

Description

Properties	Values
Name	Archive_FLP060_S21_InitialLoad
Author	Stana, Baard
Version	0.1
Purpose	Load data from System 21
Status	
Description	Truncate the Extract table in LDW and repopulate with a full load from System 21
Creation	May 1, 2017 8:34:06 AM
Modification	Sep 12, 2017 10:24:45 AM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false

Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Ty
SK_Batch_Parent	SK_Batch_Parent?	false	id
parameter_LDW_DWH_bulkFileFolder	parameter_LDW_DWH_bulkFileFolder?	false	id
parameter_LDW_DWH_environment	parameter_LDW_DWH_environment?	false	id
parameter_LDW_DWH_AdditionalParams	parameter_LDW_DWH_AdditionalParams?	false	id

parameter_LDW_DWH_Database	parameter_LDW_DWH_Database?	false	id
parameter_LDW_DWH_Login	parameter_LDW_DWH_Login?	false	id
parameter_LDW_DWH_Password	parameter_LDW_DWH_Password?	false	id
parameter_LDW_DWH_Port	parameter_LDW_DWH_Port?	false	id
parameter_LDW_DWH_Server	parameter_LDW_DWH_Server?	false	id
parameter_LDW_Staging_AdditionalParams	parameter_LDW_Staging_AdditionalParams?	false	id
parameter_LDW_Staging_Database	parameter_LDW_Staging_Database?	false	id
parameter_LDW_Staging_Login	parameter_LDW_Staging_Login?	false	id
parameter_LDW_Staging_Password	parameter_LDW_Staging_Password?	false	id
parameter_LDW_Staging_Port	parameter_LDW_Staging_Port?	false	id
parameter_LDW_Staging_Server	parameter_LDW_Staging_Server?	false	id

ContextProd

Name	Prompt	Need Prompt?	Ty
SK_Batch_Parent	SK_Batch_Parent?	false	id
parameter_LDW_DWH_bulkFileFolder	parameter_LDW_DWH_bulkFileFolder?	false	id
parameter_LDW_DWH_environment	parameter_LDW_DWH_environment?	false	id

parameter_LDW_DWH_AdditionalParams	parameter_LDW_DWH_AdditionalParams?	false	id
parameter_LDW_DWH_Database	parameter_LDW_DWH_Database?	false	id
parameter_LDW_DWH_Login	parameter_LDW_DWH_Login?	false	id
parameter_LDW_DWH_Password	parameter_LDW_DWH_Password?	false	id
parameter_LDW_DWH_Port	parameter_LDW_DWH_Port?	false	id
parameter_LDW_DWH_Server	parameter_LDW_DWH_Server?	false	id
parameter_LDW_Staging_AdditionalParams	parameter_LDW_Staging_AdditionalParams?	false	id
parameter_LDW_Staging_Database	parameter_LDW_Staging_Database?	false	id
parameter_LDW_Staging_Login	parameter_LDW_Staging_Login?	false	id
parameter_LDW_Staging_Password	parameter_LDW_Staging_Password?	false	id
parameter_LDW_Staging_Port	parameter_LDW_Staging_Port?	false	id
parameter_LDW_Staging_Server	parameter_LDW_Staging_Server?	false	id

Component List

Component Name	Component Type
tMysqlBulkExec_1	tMysqlBulkExec
tMysqlConnection_1	tMysqlConnection

tMysqlInput_1	tMysqlInput
tMysqlOutputBulk_1	tMysqlOutputBulk
tMysqlRow_1	tMysqlRow
tPostjob_1	tPostjob
tPrejob_1	tPrejob
tRunJob_1	tRunJob
tRunJob_2	tRunJob
tSetGlobalVar_1	tSetGlobalVar
tSetGlobalVar_2	tSetGlobalVar
tSetGlobalVar_3	tSetGlobalVar

Components Description

Component   tMysqlBulkExec

	UNIQUE NAME	tMysqlBulkExec_1	INPUT(S)	tMysqlInput_1
	LABEL	BulkLoad	OUTPUT(S)	tSetGlobalVar_2

Component Parameters:

Properties	Values
Unique Name	tMysqlBulkExec_1

Component Name	tMysqlBulkExec
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlBulkExec
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configurat
Subjob color	
Title color	
Enable parallel execution	false

Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):LDW_Staging
DB Version	MYSQL_5
Use an existing connection	false
Component List	tMysqlConnection_2
!!!TYPE.NAME!!!	MYSQL
Host	context.parameter_LDW_Staging_Server
Port	context.parameter_LDW_Staging_Port
Database	context.parameter_LDW_Staging_Database
Username	context.parameter_LDW_Staging_Login
Password	context.parameter_LDW_Staging_Password
Action on table	DROP_IF_EXISTS_AND_CREATE
Table	(String) globalMap.get("tableName")
Local filename	context.parameter_LDW_DWH_bulkFileFolder + (String) globalMap.get("tableName") + ".txt"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Mapping	mysql_id
Additional JDBC Parameters	context.parameter_LDW_Staging_AdditionalParams
Lines terminated by	"\n"
Fields terminated by	";"
Escaped by	"\\"
Enclosed by	"\""
Action on data	INSERT
Records contain NULL value	true
Encoding	"ISO-8859-15"
Label format	BulkLoad
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlBulkExec_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
CONO60	false	String	2		false	
PMTP60	false	String	4		false	
PMCD60	false	String	10		false	
VAL160	false	float	15	2	false	
VAL260	false	float	15	2	false	
DESC60	false	String	30		false	
CODE60	false	String	10		false	
PMLN60	false	float	2		false	
ACTF60	false	String	1		false	
NFL160	false	String	1		false	
NFL260	false	String	2		false	
NFL360	false	String	10		false	
BESD60	false	String	10		false	
StartOfTime	false	java.util.Date	19		true	
EndOfTime	false	java.util.Date	19		true	
StartOfTimeKey	false	Integer	11		true	

EndOfTimeKey	false	Integer	11		true	
IsCurrent	false	long	1		false	

Original Function Parameters:
Component   tMysqlConnection

	UNIQUE NAME	tMysqlConnection_1	INPUT(S)	tSetGlobalVar_1
	LABEL	OpenConnectionStaging	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMysqlConnection_1
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/MySQL|ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	repository: DB (MYSQL):LDW_Staging
DB Version	MYSQL_5
Host	context.parameter_LDW_Staging_Server
Database Driver	MYSQL
Port	context.parameter_LDW_Staging_Port
Database	context.parameter_LDW_Staging_Database

Additional JDBC Parameters	context.parameter_LDW_Staging_AdditionalParams
Username	context.parameter_LDW_Staging_Login
Password	context.parameter_LDW_Staging_Password
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	true
Shared DB Connection Name	"LDW_Staging"
Specify a data source alias	false
Data source alias	""
Auto Commit	true
Label format	OpenConnectionStaging
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	

Original Function Parameters:
Component   tMysqlInput

	UNIQUE NAME	tMysqlInput_1	INPUT(S)	tMysqlRow_1
	LABEL	Extract	OUTPUT(S)	tMysqlOutputBulk_1 , tMysqlBulkExec_1

Component Parameters:

Properties	Values
Unique Name	tMysqlInput_1
Component Name	tMysqlInput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configurat
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	true
Component List	tMysqlConnection_1
Host	""
Port	"3306"
Database	""

Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	(String) globalMap.get("extractName")
Query Type	Built-In
Guess Schema	""
Query	"select e.*, n.StartOfTime, n.EndOfTime, n.StartOfTimeKey n.EndOfTimeKey, 1 AS IsCurrent from Extract_FLP060_DI join LDW_" + context.parameter_LDW_DWH_environment ".Meta_Now n ON 1=1;"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	true
Trim all the String/Char columns	false

Trim column	[{TRIM=false, SCHEMA_COLUMN=CONO60}, {TRIM=fals SCHEMA_COLUMN=PMTP60}, {TRIM=false, SCHEMA_COLUMN=PMCD60}, {TRIM=false, SCHEMA_COLUMN=VAL160}, {TRIM=false, SCHEMA_COLUMN=VAL260}, {TRIM=false, SCHEMA_COLUMN=DESC60}, {TRIM=false, SCHEMA_COLUMN=CODE60}, {TRIM=false, SCHEMA_COLUMN=PMLN60}, {TRIM=false, SCHEMA_COLUMN=ACTF60}, {TRIM=false, SCHEMA_COLUMN=NFL160}, {TRIM=false, SCHEMA_COLUMN=NFL260}, {TRIM=false, SCHEMA_COLUMN=NFL360}, {TRIM=false, SCHEMA_COLUMN=BESD60}, {TRIM=false, SCHEMA_COLUMN=StartOfTime}, {TRIM=false, SCHEMA_COLUMN=EndOfTime}, {TRIM=false, SCHEMA_COLUMN=StartOfTimeKey}, {TRIM=false, SCHEMA_COLUMN=EndOfTimeKey}, {TRIM=false, SCHEMA_COLUMN=IsCurrent}]
Label format	Extract
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlInput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
CONO60	false	String	2		false	
PMTP60	false	String	4		false	

PMCD60	false	String	10		false	
VAL160	false	float	15	2	false	
VAL260	false	float	15	2	false	
DESC60	false	String	30		false	
CODE60	false	String	10		false	
PMLN60	false	float	2		false	
ACTF60	false	String	1		false	
NFL160	false	String	1		false	
NFL260	false	String	2		false	
NFL360	false	String	10		false	
BESD60	false	String	10		false	
StartOfTime	false	java.util.Date	19		true	
EndOfTime	false	java.util.Date	19		true	
StartOfTimeKey	false	Integer	11		true	
EndOfTimeKey	false	Integer	11		true	
IsCurrent	false	long	1		false	

Original Function Parameters:
Component   tMysqlOutputBulk

	UNIQUE NAME	tMysqlOutputBulk_1	INPUT(S)	tMysqlIInput_1
	LABEL	BulkOutput	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMysqlOutputBulk_1
Component Name	tMysqlOutputBulk
Version	0.101 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutputBulk
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configurat
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
File Name	context.parameter_LDW_DWH_bulkFileFolder + (String) globalMap.get("tableName") + ".txt"
Append	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Row Separator	"\n"
Field Separator	";"
Escape char	"\\"
Text enclosure	"\""
Create directory if does not exist	true
Custom the flush buffer size	false

Row number	1
Records contain NULL value	true
Check disk space	false
Encoding	"ISO-8859-15"
Label format	BulkOutput
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlOutputBulk_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
CONO60	false	String	2		false	
PMTP60	false	String	4		false	
PMCD60	false	String	10		false	
VAL160	false	float	15	2	false	

VAL260	false	float	15	2	false	
DESC60	false	String	30		false	
CODE60	false	String	10		false	
PMLN60	false	float	2		false	
ACTF60	false	String	1		false	
NFL160	false	String	1		false	
NFL260	false	String	2		false	
NFL360	false	String	10		false	
BESD60	false	String	10		false	
StartOfTime	false	java.util.Date	19		true	
EndOfTime	false	java.util.Date	19		true	
StartOfTimeKey	false	Integer	11		true	
EndOfTimeKey	false	Integer	11		true	
IsCurrent	false	long	1		false	

Original Function Parameters:
Component   tMysqlRow

	UNIQUE NAME	tMysqlRow_1	INPUT(S)	tSetGlobalVar_3

LABEL	CreateArchive	OUTPUT(S)	tMysqlInput_1

Component Parameters:

Properties	Values
Unique Name	tMysqlRow_1
Component Name	tMysqlRow
Version	0.102 (ALPHA)
Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlRow
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configurat
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	true
Component List	tMysqlConnection_1
Host	""
Port	"3306"
Database	""
Database Driver	MySQL
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Reject Schema	Built-In
Table Name	(String) globalMap.get("tableName")
Query Type	Built-In
Query	"CALL CreateArchiveTable('" + (String) globalMap.get("extractName") + "', '" + context.parameter_LDW_DWH_environment + "', null);"
Specify a data source alias	false
Data source alias	""
Die on error	true
Additional JDBC Parameters	""
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	10000
Label format	CreateArchive

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tPostjob

	UNIQUE NAME	tPostjob_1	INPUT(S)	none
	LABEL	PostJob	OUTPUT(S)	tRunJob_2

Component Parameters:

Properties	Values
Unique Name	tPostjob_1
Component Name	tPostjob
Version	0.102 (ALPHA)
Family	Orchestration

Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
	false

Label format	PostJob
Hint format	\<b\>__UNIQUE_NAME__\</b\>\<br\>__COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tPrejob

	UNIQUE NAME	tPrejob_1	INPUT(S)	none
	LABEL	PreJob	OUTPUT(S)	tRunJob_1

Component Parameters:

Properties	Values
Unique Name	tPrejob_1
Component Name	tPrejob
Version	0.102 (ALPHA)
Family	Orchestration

Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
	false

Label format	PreJob
Hint format	__UNIQUE_NAME__\\ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tRunJob

	UNIQUE NAME	tRunJob_1	INPUT(S)	tPrejob_1
	LABEL	__PROCESS__	OUTPUT(S)	tSetGlobalVar_1

Component Parameters:

Properties	Values
Unique Name	tRunJob_1
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System|Orchestration

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configurat
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Use dynamic job	false
Context job	
Job	Init_Job
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[{PARAM_NAME_COLUMN=SK_Batch_Parent, PARAM_VALUE_COLUMN=context.SK_Batch_Parent}, {PARAM_NAME_COLUMN=parentJobName, PARAM_VALUE_COLUMN=jobName}]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
SK_Batch	false	int			false	
tableName	false	String			false	

Original Function Parameters:
Component   tRunJob

UNIQUE NAME	tRunJob_2	INPUT(S)	tPostjob_1	
LABEL	__PROCESS__	OUTPUT(S)	none	

Component Parameters:

Properties	Values
Unique Name	tRunJob_2
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System|Orchestration

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configurat
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	true

Schema	Built-In
Use dynamic job	false
Context job	
Job	End_Job
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[{PARAM_NAME_COLUMN=SK_Batch, PARAM_VALUE_COLUMN=(Integer) globalMap.get("SK_I {PARAM_NAME_COLUMN=loadOutcome, PARAM_VALUE_COLUMN=(String) globalMap.get("loadOutcome")}, {PARAM_NAME_COLUMN=rowsProcessed, PARAM_VALUE_COLUMN=(Integer) globalMap.get("rowsProcessed")}]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	__PROCESS__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
OutcomeId	false	Integer			true	

Original Function Parameters:
Component   tSetGlobalVar

	UNIQUE NAME	tSetGlobalVar_1	INPUT(S)	tRunJob_1
	LABEL	AddBatchIdToVariables	OUTPUT(S)	tMysqlConnection_1

Component Parameters:

Properties	Values
Unique Name	tSetGlobalVar_1
Component Name	tSetGlobalVar
Version	0.101 (ALPHA)

Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSetGlobalVar
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Variables	[{VALUE=BatchId.SK_Batch, KEY="SK_Batch"}, {VALUE=BatchId.tableName, KEY="tableName"}, {VALUE="Failed", KEY="loadOutcome"}]
Schema	Built-In
Label format	AddBatchIdToVariables
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSetGlobalVar_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
SK_Batch	false	int			false	
tableName	false	String			false	

Original Function Parameters:
Component   tSetGlobalVar

	UNIQUE NAME	tSetGlobalVar_2	INPUT(S)	tMysqlBulkExec_1
2→A 3→B				

	LABEL	JobSucceeded	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tSetGlobalVar_2
Component Name	tSetGlobalVar
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSetGlobalVar
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Variables	[{VALUE="Succeeded", KEY="loadOutcome"}, {VALUE=globalMap.get("tAS400Input_1_NB_LINE"), KEY="rowsProcessed"}]
Schema	Built-In
Label format	JobSucceeded
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSetGlobalVar_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tSetGlobalVar

	UNIQUE NAME	tSetGlobalVar_3	INPUT(S)	none
	LABEL	GetExtractName	OUTPUT(S)	tMysqlRow_1

Component Parameters:

Properties	Values
Unique Name	tSetGlobalVar_3
Component Name	tSetGlobalVar
Version	0.101 (ALPHA)
Family	Custom_Code
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tSetGlobalVar
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-Cloud-20161216_1026-V6.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Variables	[{VALUE=StringHandling.EREPLACE((String) globalMap.get("tableName"),"Archive","Extract"), KEY="extractName"}]
Schema	Built-In
Label format	GetExtractName
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tSetGlobalVar_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
SK_Batch	false	int			false	
tableName	false	String			false	

Original Function Parameters: