

Project folder Guide for molecular docking

Description of the project: Molecular docking on drug discovery. Computational assessment of 4 Bioactive compound __ and the compound include Gedumin, Nimbin, Nimbolide and other one I didn't remember for now!! And these compound against pfMDR1 with pdb format (PDB id 9WS4) ... no much time to discuss further on project introduction (but I am always available for discussion further on the project or meet Mal Ali for further literature).

Project Folder Structure and filling;

1. Retrive Protein RCB folder: In this folder there is raw protein retrieve from protein data bank in pdb format (9WS4).
2. Retrive ligands folder: In this folder there are three Bioactive compounds as sdf format.
3. Prepared protein folder: There are three folders here, 1. Active site folder; containing amino acid residue at catalytic tried of pfMDR1. 2. Clean_protein folder; containing prepared cleaned protein (free from water, crista ions, inhibitors and others things...) 3. Docking_ready_protein; containing receptor (protein) that is being optimized using auto dock tools and ready for docking in pdbqt format.

4. Prepared ligand folder: containing two folders. 1. Ligand pdb folder. i.e retrieve ligand sdf converted to pdb format using open babel.... 2. Ligand pdbqt folder; containing all the optimized ligand that are dock ready.
5. Result folder: this folder contain multiple important files and folders such files and folder such files include. 1. Config.txt, 2. Gedunin.pdbqt, 3. Numbin.pdbqt, 4. Nimbolide.pdbqt, and receptor (protein) pfMDR1_clean.pdqt and also the docking result of all these bioactive compounds named after all the respective result files e.g result_gedunin.pdbqt, result_nimbin.pdqt, and result_nimbolide.pdbqt... Folder include; 1. Complex; containing all the ligands protein complexes and the docking results in pdb format (for the complex simulation) and 2. Toxicity report folder; this folder containing toxicology report of each of the bioactive compounds and pls check the screen shot folder for the ADMET report if you needed it together.
6. Screenshot folder: This folder consist of all the necessary images and figures, from active site identification of the catalytic treid of pfMDR1, ligand binding active site complex, interaction analysis i.e amino acid residue interaction of respective ligands with receptor (using biovia discovery studio) and also molecular docking summary result of each ligand using autodock vina.

*Helixbridge Teknology,
Head of Technical Team*

20th August, 2026

© 2026 HelixBridge Technology. All rights reserved.