

LEGENDS:

TEMPORARY S WALL

DENOTES SOIL PER DETAIL

DENOTES 1 : SLOPE SEE ELEVATION

F.O. INITIAL LAY SHOTCRETE

SPLAY ANGLE

SPLAY ANGLE

PLAN VIEW

F.O. INITIAL LAYER SHOTCRETE

B.O. EXCAV.

SECTION VIEW

NOTE:

1) FOR TOP AND BOTTOM OF SHORING WALL SEE ELEVATIONS, SH3.00.


2) INCLINATION ANGLE, SPLAY ANGLE AND NAIL ELEVATION OF SOIL NAILS AT BENDS ARE TO BE ADJUSTED IN THE FIELD NOT TO INTERFERE WITH EACH OTHERS.

* TOLERANCE FOR LOCATION OF SOILNAIL = $\pm 1'-0"$

* TOLERANCE FOR INCLINATION OF SOILNAIL = $\pm 5^\circ$


ABBREVIATION:

B.O.	BOTTOM OF
DIA.	DIAMETER
EL.	ELEVATION
E.W.	EACH WAY
F.O.	FACE OF
O.C.	ON CENTER
O.G.	ORIGINAL GRADE
P.L.	PROPERTY LINE
R.G.	RE-GRADE
T.O.	TOP OF
U.N.W.	UNLESS NOTED OTHERWISE
V.I.F.	VERIFY IN FIELD
(E)	EXISTING
(N)	NEW




SCALE:

SCALE:



1

SCALE:




2


SCAIF:

3

SCALE.




1 SECTION @ WALL A
SCALE: 3/16"=1'-0"




NOTE:
1) BUILDING 3 CONSTRUCTION SHALL NOT BEGIN BEFORE STRUCTURAL WALL IS BUILT IN FRONT OF EARTH RETENTION SYSTEM AT WALL D.
2) SOIL NAIL(S) MAY BE REMOVED TO ACCOMMODATE BUILDING 3 CONSTRUCTION AFTER THE STRUCTURAL WALL IS BUILT IN FRONT OF EARTH RETENTION SYSTEM AT WALL D.

3 SECTION AT WALL D/BUILDING 3
SCALE: 3/16"=1'-0"



2 SECTION @ WALL C
SCALE: 3/16"=1'-0"



NOTE:
1) BUILDING 4 CONSTRUCTION SHALL NOT BEGIN BEFORE EARTH RETENTION SYSTEM IS FINISHED AT WALL D.

4 SECTION AT WALL D / BUILDING 4
SCALE: 3/16"=1'-0"



- 7 PARTIAL WALL ELEVATION DETAIL
SH5.00 3/8" = 1'-0" SCALE

