Interface Control Document

SDG-SSIS-GatewayOAuthToken
Rest API *Specification*

V 1.0

This document is classified as "**Confidential - Category B**"

Copyright © Smart Dubai Government Establishment. 2026. All rights reserved.

No Part of this work may be reproduced or transmitted in any form or by any means, electronic, manual, photocopying, recording or by any information storage and retrieval system, without prior written permission of Dubai Digital Authority Establishment.

Contents

1. Introduction 4

Architecture Diagram 4

2. Functional Requirements 4

Service Metadata 4

REST Operations 5

1. {baseURL}/secure/ssis/gatewaytoken/1.0.0/getAccessToken 5

HTTP Status Codes 6

3. Security 6

4. Non-Functional Requirements 7

5. Service/API Endpoints/ BaseURLs 7

6. Logging Strategy 7

7. Error Handling Strategy 7

8. Consumer Application 7

8. API Protection Policy 8

9. Point of Contacts – Source System 8

10. Point of Contacts – Target System 8

11. Terms and Conditions 9

Revision History

Version	Date	Change	Change Author
1.0	16 APIRL 2026	Initial Version	Dinesh

1. Introduction

As part of Integration requirement, DDA iPaaS exposed OAuth2 API which enable consumers to get oAuth2 token and access the iPaaS API.

Architecture Diagram



2. Functional Requirements

Service Metadata

	Source	Target
Entity	Public User	DDA
Message Type	JSON	JSON
Communication Mechanism	REST/ HTTPS	REST/ HTTPS
SSL Enabled?	YES	YES

REST Operations

1. {baseURL}/secure/ssis/dubaiai/gatewaytoken/1.0.0/getAccessToken

Method	POST			
Security	Custom Header			
	Request Payload			
Request Parameters	Name	Type	Required	Description
Header Parameter	x-DDA-SecurityApplicationIdentifier	String	Mandatory	iPaaS consumer Security Identifier key. Shared by DDA team.
	grant_type	String	Mandatory	
	client_id	String	Mandatory	
	client_secret	String	Mandatory	
	scope	String	Optional	
Sample Request	curl --location --request POST {baseURL/secure/ssis/dubaiai/gatewaytoken/1.0.0/getAccessToken' \ --header 'x-DDA-SecurityApplicationIdentifier: Identifier key\ --header 'Content-Type: application/json' \ --data-raw '{ "grant_type":"client_credentials", "client_id":"client ID value", "client_secret":" client secret " }'			
	Response Payload			
Response Parameters	Name	Type	Required	Description
	Message	String	Mandatory	

Sample Success Response	{
	"access_token": "32b61aa5b24d4ab8a548a7b9e75012171c94f445016d473baab68dd9276f8c11",
	"token_type": "Bearer",
	"expires_in": 3600,
	"scope": "authz"
	}			

Error response		{ "Exception": "iPaaS API Gateway has encountered an error. Error Message: Unauthorized application request. Request Details: iPaaS Service - SDG-SSIS-GatewayOAuthToken, Operation - /getAccessToken, Invocation Time:3:52:13 PM, Date:Jul 10, 2023, Client IP - 213.42.48.10, User - Default and iPaaS Application:sys:defaultApplication" }

HTTP Status Codes

HTTP Status Codes	Description
200	Success. Response received
204	No Content
400	Not all required parameters provided.
401	Unauthorized, Invalid or no credentials provided
403	Forbidden. Invalid credentials i.e. Wrong username or password
404	Not Found
405	Method not allowed. Invalid method sent for calling the API.
500	Server Error.
503	Service Under maintenance

3. Security

The Webservice is secured using API Key. The key must be sent in HTTP header as follows

x-gateway-apikey : <value of the key>

#	Security Requirements	Comments	Action(If Yes)
SEC001	Is there any sensitive or confidential information as part of the service request?	No	Messages will not be logged
SEC002	Is there any sensitive or confidential information as part of the service response?	No	Messages will not be logged
SEC003	Is there any personally identifiable information (PI) as part of the service request?	No	Messages will not be logged
SEC004	Is there any personally identifiable information (PI) as part of the service response?	No	Messages will not be logged

Note: If the answer to any of the questions under Security Requirements is **Yes**, iPaaS will not log request /response payloads of the service.

4. Non-Functional Requirements

#	Non-Functional Requirements	Sample Values	Service Specification
NFR001	Nature of the interface	Real-time Synchronous/ Real-time Asynchronous/ Batch	
NFR002	Volume of transactions/day	100 request/day	
NFR003	Size of request and response message per transaction	Request – 2 KB Response – 10 KB	
NFR004	Peak volume/minute	requests/min	

5. Service/API Endpoints/ BaseURLs

Service Name	Operation	Environment	Endpoint
DDA URLs			
SDG-SSIS-GatewayOAuthToken	POST	STG	https://stg-apis.data.dubai
	POST	PROD	https://apis.data.dubai

6. Logging Strategy

<< Standard logging as described in <Confluence Link> >>

7. Error Handling Strategy

<< Standard error handling as described in <Confluence Link> >>

8. Consumer Application

Consumer Application(s)		
#	Application Name*	Scope and description of the application*
APP001		

8. API Protection Policy

Please note that below two additional API protection policies are added to the API.

Rate Limits: To protect the systems, a rate limit is enforced to restrict the number of concurrent calls.

Circuit Breaker: If the native service timeouts, the API will be suspended for brief period of 5 seconds for the downstream systems to heal.

9. Point of Contacts – Source System

Consumer Point of Contact (PoC)				
Contact Type*	Role	Contact Name	Official Email Id*	Direct Contact Number
Business*	Business point of contact is a Contact person or a department serving as the business coordinator or focal point of information concerning the subjected service			
Business	Business point of contact is a Contact person or a department serving as the business coordinator or focal point of information concerning the subjected service			
Technical*	Technical point of contact is a Contact person or a department serving as the technical integration coordinator or focal point of information concerning the subjected service			
Technical	Technical point of contact is a Contact person or a department serving as the technical integration coordinator or focal point of information concerning the subjected service			

10. Point of Contacts – Target System

In case of any further questions, please submit your queries through the "Contact Us" form on the Data Dubai portal → https://data.dubai/en/contact-us

11. Terms and Conditions

Terms and Conditions
It is agreed between parties involved in the integration that no part of this work may be reproduced or transmitted in any form or by any means, electronic, manual, photocopying, recording or by any information storage and retrieval system, without prior written permission of Dubai Digital Authority (DDA). It is the responsibility of integrated parties to securely process and store information, with prior approval from the owner of data, exchanged through the integration layer. DDA will not be responsible for the mishandling of information retrieved or pushed through DDA's integration platform by any of the parties involved in the integration. Additionally, Integrated parties are responsible for securing the access credentials issued to individual entities to consume services through DDA's integration platform. Abuse or Mismanagement of credentials would lead to revocation of access to services offered through DDA integration platform. Upon Production roll out, any service degradation or service disruption or unplanned outages from any party involved in the integration which can potentially cause a negative impact on the service offerings of integrated parties need to be addressed promptly. Planned outages or service disruptions at any of the integrated parties need to be formally communicated upfront.