

Wireshark • Go Deep | Download

You are signed in as 992404206

Google Account

Login Test

+

←

→

↻

⚠ Not secure

vbsca.ca/login/login.asp

Login Test

Username:

Password:

Login

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
976	7.583481500	10.10.39.169	199.232.214.172	HTTP	335	GET /msdownload/update/v3/static/trustedre/en/authrootst1.cab?6a5b9c92c2be60f8 HTTP/1.1
1009	7.850365000	199.232.214.172	10.10.39.169	HTTP	256	HTTP/1.1 304 Not Modified
1027	7.988916100	10.10.39.169	23.41.121.106	HTTP	281	GET / HTTP/1.1
1032	8.091924400	23.41.121.106	10.10.39.169	HTTP	517	HTTP/1.1 304 Not Modified
3806	18.690596500	10.10.39.169	23.155.129.172	HTTP	614	GET /login/login.asp HTTP/1.1
3968	19.493187500	23.155.129.172	10.10.39.169	HTTP	732	HTTP/1.1 200 OK (text/html)
6685	38.712797000	10.10.39.169	23.34.81.42	HTTP	165	GET /connecttest.txt HTTP/1.1
6692	38.814594600	23.34.81.42	10.10.39.169	HTTP	241	HTTP/1.1 200 OK (text/plain)
6703	39.086682800	10.10.39.169	23.155.129.172	HTTP	797	POST /login/login_results.asp HTTP/1.1 (application/x-www-form-urlencoded)
6814	39.527143400	23.155.129.172	10.10.39.169	HTTP	143	HTTP/1.1 100 Continue
6873	40.043199400	23.155.129.172	10.10.39.169	HTTP	376	HTTP/1.1 200 OK (text/html)

> Frame 6703: Packet, 797 bytes on wire (6376 bits), 797 bytes captured (6376 bits) on interface \Device\NPF{...}

> Ethernet II, Src: AzureWaveTec_7e:eb:00 (1c:ce:51:7e:eb:00), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)

> Internet Protocol Version 4, Src: 10.10.39.169, Dst: 23.155.129.172

> Transmission Control Protocol, Src Port: 63079, Dst Port: 80, Seq: 561, Ack: 679, Len: 743

> Hypertext Transfer Protocol

> HTML Form URL Encoded: application/x-www-form-urlencoded

- > Form item: "txtUsername" = "baba yogesh"
- > Form item: "txtPassword" = "9924041072"

0100 63 61 74 69 6f 6e 2f 78 68 74 6d 6c 2b 78 6d 6c cation/x.html+xml
0101 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 6d 6c ,application/xml
0102 3b 71 3d 30 2e 39 2c 69 6d 61 67 65 2f 61 76 69 jq=0.9, image/avi
0103 66 2c 69 6d 61 67 65 2f 77 65 62 70 2c 69 6d 61 f,image/webp,image/png,
0104 67 65 2f 61 70 6c 67 2c 2a 2f 2a 3b 71 3d 30 2e */;q=0.8,application/si
0200 38 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 73 69 S,application/si
0201 67 6e 65 64 2d 65 78 63 69 61 6e 67 65 3b 76 3d gned-encoding=v=br;q=0.7 - Refer
0202 62 33 3b 71 3d 30 2e 37 0d 0a 52 65 66 65 72 65 r: http://vbsca
0203 72 3a 20 68 74 74 70 3a 2f 2f 76 62 73 63 61 2e ca/login/login.a
0204 63 61 2f 6c 6f 67 69 6e 2f 6c 6f 67 69 6e 2e 61 sp-Accept-Encod
0205 73 70 0d 0a 41 63 63 65 70 74 2d 45 6e 63 6f 64 ing: gzip, defla
0206 69 6e 67 3a 20 67 7a 69 70 2c 20 64 65 66 6c 61 te-Accept-Langu
0207 74 65 0d 0a 41 63 63 65 70 74 2d 4c 61 6e 67 75 age: en-IN,en-GB
0208 61 67 65 3a 20 65 6e 2d 49 4e 2c 65 6e 2d 47 42 jq=0.9,en-US;q=0
0209 3b 71 3d 30 2e 39 2c 65 6e 2d 55 53 3b 71 3d 30 .8,en;q=0.7,hi;q
0210 2e 38 2c 65 6e 3b 71 3d 30 2e 37 2c 68 69 3b 71 =0.6 - Cookie: AS
0211 50 53 45 53 53 49 4f 4e 49 44 51 43 42 53 41 52 PSESSION IDQCBSAR
0212 44 44 3d 4d 48 4c 4b 47 41 48 44 49 42 49 42 4b DD=MHKKG ANDIBIK
0213 48 4e 4f 4e 48 46 4c 4e 43 4a 48 0d 0a 0d 0a 7d HIONHFLN CJH-...
0214 78 74 55 73 65 72 6e 61 6d 65 3d 62 61 62 61 2b xtUsername=baba
0300 79 6f 67 65 73 68 26 74 78 74 50 61 73 73 77 6f yogesh&txtPassw
0310 72 64 3d 39 39 32 34 30 3d 31 30 37 32 d=9924041072

HTML Form URL Encoded (urlencoded-form), 46 bytes

Packets: 9377 - Displayed: 11 (0.1%)

Profile: Default

Wireshark packet capture window showing ARP and ICMPv6 traffic. The packet list table includes columns for No., Time, Source, Destination, Protocol, Length, and Info. The packet details pane shows the structure of a POST request to /login/login_results.asp. The packet bytes pane displays the raw hex and ASCII data.

No.	Time	Source	Destination	Protocol	Length	Info
13022	77.829755800	Tvt_7f:fd:17	Broadcast	ARP	60	Who has 100.0.0.1? Tell 100.0.4.203
13023	77.829757900	BilianElectr_93:a1:...	Broadcast	ARP	60	Who has 10.10.24.176? Tell 10.10.51.108
13024	77.829758700	1a:6a:0a:37:63:39	Broadcast	ARP	60	Who has 10.10.0.1? Tell 10.10.23.228
13025	77.829759500	Sophos_fc:00:09	Broadcast	ARP	60	Who has 10.10.31.12? Tell 10.10.0.1
13026	77.829760400	Tvt_7f:60:20	Broadcast	ARP	60	Who has 100.0.0.1? Tell 100.0.4.193
13027	77.829762200	::	ff02::1:ff0f:2922	ICMPv6	86	Neighbor Solicitation for fe80::1cda:4f40:1a0f:2922
13028	77.830306600	ba:21:14:b4:f1:73	Broadcast	ARP	60	Who has 10.10.0.1? Tell 10.10.32.199
13029	77.830308500	fe80::1cda:4f40:1a0...	ff02::2	ICMPv6	62	Router Solicitation
13030	77.927824600	3a:4f:0d:19:63:42	Broadcast	ARP	60	Who has 10.10.0.1? Tell 10.10.45.115
13031	77.927826500	Sophos_fc:00:09	Broadcast	ARP	60	Who has 10.10.34.246? Tell 10.10.0.1
13032	77.927827200	1e:bb:72:af:2d:68	Broadcast	ARP	60	ARP Announcement for 10.10.9.59
13033	77.927827800	3e:69:51:04:e9:75	Broadcast	ARP	60	Who has 10.10.0.1? Tell 10.10.50.37
13034	77.928163300	Sophos_fc:00:09	Broadcast	ARP	60	Who has 10.10.39.141? Tell 10.10.0.1
13035	77.928164200	MonHaiPrecis_0e:7e:...	Broadcast	ARP	60	Who has 10.10.17.206? Tell 10.10.25.106
13036	77.930323900	MonHaiPrecis_0e:7e:...	Broadcast	ARP	60	Who has 10.10.17.184? Tell 10.10.25.106
13037	78.029968000	fe80::29d1:6449:152...	ff02::1:ff7a:180a	ICMPv6	86	Neighbor Solicitation for fe80::3e57:6cff:fe7a:180a from 10:68:38:92:ed:06

Frame 5047: Packet, 791 bytes on wire (6328 bits), 791 bytes captured (6328 bits) on interface \Device...

Ethernet II, Src: AzureWaveTec_7e:eb:00 (1c:ce:51:7e:eb:00), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)

Internet Protocol Version 4, Src: 10.10.39.169, Dst: 23.155.129.172

Transmission Control Protocol, Src Port: 56352, Dst Port: 80, Seq: 1, Ack: 1, Len: 737

Hypertext Transfer Protocol

POST /login/login_results.asp HTTP/1.1\r\n

Request Method: POST

Request URI: /login/login_results.asp

Request Version: HTTP/1.1

Host: vbbsca.ca\r\n

Connection: keep-alive\r\n

Content-Length: 40\r\n

Cache-Control: max-age=0\r\n

Upgrade-Insecure-Requests: 1\r\n

Content-Type: application/x-www-form-urlencoded\r\n

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome...

Origin: http://vbbsca.ca\r\n

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;

0000 c8 4f 86 fc 00 09 1c ce 51 7e eb 00 00 00 45 00 :O-----Q-----E-

0010 03 09 55 d1 40 00 80 06 d7 23 0a 0a 27 a9 17 9b :--U@---#---f---

0020 81 ac dc 20 00 50 82 8b 28 80 a4 07 df 55 50 18 :---:P---:---UP-

0030 00 fe bc a0 00 00 50 4f 53 54 20 2f 6c 6f 67 69 :-----PO ST /logi

0040 6e 2f 6c 6f 67 69 6e 5f 72 65 73 75 6c 74 73 2e :n/login_results.

0050 61 73 70 20 48 54 50 2f 31 2e 31 0d 0a 48 6f :asp HTTP /1.1 Ho

0060 73 74 3a 20 76 62 73 63 61 2e 63 61 0d 0a 43 6f :st: vbbsca.ca Co

0070 6e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 :nnection : keep-a

0080 6c 69 76 65 0d 0a 43 6f 6a 74 65 6a 74 2d 4c 65 :live: Content-Le

0090 6e 67 74 68 3a 20 34 30 0d 0a 43 61 63 68 65 2d :ngth: 40 - Cache-

00a0 43 6f 6a 74 72 6f 6c 3a 28 6d 61 78 2d 61 67 65 :Control: max-age

00b0 3d 30 0d 0a 55 70 67 72 61 64 65 2d 49 6a 73 65 :=0 Upgr ade-Inse

00c0 63 75 72 65 2d 52 65 71 75 65 73 74 73 3a 20 31 :cure-Req uests: 1

00d0 0d 0a 43 6f 6e 74 65 6e 74 2d 54 70 70 65 3a 20 :- Conten t-Type:

00e0 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 2d 77 77 :applicat ion/x-ww

00f0 77 2d 66 6f 72 6d 2d 75 72 6c 65 6e 63 6f 64 65 :w-form-u rlencode

0100 64 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d :d-User- Agent: M

0110 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 :ozilla/5 .0 (Wind

0120 6f 77 73 20 40 54 20 31 30 20 30 3b 20 57 69 6e :ows NT 1 0.0; Win

0130 36 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65 :64; x64) AppleWe

0140 62 4b 69 74 2f 35 33 37 20 33 36 20 28 4b 48 54 :bKit/537 .36 (KHT

0150 4d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 20 :ML, like Gecko)

0160 43 68 72 6f 6d 65 2f 31 35 30 2e 30 2e 30 2e 30 :Chrome/1 50.0.0.0

Wireshark · Packet 5047 · Wi-Fi

> Frame 5047: Packet, 791 bytes on wire (6328 bits), 791 bytes captured (6328 bits) on interface \Device\NPF_{293E7D5C-E875-45E5-AA8D-9EADA240EE95}, id 0

> Ethernet II, Src: AzureWaveTec_7e:eb:00 (1c:ce:51:7e:eb:00), Dst: Sophos_fc:00:09 (c8:4f:86:fc:00:09)

> Internet Protocol Version 4, Src: 10.10.39.169, Dst: 23.155.129.172

> Transmission Control Protocol, Src Port: 56352, Dst Port: 80, Seq: 1, Ack: 1, Len: 737

✓ Hypertext Transfer Protocol

▼ POST /login/login_results.asp HTTP/1.1\r\n

Request Method: POST

Request URI: /login/login_results.asp

Request Version: HTTP/1.1

Host: vbsca.ca\r\n

Connection: keep-alive\r\n

> Content-Length: 40\r\n

Cache-Control: max-age=0\r\n

Upgrade-Insecure-Requests: 1\r\n

0210 67 6e 65 64 2d 65 78 63 68 61 6e 67 65 3b 76 3d gned-exc hange;v=

0220 62 33 3b 71 3d 30 2e 37 0d 0a 52 65 66 65 72 65 b3;q=0.7 --Refere

0230 72 3a 20 68 74 74 70 3a 2f 2f 76 62 73 63 61 2e r: http: //vbsca.

0240 63 61 2f 6c 6f 67 69 6e 2f 6c 6f 67 69 6e 2e 61 ca/login /login.a

0250 73 70 0d 0a 41 63 63 65 70 74 2d 45 6e 63 6f 64 sp·Acce pt-Encod

0260 69 6e 67 3a 20 67 7a 69 70 2c 20 64 65 66 6c 61 ing: gzi p, defla

0270 74 65 0d 0a 41 63 63 65 70 74 2d 4c 61 6e 67 75 te·Acce pt-Langu

0280 61 67 65 3a 20 65 6e 2d 49 4e 2c 65 6e 2d 47 42 age: en- IN,en-GB

0290 3b 71 3d 30 2e 39 2c 65 6e 2d 55 53 3b 71 3d 30 ;q=0.9,e n-US;q=0

02a0 2e 38 2c 65 6e 3b 71 3d 30 2e 37 2c 68 69 3b 71 .8,en;q= 0.7,h1;q

02b0 3d 30 2e 36 0d 0a 43 6f 6f 6b 69 65 3a 20 41 53 =0.6·Co okie: AS

02c0 50 53 45 53 53 49 4f 4e 49 44 51 43 42 53 41 52 PSESSION IDQCBSAR

02d0 44 44 3d 4d 48 4c 4b 47 41 48 44 49 42 49 42 4b DD=MHKKG AHDIBIBK

02e0 48 4e 4f 4e 48 46 4c 4e 43 4a 48 0d 0a 0d 0a 74 HNOMHFLN CJH· · · · t

02f0 78 74 55 73 65 72 6e 61 6d 65 3d 62 61 62 61 26 xtUserna me=baba&

0300 74 78 74 50 61 73 73 77 6f 72 64 3d 39 39 32 34 txtPassw ord=9924

0310 30 30 34 31 30 37 32 0041072

No.: 5047 · Time: 28.606491800 · Source: 10.10.39.169 · Destination: 23.155.129.172 · Protocol: HTTP · Length: 791 · Info: POST /login/login_results.asp HTTP/1.1 (application/x-www-form-urlencoded)

✓ Show packet bytes

Layout: Vertical (Stacked)

Close

Help