

Begin: 2023-03-21
18:30 UTC+3



Class Competition #1

End: 2023-03-21
19:10 UTC+3

Ended

[Overview](#) [Problem](#) [Status](#) [Rank \(0:40:00\)](#) [0 Comments](#)

[Setting](#) [☆Favorite](#) [Clone](#)

[A](#) [B](#) [C](#) [D](#)

Submit

Status

My Status

Translate

PDF

Time limit

1000 ms

Mem limit

1048576 kB

OS

Linux

A - Parking

[Kattis - parking2](#)



When shopping on Long Street, Michael usually parks his car at some random location, and then walks to the stores he needs. Can you help Michael choose a place to park which minimises the distance he needs to walk on his shopping round?

Long Street is a straight line, where all positions are integer. You pay for parking in a specific slot, which is an integer position on Long Street. Michael does not want to pay for more than one parking though. He is very strong, and does not mind carrying all the bags around.



Input

The first line of input gives the number of test cases, $1 \leq t \leq 100$. There are two lines for each test case. The first gives the number of stores Michael wants to visit, $1 \leq n \leq 20$, and the second gives their n integer positions on Long Street, $0 \leq x_i \leq 99$.

Output

Output for each test case a line with the minimal distance Michael must walk given optimal parking.

Sample 1

Input	copy	Output	copy
2 4 24 13 89 37 6 7 30 41 14 39 42		152 70	





All Copyright Reserved © 2010-2023 [Xu Han](#)
Server Time: 2023-03-28 22:02:14 UTC+3

