

ASSIGNMENT - 3.5

Name: A Akshith Reddy

Roll Number : 2303A51177


Batch - 03

Question 1: Zero-Shot Prompting (Leap Year Check)

Write a zero-shot prompt to generate a Python function that checks whether a given year is a leap year.

Week2 - Task:

- Record the AI-generated code.
- Test with years like 1900, 2000, 2024.
- Identify logical flaws or missing conditions.



The screenshot shows a code editor with a Python function `is_leap_year` and its execution output. The function checks if a year is a leap year based on the following logic: a year is a leap year if it is divisible by 4, except for end-of-century years, which must be divisible by 400. The output shows the function being tested with years 1900, 2000, and 2024.

```
1 # generate a python function that checks whether a given year is leap year or not
2 def is_leap_year(year):
3     """Check if a given year is a leap year.
4
5     A year is a leap year if it is divisible by 4,
6     except for end-of-century years, which must be divisible by 400.
7
8     Args:
9         year (int): The year to check.
10    Returns:
11        bool: True if the year is a leap year, False otherwise.
12    """
13    if (year % 4 == 0 and year % 100 != 0) or (year % 400 == 0):
14        return True
15    else:
16        return False
17
18 # Example usage:
19 year = 1900
20 if is_leap_year(year):
21     print(f"{year} is a leap year.")
22 else:
23     print(f"{year} is not a leap year.")
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
```

Output:


```
[Done] exited with code=0 in 0.449 seconds
[Running] python -u "C:\Users\naksh\AppData\Local\Temp\tempCodeRunnerFile.py"
2024 is a leap year.
[Done] exited with code=0 in 0.387 seconds
[Running] python -u "C:\Users\naksh\AppData\Local\Temp\tempCodeRunnerFile.py"
1900 is not a leap year.
[Done] exited with code=0 in 0.41 seconds
```

Question 2: One-Shot Prompting (GCD of Two Numbers) Write a one-shot prompt with one example to generate a Python function that finds the Greatest Common Divisor (GCD) of two numbers.

Example:

Input: 12, 18 → Output: 6 Task:

- Compare with a zero-shot solution.
- Analyze algorithm efficiency.



The screenshot shows a code editor with a Python script for calculating the Greatest Common Divisor (GCD) of two numbers. The script defines a function `compute_gcd(a, b)` using a while loop and the modulo operator. It then tests the function with `a = 12` and `b = 18`, printing the results. The output window shows the execution of the script, confirming that the GCD of 12 and 18 is 6.

```
1 """  
2 num = 12,18  
3 gcd = 6  
4 """  
5 def compute_gcd(a, b):  
6     while b:  
7         a, b = b, a % b  
8     return a  
9 if __name__ == "__main__":  
10     a = 12  
11     b = 18  
12     print("num =", (a, b))  
13     print("gcd =", compute_gcd(a, b))  
14
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
[Running] python -u "C:\Users\naksh\AppData\Local\Temp\tempCodeRunnerFile.py"
num = (12, 18)
gcd = 6
[Done] exited with code=0 in 0.427 seconds

Question 3: Few-Shot Prompting (LCM Calculation)

Write a few-shot prompt with multiple examples to generate a Python function that computes the Least Common Multiple (LCM).

Examples:

- Input: 4, 6 → Output: 12
- Input: 5, 10 → Output: 10
- Input: 7, 3 → Output: 21 Task:
- Examine how examples guide formula selection.
- Test edge cases.

```
1 ...
2 num = 4,6
3 lcm = 12
4 num = 5,6
5 lcm = 30
6 num = 7,3
7 lcm = 21
8 ...
9 def lcm(a, b):
10     if a > b:
11         greater = a
12     else:
13         greater = b
14
15     while True:
16         if greater % a == 0 and greater % b == 0:
17             lcm = greater
18             break
19             greater += 1
20
21     return lcm
```

[Running] python -u "C:\Users\naksh\AppData\Local\Temp\tempCodeRunnerFile.python"
LCM of 4 and 6 is 12
[Done] exited with code=0 in 0.473 seconds

Question 4: Zero-Shot Prompting (Binary to Decimal Conversion) Write a zero-shot prompt to generate a Python function that converts a binary number to decimal.

Task:

- Test with valid and invalid binary inputs.
- Identify missing validation logic.

```
1 #generate a python function that converts a binary number to decimal
2 def binary_to_decimal(binary_str):
3     decimal_value = 0
4     binary_str = binary_str[::-1] # Reverse the string to process from least significant bit
5     for index, digit in enumerate(binary_str):
6         if digit == '1':
7             decimal_value += 2 ** index
8     return decimal_value
9
10 # Example usage:
11 binary_number = "1101"
12 decimal_number = binary_to_decimal(binary_number)
13 print(f"The decimal value of binary {binary_number} is {decimal_number}")
```

[Running] python -u "C:\Users\naksh\AppData\Local\Temp\tempCodeRunnerFile.python"
The decimal value of binary 1101 is 13
[Done] exited with code=0 in 0.383 seconds


Question 5: One-Shot Prompting (Decimal to Binary Conversion)

Write a one-shot prompt with an example to generate a Python function that converts a decimal number to binary.

Example:

Input: 10 → Output: 1010 Task:

- Compare clarity with zero-shot output.
- Analyze handling of zero and negative numbers.



The screenshot shows a code editor with a Python script and its execution output. The script defines a recursive function `decimal_to_binary(n)` that prints the binary representation of a decimal number `n`. The function is called with `num = 10`. The output shows the binary representation `1010`.

```
1 """
2 num = 10
3 binary number = 1010
4 """
5 def decimal_to_binary(n):
6     if n > 1:
7         decimal_to_binary(n // 2)
8     print(n % 2, end='')
9 num = 10
10 decimal_to_binary(num)
11 |
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
[Running] python -u "C:\Users\naksh\AppData\Local\Temp\tempCodeRunnerFile.py"
1010
[Done] exited with code=0 in 0.446 seconds
```

Question 6: Few-Shot Prompting (Harshad Number Check) Write a few-shot prompt to generate a Python function that checks whether a number is a Harshad (Niven) number.

Examples:

- Input: 18 → Output: Harshad Number
- Input: 21 → Output: Harshad Number • Input: 19 → Output: Not a Harshad Number Task:
- Test boundary conditions.
- Evaluate robustness

