Computer Science GCE A Level 2026 - Paper 1

Duration: 1h30 | Cameroon GCE Board

GENERAL CERTIFICATE OF EDUCATION BOARD, General Certificate of Education Examination. 0795 COMPUTER SCIENCE 1, ADVANCED LEVEL, JUNE 2026. Multiple choice question paper. Duration: one and a half hours. Mobile phones are NOT allowed in the examination room. Answer ALL the 50 questions in this examination. All questions carry equal marks. Each question has FOUR suggested answers: A, B, C and D. Decide on which answer is correct and mark it on the answer sheet. Mark only one answer for each question (if more than one answer is marked, the question scores zero). Avoid spending too much time on any one question: if a question is difficult, move on to the next one and come back to it later. Do all rough work in the booklet.

---

1. Peter authorizes John to withdraw money from his account as he was sick. However, he could not withdraw the money because of a denial of service attack. Which security measure was not attended to?

a) Privacy.
b) Integrity.
c) Availability.
d) Confidentiality.


2. Data Compression Techniques are particularly used for; EXCEPT

a) reductions in storage hardware.
b) data transmission time.
c) communication bandwidth.
d) effect of errors in transmission.

3. What is the hexadecimal conversion of the decimal number 224?

a) 1E.
b) 0E.
c) E0.
d) E1.

4. Give the boolean expression for the circuit:



a) $\overline{(A \cdot B)} \cdot \overline{(A + C)}$
b) $\overline{(A + B)} \cdot \overline{(A + C)}$
c) $\overline{\overline{A} + \overline{B}} \cdot \overline{(A \cdot C)}$
d) $\overline{(A \cdot B)} \cdot \overline{(A \cdot C)}$

5. Which of the following corresponds to this assertion:- Ngu (A) eats beans or (B) eats rice, and does exactly one of the following: (C) drinks wine or (D) eats fruits.

a) $(A \otimes B) \cdot (C + D)$
b) $\overline{(A \cdot B)} \cdot \overline{(C \otimes D)}$
c) $(A + B) \cdot (\overline{C} + \overline{D})$
d) $(A + B) \cdot (C \otimes D)$

6. How many inputs and output does a half adder have?

a) Two inputs and two outputs.
b) Two inputs one output.
c) Three inputs, two outputs.
d) Three outputs, two inputs.

7. If A, B and C_{in} are the inputs of a full adder, then the sum is given by:

a) A AND B XOR C.
b) A OR B AND C.
c) A XOR B XOR C.
d) A EX-NOR B AND C.

8. These are software which could be gotten and distributed to others.

Options as printed: A) Freeware. B) Share Ware. C) Public license software. D) Free software.

9. Transmissions in computer data communication is focused on

Options as printed: A) secure connections to destination. B) least complex transmission of data. C) safe transmission of data to destination. D) adhering to network protocols.

10. Nah wants all its branch offices in each city to be connected before connecting to the head office. Their connectivity is best using a

Options as printed: A) wide area network. B) local area network. C) virtual private network. D) metropolitan area network.

11. It mediates network use well, but becomes useless given a single-point failure. It has a

a) bus topology.
b) star topology.
c) mesh topology.
d) network topology.

12. When you start up a computer and happen to restart it because of a freeze or installation. It is called

a) restore boot.
b) warm boot.
c) cold boot.
d) short boot.

13. A malware program that replicates itself and spread without any trigger from a user is called a

a) trojan horse.
b) spyware.
c) virus.
d) worm.

14. Which of the unsigned numbers listed below is the largest?

a) 101101001
b) $30A_{16}$
c) 396_{16}
d) 11010011

15. The process of transferring data to and from backing store to immediate store so that other programs can run is known as:

a) Scheduling.
b) Virtualization.
c) Caching.
d) Swapping.

16. An address bus from a storage unit has 20 bus lines. What is the capacity of the storage unit? (Assume 1GB=1024MB and 1MB = 1024kb)

a) 2 Mb.
b) 2 kb.
c) 1 Mb.
d) 1kb.

17. It holds instructions in hardware that can be changed occasionally for later boots.

a) RAM.
b) ROM.
c) PROM.
d) EPROM.

18. Which of the following interrupts has highest priority?

Options as printed: A) Timer interrupt. B) I/O interrupt. C) Division by zero. D) System call.

19. It is NOT a feature of network operating system

a) Share resources across devices in a network.
b) Operating systems with networking capacity.
c) Seen as peer-to-peer or client-server network.
d) A wide-area distributed computer system.

20. Most generally, cloud computing

a) is a multi-user, time-sharing system.
b) shares hardware over the internet.
c) Provides computing services on-demand.
d) Stores data over the internet.

21. Which best agrees with the purpose of process management in operating systems?

Options as printed: A) Give users equal access to the processor. B) Ensure all processes can run. C) Maximise turn-around times of jobs. D) Minimise the idle time of the processor.

22. It regularly checks if a printer resource is available for use. It is

a) an interrupt.
b) a signal.
c) polling.
d) spooling.

23. Which of the following is NOT normally in the instruction set of an assembly language?

a) Branch Instructions.
b) Type Instructions.
c) Interrupt instructions.
d) Shift instructions.

24. It best presents database systems as better than conventional file-based systems:

a) database administration.
b) program independence.
c) has user views of programs.
d) programs tailored to multiple users.

25. The ability to query data as well as insert, delete; and alter tuples, is offered by:

a) Functional language.
b) Procedural language.
c) Data Manipulation language.
d) Data Definition language.

26. When all attributes that are not part of the primary key is fully functionally dependent on the primary key, the relation must be in

a) 3NF.
b) 2NF.
c) 1NF.
d) BCNF.

27. In OS file access privileges and locks seek to

a) control what processes can do on files.
b) tell who owns a file or directory.
c) control how much memory a file uses.
d) lock out unscrupulous users.

28. If A is LOW or B is LOW or BOTH are LOW, then X is LOW. If A is HIGH and B is HIGH, then X is HIGH. These rules specify the operation of a(n):

a) AND gate.
b) OR gate.
c) NAND gate.
d) XOR gate.

29. They enable the independent reuse of program-level functionalities in other programs as they are readied for execution. They are:

a) utility programs.
b) systems programs.
c) library programs.
d) application programs.

30. It allows a visited website to store its own information about a user on the user's computer

a) spam.
b) malware.
c) adware.
d) cookies.

31. The scheduling algorithm in which the CPU is allocated to the process with the least CPU-burst time is called

a) priority scheduling.
b) round robin.
c) shortest job first.
d) shortest remaining time next.

32. A program parameter that can be modified by all subprograms that make reference to it is known as a(n)

a) local variable.
b) global variable.
c) formal parameter.
d) actual parameter.

33. A technique that allows for execution of a program that is not entirely in memory is known as

a) demand paging.
b) fixed partitioning.
c) swapping.
d) pooling.

34. Which of these algorithms divides, at each iteration, the list into two sub-lists so that one is sorted and the other unsorted?

a) Quick sort.
b) Insertion sort.
c) Bubble sort.
d) Merge sort.

35. To know how to handle errors, use her software package and better understand how it works, Elaine consults a(n);

a) installation manual.
b) user manual.
c) specification manual.
d) design manual.

36. The popular expression *"Divide and conquer"* refers to a kind of

Options as printed: A) Top-down design. B) Object oriented design. C) Algorithmic design. D) Bottom-up design.


37. Which sorting technique can best sort each of the strings: *"BACDE"*, *"EABCD"* and *"ACBED"* in a single pass?

a) Selection.
b) bubble sort.
c) quick sort.
d) merge sort.

38. Given the two-statement program: `if x mod 3 = 0 then output *"Fizz"*; if x mod 5 = 0 then print *"Buzz"*`, what does it output for x=15?


Options as printed: A) Fizz. B) Buzz. C) FizzBuzz. D) Fizz and Buzz.

39. An algorithm initialises an array. It then pays Joe via instruction J if its condition is true, and greets Sally via instruction S otherwise. Which flowchart below gives the most complete execution of the algorithm?



a) Flowchart A.
b) Flowchart B.
c) Flowchart C.
d) Flowchart D.

40. What is the result obtained when the binary tree below is traversed in PREORDER?



a) 1,2,4,5,3,6,7.
b) 1,2,3,4,5,6,7.
c) 1,2,4,3,5,6,7.
d) 1,2,3,5,4,6,7.

41. The concept by which we apply existing operations to new data types is

a) polymorphism.
b) encapsulation.
c) prototyping.
d) inheritance.

42. What is the complexity of preorder traversal in the iterative fashion?

a) O(1).
b) O(nlogn).
c) O(logn).
d) O(n).

43. Viruses are an issue of network

a) reliability.
b) feasibility.
c) security.
d) performance.

44. A database table is in 3rd normal form if

a) it is in 2nd (2NF) normal form and in 1st (1NF) normal form.
b) it is in 2nd (2NF) and all non-key fields depend on all key fields.
c) it is in 2nd (2NF) and all non-key fields depend only on the key.
d) it is in 2NF and all non-key fields may depend indirectly on all key fields.

45. The worst case occurs in binary search algorithms when an item is:

a) somewhere in the middle of the array.
b) not in the array at all.
c) the last element in the array.
d) the first or last element in the array or absent.

46. What will be the number of passes required to sort the elements 14, 12,16, 6, 3, 10 using insertion sort?

a) 6.
b) 5.
c) 7.
d) 4.

47. Which of the following best describes what the instruction ADD #45; R1 performs, where #n represents decimal number n and R1 denotes a register?

a) adds the value of 45 to the address of R1 and stores 45 in that address.
b) adds 45 to the value of R1 and stores it in R1.
c) finds the memory location 45 and adds that content to that of R1.
d) adds the value of 45 to R1 and stores in the same address.

48. Which method of data representation does not have two representations for '0'?

a) Sign-magnitude.
b) 1's complement.
c) 2's complement.
d) 1's and 2's complement.

49. A program has to wait for messages from Pete before projecting images to the screens of Joy and Kay, who then reply to inquirers. The program is best implemented using

a) object-oriented programming.
b) event-driven programming.
c) declarative programming.
d) graphical programming.

50. The best mode of connection between devices which need to send or receive large amounts of data over a short distance is through a:

a) BUS port.
b) serial port.
c) parallel port.
d) communication port.

Want to check your answers?

The full correction of this paper, with the method explained step by step, is available on EduKora: 15,000 FCFA per child until the exam, 12,000 FCFA for each additional child in the same family.

View the correction

Scan me

edukora.africa - Free-access paper, feel free to share. The correction is for subscribers only.