```
--
============================================
==========
-- Run this whole file in Supabase -> SQL
Editor -> New query
--
============================================
==========

-- 1. PRODUCTS: the items the shop sells
(public, read-only for visitors)
create table if not exists products (
  id          uuid primary key default
gen_random_uuid(), -- unique id per product
  name        text not null,
  description text,
  price       numeric(10,2) not
null,                     -- price in Naira
  image_url   text,
  created_at  timestamptz default now()
);

-- 2. ORDERS: one row per checkout, linked
to the logged-in Google user
create table if not exists orders (
  id         uuid primary key default
gen_random_uuid(),
  user_id    uuid not null references
auth.users(id) on delete cascade, -- who
placed it
```

```
  email      text not
null,
       -- where the confirmation goes
  total      numeric(10,2) not null,
  status     text not null default
'pending',                          --
pending / paid
  created_at timestamptz default now()
);

-- 3. ORDER_ITEMS: the individual products
inside each order
create table if not exists order_items (
  id         uuid primary key default
gen_random_uuid(),
  order_id   uuid not null references
orders(id) on delete cascade,
  product_id uuid not null references
products(id),
  quantity   int  not null check (quantity
> 0),
  price      numeric(10,2) not null  --
price at time of purchase (so later price
changes don't alter old orders)
);

--
==========================================
==========
-- ROW LEVEL SECURITY (RLS): controls who
can see/do what
--
==========================================
==========
```

```
alter table products    enable row level
security;
alter table orders      enable row level
security;
alter table order_items enable row level
security;

-- Anyone (even logged out) can browse
products
create policy "Anyone can read products"
  on products for select using (true);

-- A user can only create and read THEIR
OWN orders
create policy "Users insert own orders"
  on orders for insert with check
(auth.uid() = user_id);
create policy "Users read own orders"
  on orders for select using (auth.uid() =
user_id);

-- A user can only add/read items that
belong to THEIR OWN orders
create policy "Users insert own order
items"
  on order_items for insert
  with check (exists (select 1 from orders
o where o.id = order_id and o.user_id =
auth.uid()));
create policy "Users read own order items"
  on order_items for select
  using (exists (select 1 from orders o
where o.id = order_id and o.user_id =
auth.uid()));
```

```
--
============================================
==========
-- SEED DATA: sample products so the shop
isn't empty
--
============================================
==========
insert into products (name, description,
price, image_url) values
  ('Classic White Tee',   'Soft 100% cotton
t-shirt',         8500,
'https://picsum.photos/seed/tee/400/400'),
  ('Denim Jacket',        'Medium-wash,
relaxed fit',         32000,
'https://picsum.photos/seed/jacket/400/400'
),
  ('Canvas Sneakers',     'Everyday lace-up
sneakers',        18500,
'https://picsum.photos/seed/sneakers/400/40
0'),
  ('Leather Wallet',      'Slim bifold, six
card slots',      12000,
'https://picsum.photos/seed/wallet/400/400'
),
  ('Ankara Tote Bag',     'Handmade, fully
lined',            9500,
'https://picsum.photos/seed/tote/400/400'),
  ('Beaded Bracelet',     'Hand-strung,
adjustable',          4500,
'https://picsum.photos/seed/bracelet/400/40
0');
```