Calculating Hessians

5/5 points (100%)

Practice Quiz, 5 questions

✔ Congratulations! You passed!

Next Item

✔ 1 / 1 points

1.
In this quiz, you will calculate the Hessian for some functions of 2 variables and functions of 3 variables.

For the function $f(x,y) = x^3y + x + 2y$, calculate the Hessian matrix $H = \begin{bmatrix} \partial_{x,x} f & \partial_{x,y} f \\ \partial_{y,x} f & \partial_{y,y} f \end{bmatrix}$

- $H = \begin{bmatrix} 0 & 3x^2 \\ 3x^2 & 6xy \end{bmatrix}$
- ◉ $H = \begin{bmatrix} 6xy & 3x^2 \\ 3x^2 & 0 \end{bmatrix}$

Correct
Well done!

- $H = \begin{bmatrix} 6xy & -3x^2 \\ -3x^2 & 0 \end{bmatrix}$
- $H = \begin{bmatrix} 0 & -3x^2 \\ -3x^2 & 6xy \end{bmatrix}$

✔ 1 / 1 points

2.
For the function $f(x,y) = e^x cos(y)$, calculate the Hessian matrix.

- $H = \begin{bmatrix} -e^x cos(y) & -e^x sin(y) \\ -e^x sin(y) & e^x cos(y) \end{bmatrix}$
- $H = \begin{bmatrix} -e^x cos(y) & e^x sin(y) \\ -e^x sin(y) & -e^x cos(y) \end{bmatrix}$
- $H = \begin{bmatrix} -e^x cos(y) & -e^x sin(y) \\ e^x sin(y) & -e^x cos(y) \end{bmatrix}$
- ◉ $H = \begin{bmatrix} e^x cos(y) & -e^x sin(y) \\ -e^x sin(y) & -e^x cos(y) \end{bmatrix}$

Correct
Well done!

✔ 1 / 1 points

3.

For the function $f(x,y) = \frac{x^2}{2} + xy + \frac{y^2}{2}$, calculate the Hessian matrix.

Calculating Hessians

5/5 points (100%)

Notice something interesting when you calculate $\frac{1}{2}[x,y]H\begin{bmatrix}x\\y\end{bmatrix}$!

Practice Quiz, 5 questions

- $H = \begin{bmatrix}1 & 1\\1 & 1\end{bmatrix}$

Correct

Well done! Not unlike a previous question with the Jacobian of linear functions, the Hessian can be used to succinctly write a quadratic equation in multiple variables.

- $H = \begin{bmatrix}1 & 0\\0 & 1\end{bmatrix}$
- $H = \begin{bmatrix}1 & -1\\-1 & 1\end{bmatrix}$
- $H = \begin{bmatrix}1 & 0\\-1 & 1\end{bmatrix}$

---

1 / 1 points

4.

For the function $f(x,y,z) = x^2e^{-y}cos(z)$, calculate the Hessian matrix $H = \begin{bmatrix}\partial_{x,x}f & \partial_{x,y}f & \partial_{x,z}f\\ \partial_{y,x}f & \partial_{y,y}f & \partial_{y,z}f\\ \partial_{z,x}f & \partial_{z,y}f & \partial_{z,z}f\end{bmatrix}$

- $H = \begin{bmatrix}2e^{-y}cos(z) & 2xe^{-y}cos(z) & 2xe^{-y}sin(z)\\ 2xe^{-y}cos(z) & x^2e^{-y}cos(z) & x^2e^{-y}sin(z)\\ 2xe^{-y}sin(z) & x^2e^{-y}sin(z) & x^2e^{-y}cos(z)\end{bmatrix}$
- $H = \begin{bmatrix}2xe^{-y}cos(z) & x^2e^{-y}cos(z) & 2xe^{-y}sin(z)\\ 2xe^{-y}cos(z) & x^2e^{-y}cos(z) & x^2xe^{-y}sin(z)\\ 2xe^{-y}sin(z) & 2xe^{-y}sin(z) & 2xe^{-y}cos(z)\end{bmatrix}$
- $H = \begin{bmatrix}2xe^{-y}cos(z) & -2e^{-y}cos(z) & -2e^{-y}sin(z)\\ -2e^{-y}cos(z) & x^2e^{-y}cos(z) & x^2e^{-y}sin(z)\\ -2x^2e^{-y}sin(z) & x^2e^{-y}sin(z) & -2xe^{-y}cos(z)\end{bmatrix}$
- $H = \begin{bmatrix}2e^{-y}cos(z) & -2xe^{-y}cos(z) & -2xe^{-y}sin(z)\\ -2xe^{-y}cos(z) & x^2e^{-y}cos(z) & x^2e^{-y}sin(z)\\ -2xe^{-y}sin(z) & x^2e^{-y}sin(z) & -x^2e^{-y}cos(z)\end{bmatrix}$

Correct

Well done!

---

1 / 1 points

5.

For the function $f(x,y,z) = xe^y + y^2cos(z)$, calculate the Hessian matrix.

- $$H = \begin{bmatrix} 0 & e^y & 0 \\ e^y & xe^y + 2sin(z) & -2ycos(z) \\ 0 & -2ycos(z) & -y^2sin(z)\end{bmatrix}$$
- $$H = \begin{bmatrix} 0 & e^y & 0 \\ e^y & xe^y + 2sin(z) & 2ycos(z) \\ 0 & 2ycos(z) & y^2sin(z)\end{bmatrix}$$
- $$H = \begin{bmatrix} 0 & e^y & 0 \\ e^y & xe^y + 2cos(z) & 2ysin(z) \\ 0 & 2ysin(z) & y^2cos(z)\end{bmatrix}$$

$$H = \begin{bmatrix} 0 & e^y & 0 \\ e^y & xe^y + 2cos(z) & -2ysin(z) \\ 0 & -2ysin(z) & -y^2cos(z) \end{bmatrix}$$

Calculating Hessians

5/5 points (100%)

Practice Quiz, 5 questions

Correct

Well done!