



Some glimpses of ongoing ONOS/SDN-IP tests/implementation for SoDIP6 networks (use-case)


Authors: Babu R Dawadi, Danda B Rawat, Shashidhar R Joshi, and Pietro Manzoni



















00:42 🕎 💍 ONOS - Chromium



```
nos> intents
id=0x2, state=INSTALLED, key=0x2, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=6}, TCP DST{tcpPort=179}, IPV4 SRC{ip=10.0.2.1/32}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.2.101/32}]
   ingress=ConnectPoint{elementId=of:00000000000000000000, portNumber=1}, egress=ConnectPoint{elementId=of:0000000000000003, portNumber=1}
d=0x8, state=INSTALLED, key=0x8, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=6}, TCP DST{tcpPort=179}, IPV4 SRC{ip=10.0.1.1/32}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.1.101/32}]
   ingress = Connect Point \{element Id = of: 0\overline{0}00000000000000001, portNumber = 1\}, egress = Connect Point \{element Id = of: 000000000000003, portNumber = 1\}
d=0x0, state=INSTALLED, key=0x0, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=6}, TCP DST{tcpPort=179}, IPV4 SRC{ip=10.0.2.101/32}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.2.1/32}]
   d=0x7, state=INSTALLED, key=0x7, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=6}, IPV4 SRC{ip=10.0.1.101/32}, TCP SRC{tcpPort=179}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.1.1/32}]
   ingress=ConnectPoint{elementId=of:00000000000000000000000000003, portNumber=1}, egress=ConnectPoint{elementId=of:000000000000000001, portNumber=1}
d=0x81, state=WITHDRAWN, key=192.168.1.0/24, type=MultiPointToSinglePointIntent, appId=org.onosproject.sdnip
   selector=[ETH TYPE{ethType=800}, IPV4 DST{ip=192.168.1.0/24}]
   treatment=[ETH DST{mac=00:00:00:00:01:01}]
   ingress=[ConnectPoint{elementId=of:00000000000000004, portNumber=1}, ConnectPoint{elementId=of:000000000000003, portNumber=1}, ConnectPoint{e
0al. portNumber=1}
id=0x5, state=INSTALLED, key=0x5, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=1}, IPV4 SRC{ip=10.0.2.1/32}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.2.101/32}]
   d=0x9, state=INSTALLED, key=0x9, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=6}, IPV4 SRC{ip=10.0.1.1/32}, TCP SRC{tcpPort=179}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.1.101/32}]
   ingress=ConnectPoint{elementId=of:000000000000000001, portNumber=1}, egress=ConnectPoint{elementId=of:000000000000003, portNumber=1}
 d=0xa, state=INSTALLED, key=0xa, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=1}, IPV4 SRC{ip=10.0.1.101/32}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.1.1/32}]
   d=0x6, state=INSTALLED, key=0x6, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=6}, TCP DST{tcpPort=179}, IPV4 SRC{ip=10.0.1.101/32}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.1.1/32}]
   ingress=ConnectPoint{elementId=of:0000000000000000003, portNumber=1}, egress=ConnectPoint{elementId=of:000000000000001, portNumber=1}
d=0x3, state=INSTALLED, key=0x3, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=6}, IPV4 SRC{ip=10.0.2.1/32}, TCP SRC{tcpPort=179}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.2.101/32}]
   ingress=ConnectPoint{elementId=of:000000000000000002, portNumber=1}, egress=ConnectPoint{elementId=of:000000000000003, portNumber=1}
d=0x4, state=INSTALLED, key=0x4, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=1}, IPV4 SRC{ip=10.0.2.101/32}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.2.1/32}]
   id=0x1, state=INSTALLED, key=0x1, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=6}, IPV4 SRC{ip=10.0.2.101/32}, TCP SRC{tcpPort=179}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.2.1/32}]
   ingress=ConnectPoint{elementId=of:0000000000000000003, portNumber=1}, egress=ConnectPoint{elementId=of:0000000000000002, portNumber=1}
d=0xb, state=INSTALLED, key=0xb, type=PointToPointIntent, appId=org.onosproject.sdnip
   selector=[IP PROTO{protocol=1}, IPV4 SRC{ip=10.0.1.1/32}, ETH TYPE{ethType=800}, IPV4 DST{ip=10.0.1.101/32}]
   sdnip@mininet-...
                                                       ONOS - Chromium
```

```
LXTerminal
File Edit Tabs Help
  ingress=ConnectPoint{elementId=of:00000000000000001, portNumber=1}, egress=ConnectPoint{elementId=of:00000000000003, portNumber=1}
d=of:000000000000001, available=true, role=MASTER, type=SWITCH, mfr=Nicira, Inc., hw=Open vSwitch, sw=2.1.3, serial=None, protocol=OF 10, channelId=10.0.3.1:48617
id=of:00000000000000, available=true, role=MASTER, type=SWITCH, mfr=Nicira, Inc., hw=Open vSwitch, sw=2.1.3, serial=None, protocol=OF 10, channelId=10.0.3.1:48618
d=of:00000000000000, available=true, role=MASTER, type=SWITCH, mfr=Nicira, Inc., hw=Open vSwitch, sw=2.1.3, serial=None, protocol=OF 10, channelId=10.0.3.1:48619
d=of:000000000000004, available=true, role=MASTER, type=SWITCH, mfr=Nicira, Inc., hw=Open vSwitch, sw=2.1.3, serial=None, protocol=OF 10, channelId=10.0.3.1:48620
 d=of:000000000000005, available=true, role=MASTER, type=SWITCH, mfr=Nicira, Inc., hw=Open vSwitch, sw=2.1.3, serial=None, protocol=OF_10, channelId=10.0.3.1:48621
 d=of:0000000000000a6, available=true, role=MASTER, type=SWITCH, mfr=Nicira, Inc., hw=Open vSwitch, sw=2.1.3, serial=None, protocol=OF 10, channelId=10.0.3.1:48622
  s> flows
  id=100008507e769, state=ADDED, bytes=2442, packets=33, duration=2000, priority=5, tableId=0 appId=org.onosproject.core, payLoad=null
      selector=[ETH TYPE{ethType=800}]
      treatment = Default Traffic Treatment \{immediate = [OUTPUT\{port = CONTROLLER\}], deferred = [], transition = None, cleared = false, metadata = null\}
   id=100008507fdef, state=ADDED, bytes=1764, packets=42, duration=2000, priority=40000, tableId=0 appId=org.onosproject.core, payLoad=null
      selector=[ETH TYPE{ethType=806}]
      treatment=DefaultTrafficTreatment{immediate=[OUTPUT{port=CONTROLLER}], deferred=[], transition=None, cleared=false, metadata=null}
   id=100008507fdef, state=ADDED, bytes=0, packets=0, duration=2000, priority=5, tableId=0 appId=org.onosproject.core, payLoad=null
      selector=[ETH TYPE{ethType=806}]
      treatment=DefaultTrafficTreatment{immediate=[OUTPUT{port=CONTROLLER}], deferred=[], transition=None, cleared=false, metadata=null}
   id=1000086e42306, state=ADDED, bytes=17560, packets=188, duration=2000, priority=5, tableId=0 appId=org.onosproject.core, payLoad=null
      selector=[ETH TYPE{ethType=86dd}]
      treatment=DefaultTrafficTreatment{immediate=[OUTPUT{port=CONTROLLER}], deferred=[], transition=None, cleared=false, metadata=null}
   id=1000086eb6535, state=ADDED, bytes=104814, packets=1294, duration=2000, priority=40000, tableId=0 appId=org.onosproject.core, payLoad=null
      selector=[ETH TYPE{ethType=88cc}]
      treatment=DefaultTrafficTreatment{immediate=[OUTPUT{port=CONTROLLER}], deferred=[], transition=None, cleared=false, metadata=null}
   id=1000086ed202b, state=ADDED, bytes=104814, packets=1294, duration=2000, priority=40000, tableId=0 appId=org.onosproject.core, payLoad=null
      selector=[ETH TYPE{ethType=8942}]
  treatment=DefaultTrafficTreatment{immediate=[OUTPUT{port=CONTROLLER}], deferred=[], transition=None, cleared=false, metadata=null}
id=100008714e102, state=FAILED, bytes=0, packets=0, duration=0, priority=40000, tableId=0 appId=org.onosproject.core, payLoad=null
selector=[IP_PROTO{protocol=58}, ICMPV6_TYPE{icmpv6Type=135}, ETH_TYPE{ethType=86dd}]
      treatment = Default Traffic Treatment \{immediate = [OUTPUT\{port = CONTROLLER\}], deferred = [], transition = None, cleared = false, metadata = null\}
   id=100008714e4c3, state=FAILED, bytes=0, packets=0, duration=0, priority=40000, tableId=0 appId=org.onosproject.core, payLoad=null
      selector=[IP_PROTO{protocol=58}, ICMPV6_TYPE{icmpv6Type=136}, ETH_TYPE{ethType=86dd}]
  treatment=DefaultTrafficTreatment{immediate=[0UTPUT{port=CONTROLLER}], deferred=[], transition=None, cleared=false, metadata=null}
id=1d000080b1524d, state=FAILED, bytes=0, packets=0, duration=0, priority=10, tableId=0 appId=org.onosproject.fwd, payLoad=null
selector=[IPV6_SRC{ip=2001:1::101/128}, IN_PORT{port=3}, ETH_SRC{mac=00:00:00:00:00:01}, IPV6_DST{ip=2001:1::1/128}, ETH_DST{mac=00:00:00:00:01:01}, ETH_TYPE{ethType=86dd}]
      treatment = Default Traffic Treatment \{immediate = [OUTPUT\{port = 1\}], deferred = [], transition = None, cleared = false, metadata = null \} \}
   id=ld000084fd27cc, state=PENDING REMOVE, bytes=0, packets=0, duration=0, priority=10, tableId=0 appId=org.onosproject.fwd, payLoad=null
      selector=[IN PORT{port=3}, ETH SRC{mac=00:00:00:00:00:01}, ETH DST{mac=00:00:00:00:01:01}]
      treatment=DefaultTrafficTreatment{immediate=[OUTPUT{port=1}], deferred=[], transition=None, cleared=false, metadata=null}
   id=23000019c173c1, state=ADDED, bytes=0, packets=0, duration=2000, priority=1000, tableId=0 appId=org.onosproject.net.intent, payLoad=null selector=[IP_PROTO{protocol=1}, IN_PORT{port=2}, IPV4_SRC{ip=10.0.1.101/32}, ETH_TYPE{ethType=800}, IPV4_DST{ip=10.0.1.1/32}]
      treatment=DefaultTrafficTreatment{immediate=[0UTPUT{port=1}], deferred=[], transition=None, cleared=false, metadata=null}
```



id=DA:08:96:78:6C:3E/-1, mac=DA:08:96:78:6C:3E, location=of:0000000000000006/1, vlan=-1, ip(s)=[10.0.100.1]

```
mininet> isp h1 ping isp h2
PING 192.168.2.1 (192.168.2.1) 56(84) bytes of data.
64 bytes from 192.168.2.1: icmp_seq=1 ttl=61 time=3.40 ms
64 bytes from 192.168.2.1: icmp_seq=2 ttl=61 time=3.51 ms
64 bytes from 192.168.2.1: icmp seq=3 ttl=61 time=1.07 ms
^CsendInt: writing chr(3)
--- 192.168.2.1 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2003ms
rtt min/avg/max/mdev = 1.071/2.666/3.519/1.128 ms
mininet> isp h1 ping isp h3
PING 192.168.3.1 (192.168.3.1) 56(84) bytes of data.
64 bytes from 192.168.3.1: icmp_seq=1 ttl=61 time=1.54 ms
64 bytes from 192.168.3.1: icmp_seq=2 ttl=61 time=2.42 ms
64 bytes from 192.168.3.1: icmp_seq=3 ttl=61 time=1.71 ms
^CsendInt: writing chr(3)
--- 192.168.3.1 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 3004ms
rtt min/avg/max/mdev = 1.547/3.064/6.569/2.050 ms
```

```
mininet> isp h1 ping6 2001:4::1
OPING 2001:4::1 (2001:4::1) 56(84) bytes of data.
64 bytes from 2001:4::1: icmp seg=1 ttl=61 time=2.12 ms
64 bytes from 2001:4::1: icmp_seq=2 ttl=61 time=1.06 ms
64 bytes from 2001:4::1: icmp seq=3 ttl=61 time=4.41 ms
^CsendInt: writing chr(3)
--- 2001:4::1 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2002ms
rtt min/avg/max/mdev = 1.064/2.532/4.411/1.397 ms
mininet> isp h1 ping sdn h1
PING 10.0.100.1 (10.0.100.1) 56(84) bytes of data.
64 bytes from 10.0.100.1: icmp_seg=1 ttl=62 time=21.5 ms
64 bytes from 10.0.100.1: icmp_seq=2 ttl=62 time=1.15 ms
^CsendInt: writing chr(3)
--- 10.0.100.1 ping statistics ---
2 packets transmitted, 2 received, 0% packet loss, time 1001ms
rtt min/avg/max/mdev = 1.157/11.336/21.515/10.179 ms
```

```
mininet> isp h2 ping sdn h1
PING 10.0.100.1 (10.0.100.1) 56(84) bytes of data.
64 bytes from 10.0.100.1: icmp seq=1 ttl=62 time=17.0 ms
64 bytes from 10.0.100.1: icmp_seq=2 ttl=62 time=0.670 ms
64 bytes from 10.0.100.1: icmp seq=3 ttl=62 time=0.087 ms
^CsendInt: writing chr(3)
--- 10.0.100.1 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2023ms
rtt min/avg/max/mdev = 0.087/5.919/17.001/7.839 ms
mininet> isp h3 ping6 2001:100::1
PING 2001:100::1 (2001:100::1) 56(84) bytes of data.
64 bytes from 2001:100::1: icmp_seg=1 ttl=62 time=0.064 ms
64 bytes from 2001:100::1: icmp_seq=2 ttl=62 time=0.232 ms
^CsendInt: writing chr(3)
--- 2001:100::1 ping statistics ---
2 packets transmitted, 2 received, 0% packet loss, time 1011ms
rtt min/avg/max/mdev = 0.064/0.148/0.232/0.084 ms
```

