```
<!DOCTYPE html>
<html>
<head>
  <title>Portfolio</title>
  <style>
   b∞dy {
     font-family: Arial, sans-serif;
      margin: 0;
      padding: 0;
     background-color: #84a6e9;
   header {
      background-color: #9 419 19;
      color: #fff;
      text-align: center;
```

```
padding: 2rem 0;
  position: relative; /* Add this */
.header-content h1 {
  font-size: 2.5 rem;
/* Add styles for the round profile picture */
.profile-picture {
  width: 100px; /* Adjust the size as needed */
  height: 100px;
  border-radius: 75%; /* Create a circular shape */
  \circbject-fit: \circver; /* T \circ ensure the image fills the circular area */
  position: absolute; /* Add this */
  top: 75 px; /* Adjust top position as needed */
```

```
left: 75px; /* Adjust left position as needed */
nav {
  background-color: #333;
  color: #fff;
  text-align: center;
nav ul {
  list-style-type: none;
  padding: 0;
nav ul li {
  display: inline;
```

```
margin: 0 20px;
nav ul li a {
  text-decoration: none;
  color: #fff;
.section-content {
  background-color: #fff;
  padding: 2rem;
  margin: 1rem;
  border-radius: 20px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
  text-align: justify;
```

```
.download-button {
  background-color: #333;
  color: #fff;
  padding: 0.5rem 1rem;
  text-decoration: none;
  border-radius: 20px;
  display: inline-block;
  margin-top: 10px;
 align-self: center;
.download-button:hover {
  background-color: #555;
```

```
f\infty ter {
      text-align: center;
      padding: 1rem 0;
      background-color: #333;
      color: #fff;
    ul {
      list-style-type: disc;
      padding-left: 20px;
  </style>
</head>
<body>
  <header>
    <div class="header-content">
```

```
<!-- Add your profile picture here -->
   <img src="passport photo.jpg" alt="Your Profile Picture" class="profile-picture">
   <h1>Pranesh S</h1>
   Am Mechanical Engineer
 </div>
</header>
<nav>
 <a href="#about">About</a>
   <a href="#education">Education</a>
   <a href="#skills">Skills</a>
   <a href="#projects">Projects</a>
   <a href="#resume">Resume</a>
```

<secti⊙n id="about"></secti⊙n>
<div class="section-content"></div>
<h2>About Me</h2>
'm a <b>web development</b> expert who is passionate about creating dynamic and user-friendly websites.
I'm driven by the desire t♡ craft high-perf♡rmance web applicati♡ns that enhance user experience and pr♡vide
seamless digital s∞lutions. With over 7 years of experience in the field, I'm dedicated to staying up to date
with the latest trends and inn∞vati⊙ns in the
web devel©pment landscape. I'm als© c©mmitted t© helping ©thers learn m©re ab©ut web techn©l©gies,
best practices, and h∞w t∞ build secure and scalable websites.
<secti⊙n id="educati⊙n"></secti⊙n>

```
<div class="section-content">
   <h2>Education</h2>
   Deemed University - Mech
 </div>
</section>
<section id="skills">
 <div class="section-content">
   <h2>Skills</h2>
   React
    Mern
     Cloud Computing
    Python
```

```
Spring
                                      ML & Al
                                     java
                                     <|i>c++</|i>
                                      |ava script
                        </div>
</section>
<secti⊙n id="pr©jects">
           <div class="section-content">
                        \hdots \
                        <a href="#">E Cart website</a>
                                      <a href="#">Cloud Security IBM</a>
                                     <a href="#">IBM chatbox</a>
```

```
<a href="#">College Portal</a>
     <!-- Add more project links here -->
   </div>
</section>
<section id="resume">
 <div class="section-content">
   <center>
   <h 2>Resume</h 2>
   <a href="file.pdf" target="_blank" class="download-button">Download CU</a>
 </re>
 </div>
</section>
```

```
<fracter>
 &c∞py; 2025 Pranesh S
</feoter>
<script>
 // Smooth scrolling to section when clicking on navigation links
 document.querySelectorAll('a[href^="#"]').forEach(anchor => {
    anchor.addEventListener('click', function(e) {
      e.preventDefault();
      const targetId = this.getAttribute('href').substring(1);
      const targetElement = document.getElementByld(targetId);
      if (targetElement) {
        window.scrollTo({
```

top: targetElement.offsetTop,
behavi⊙r: 'sm∞th'
<b>}</b> );
}
<b>}</b> );
<b>}</b> );